freestanding

EVWFR - RECTANGULAR FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D	W	H
	Rectangular Freestanding Worksurface with Round Corner Legs	EVWFR2448HP	888	24	48	29
		EVWFR2460HP	1029	24	60	29
		EVWFR3048HP	967	30	48	29
		EVWFR3060HP	1058	30	60	29
	Rectangular Freestanding Worksurface with Square Corner Legs	EVWFRS2448HP	888	24	48	29
		EVWFRS2460HP	1029	24	60	29
		EVWFRS3048HP	967	30	48	29
		EVWFRS3060HP	1058	30	60	29

EVWFS - SQUARE FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate. PVC sleeve available in Evolve standard colors only.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D	W	H
	Square Freestanding Worksurface with Round Corner Legs	EVWFS36HP	939	36	36	29
		EVWFS42HP	1077	42	42	29
		EVWFS48HP	1272	48	48	29
	Square Freestanding Worksurface with Square Corner Legs	EVWFSS36HP	939	36	36	29
		EVWFSS42HP	1077	42	42	29
		EVWFSS48HP	1272	48	48	29

EVWFC - ROUND FREESTANDING WORKSURFACE WITH CORNER LEGS

- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES W	H
	Round Freestanding Worksurface with Corner Legs	EVWFC36HP	1001	36	29
		EVWFC42HP	1204	42	29
		EVWFC48HP	1436	48	29
	Round Freestanding Worksurface with Square Corner Legs	EVWFCS36HP	1001	36	29
		EVWFCS42HP	1204	42	29
		EVWFCS48HP	1436	48	29

EVWFD - PANEL MOUNTED WORKSURFACE WITH CORNER LEGS

- "D" top table with 2 legs, panel mounted.
- Support hardware must be ordered separately. See the listings in this section.
- Worksurface include 6 threaded-metal inserts in corners, to allow for metal-to-metal connections.
- Worksurface is available in 1-1/16" thick High Pressure laminate only.
- Legs are 1.5" diameter and include leveling glide, PVC sleeve and attachment plate.
- Legs can be used in the corner of a single worksurface, or rotated 45 degrees to support the corners of two worksurfaces.
- Ships Knocked Down.
- All Freestanding products are available in thermally fused thickness only.

	DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES D	W	H
	Panel Mounted Worksurface with Corner Legs	EVWFD2448HP	726	24	48	29
		EVWFD2460HP	849	24	60	29
		EVWFD3048HP	868	30	48	29
		EVWFD3060HP	918	30	60	29
	Panel Mounted Worksurface with Square Corner Legs	EVWFDS2448HP	726	24	48	29
		EVWFDS2460HP	849	24	60	29
		EVWFDS3048HP	868	30	48	29
		EVWFDS3060HP	918	30	60	29

NOTES