
panels

THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:


- Compile Panels are:
 - Available in four (5) heights: 30", 42", 48", 54" and 66"; and seven (7) widths: 24", 30" 36", 42", 48", 54" and 60".
 - 2 3/8" thick.
 - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" 60" wide include raceway covers with 3 knockouts.
- . Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- · Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field
 to change a panel from non-powered to powered (or vice versa).
- · Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.

MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25


Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package



Powered Compile Monolithic Fabric Panel Package



Non-Powered Compile Monolithic Fabric Panel Package





Non-Powered Compile Monolithic Laminate Panel Package



Model Definitions:

N0 = No punch outs on raceways.

N1 = Raceway punch out on one side.

N2 = Raceway punch out on both sides.

P1 = Power harness and raceway punch out on one side.

P2 = Power harness and raceway punch outs on two sides.

RACEWAY COVER OPTIONS (Suffix)

(NO) No Knockouts Side 1 and Side 2

(N1) Knockouts Side 1 - No Knockout Side 2

(N2) Knockouts Side 1 and Side


(P1) Knockouts Side 1 - No Knockout Side 2




PANELS PANEL TYPES

SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35


Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 20 & 21


Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




PANELS PANEL TYPES

SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package



DOOR PANELS - PAGE 42


Sliding Privacy Door




CMPDSL6636/42

GLAZED PANEL PACKAGES - PAGES 36-37


Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




PANELS PANEL TYPES

PARTLY GLAZED PANEL PACKAGES - PAGES 38-41


Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package




Non-Powered Compile Partly Glazed Panel Package



Powered Compile Partly Glazed Panel Package




Powered Compile Partly Glazed Panel Package



Compile Privacy Glass

Available in widths from 24" to 60".



MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1

PANELS CONFIGURATION

This page provides an exploded view of a sample Panel Package highlighting each Panel component included within the package.

Package Components

Package 1 CMFM6636N0


- A. (1) 66"h x 36"w Monolithic Fabric Panel
- B. (2) 36"w Raceway Covers Without Knockouts


Package 2 CMFF6636P2


- C. (1) 66"h x 36"w Single Segmented Fabric Panel
- D. (2) 36"w Raceway Covers With Knockouts
- E. (1) 36"w Power Distribution Housing

Package 3 CHP66-2

- F. (1) 66"h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post







CMFMXXYYN_ - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | DESCRIPTION | PRODUCT CODE | LIST I Gr1 | PRICE Gr2 | DIMI H | ENSIONS/IN W | CHES D |
|--------------|---------------------------------------|------------------|---------------|--------------|-----------|-----------------|-----------|
| | | | ווט | UIZ | П | VV | U |
| | Non-Powered Compile Fabric Monolithic | CMFM3024N_ | 365 | 398 | 30 | 24 | 2 3/8 |
| | Panel Package - 30" | CMFM3030N_ | 412 | 444 | 30 | 30 | 2 3/8 |
| | | CMFM3036N_ | 447 | 511 | 30 | 36 | 2 3/8 |
| | | CMFM3042N_ | 494 | 558 | 30 | 42 | 2 3/8 |
| | | CMFM3048N | 525 | 589 | 30 | 48 | 2 3/8 |
| | | CMFM3054N_ | 581 | 645 | 30 | 54 | 2 3/8 |
| | | CMFM3060N_ | 613 | 676 | 30 | 60 | 2 3/8 |
| | | | | | | | |
| | Non-Powered Compile Fabric Monolithic | CMFM4224N_ | 365 | 398 | 42 | 24 | 2 3/8 |
| | Panel Package - 42" | CMFM4230N_ | 412 | 444 | 42 | 30 | 2 3/8 |
| | Š | CMFM4236N_ | 447 | 511 | 42 | 36 | 2 3/8 |
| / II | | CMFM4242N_ | 494 | 558 | 42 | 42 | 2 3/8 |
| | | CMFM4248N | 525 | 589 | 42 | 48 | 2 3/8 |
| <u> </u> | | CMFM4254N_ | 581 | 645 | 42 | 54 | 2 3/8 |
| | | CMFM4260N | 613 | 676 | 42 | 60 | 2 3/8 |
| | | 01VII 1VI42001V_ | 010 | 070 | 72 | 00 | 230 |
| / | Non-Powered Compile Fabric Monolithic | CMFM4824N_ | 380 | 418 | 48 | 24 | 2 3/8 |
| | Panel Package - 48" | CMFM4830N_ | 431 | 469 | 48 | 30 | 2 3/8 |
| | | CMFM4836N_ | 479 | 553 | 48 | 36 | 2 3/8 |
| | | CMFM4842N_ | 533 | 608 | 48 | 42 | 2 3/8 |
| | | CMFM4848N | 560 | 636 | 48 | 48 | 2 3/8 |
| | | CMFM4854N | 607 | 683 | 48 | 54 | 2 3/8 |
| | | CMFM4860N_ | 663 | 736 | 48 | 60 | 2 3/8 |
| | | | | | | | |
| | Non-Powered Compile Fabric Monolithic | CMFM5424N_ | 381 | 420 | 54 | 24 | 2 3/8 |
| | Panel Package - 54" | CMFM5430N_ | 431 | 470 | 54 | 30 | 2 3/8 |
| | | CMFM5436N_ | 480 | 556 | 54 | 36 | 2 3/8 |
| ~ | | CMFM5442N_ | 533 | 609 | 54 | 42 | 2 3/8 |
| | | CMFM5448N_ | 561 | 638 | 54 | 48 | 2 3/8 |
| 4 * | | CMFM5454N_ | 608 | 685 | 54 | 54 | 2 3/8 |
| | | CMFM5460N_ | 663 | 739 | 54 | 60 | 2 3/8 |
| _ | | | | | | | |
| | Non-Powered Compile Fabric Monolithic | CMFM6624N_ | 426 | 477 | 66 | 24 | 2 3/8 |
| ا گھ | Panel Package - 66" | CMFM6630N_ | 489 | 540 | 66 | 30 | 2 3⁄8 |
| //II | | CMFM6636N_ | 558 | 651 | 66 | 36 | 2 3/8 |
| | | CMFM6642N_ | 627 | 720 | 66 | 42 | 2 3/8 |
| | | CMFM6648N_ | 678 | 771 | 66 | 48 | 2 3/8 |
| | | CMFM6654N_ | 755 | 848 | 66 | 54 | 2 3/8 |
| | | CMFM6660N_ | 829 | 924 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFMXXYYP_ - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | DESCRIPTION | PRODUCT CODE | LIST Gr1 | PRICE Gr2 | DIMI H | ENSIONS/IN W | CHES D |
|----------|-----------------------------------|-------------------------|-------------|--------------|-----------|-----------------|----------------|
| | | | | | | | |
| | Powered Compile Fabric Monolithic | CMFM3024P_ | 519 | 552 | 30 | 24 | 2 3/8 |
| | Panel Package - 30" | CMFM3030P_ | 619 | 651 | 30 | 30 | 2 3/8 |
| | | CMFM3036P_ | 665 | 729 | 30 | 36 | 2 3/8 |
| | | CMFM3042P_ | 715 | 779 | 30 | 42 | 2 3/8 |
| | | CMFM3048P_ | 764 | 828 | 30 | 48 | 2 3/8 |
| | | CMFM3054P_ | 820 | 884 | 30 | 54 | 2 3/8 |
| | | CMFM3060P_ | 854 | 917 | 30 | 60 | 2 3/8 |
| | D 10 11 E 1 1 M 1511 | 01.451.4400.45 | 540 | 550 | 40 | | 0.00 |
| | Powered Compile Fabric Monolithic | CMFM4224P_ | 519 | 552 | 42 | 24 | 2 3/8 |
| ا گھ | Panel Package - 42" | CMFM4230P_ | 619 | 651 | 42 | 30 | 2 3/8 |
| | | CMFM4236P_ | 665 | 729 | 42 | 36 | 2 3/8 |
| r II | | CMFM4242P_ | 715 | 779 | 42 | 42 | 2 3/8 |
| | | CMFM4248P_ | 764 | 828 | 42 | 48 | 2 3/8 |
| | | CMFM4254P_ | 820 | 884 | 42 | 54 | 2 3/8 |
| | | CMFM4260P_ | 854 | 917 | 42 | 60 | 2 3/8 |
| <i>a</i> | Powered Compile Fabric Monolithic | CMFM4824P | 533 | 572 | 48 | 24 | 2 3/8 |
| | Panel Package - 48" | CMFM4830P_ | 635 | 673 | 48 | 30 | 2 3/8 |
| | rallel rackaye - 40 | CMFM4836P | 693 | 768 | 48 | 36 | 23/8 |
| | | _ | 753 | 828 | 46 48 | 42 | |
| r II | | CMFM4842P_ CMFM4848P | 755 801 | 876 | 46 48 | 42 | 2 3/8 2 3/8 |
| | | _ | | 920 | | | |
| | | CMFM4854P_ | 844 | | 48 | 54 | 2 3/8 |
| | | CMFM4860P_ | 902 | 977 | 48 | 60 | 2 3/8 |
| | Powered Compile Fabric Monolithic | CMFM5424P_ | 533 | 572 | 54 | 24 | 2 3/8 |
| | Panel Package - 54" | CMFM5430P_ | 635 | 674 | 54 | 30 | 2 3/8 |
| | · · | CMFM5436P | 696 | 772 | 54 | 36 | 2 3/8 |
| | | CMFM5442P | 754 | 830 | 54 | 42 | 2 3/8 |
| | | CMFM5448P | 801 | 878 | 54 | 48 | 2 3/8 |
| | | CMFM5454P | 845 | 922 | 54 | 54 | 2 3/8 |
| | | CMFM5460P_ | 902 | 978 | 54 | 60 | 2 3/8 |
| | | | | | | | |
| | Powered Compile Fabric Monolithic | CMFM6624P_ | 578 | 629 | 66 | 24 | 2 3/8 |
| | Panel Package - 66" | CMFM6630P_ | 696 | 747 | 66 | 30 | 2 3/8 |
| | | CMFM6636P_ | 775 | 868 | 66 | 36 | 2 3/8 |
| | | CMFM6642P_ | 847 | 940 | 66 | 42 | 2 3/8 |
| | | CMFM6648P_ | 918 | 1011 | 66 | 48 | 2 3/8 |
| | | CMFM6654P_ | 995 | 1088 | 66 | 54 | 2 3/8 |
| | | CMFM6660P_ | 1069 | 1164 | 66 | 60 | 2 3/8 |
| | | | | | | | |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMFFXXYYN_ - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non nowered
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | DESCRIPTION | PRODUCT CODE | | PRICE | | ENSIONS/IN | |
|--------------|--------------------------------------|--------------|-----|-------|----|------------|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Non-Power Compile Single Segmented | CMFF4224N_ | 382 | 415 | 42 | 24 | 2 3/8 |
| | Fabric Panel Package - 42" | CMFF4230N_ | 431 | 464 | 42 | 30 | 2 3/8 |
| | | CMFF4236N_ | 456 | 519 | 42 | 36 | 2 3/8 |
| | | CMFF4242N_ | 520 | 584 | 42 | 42 | 2 3/8 |
| / | | CMFF4248N_ | 555 | 619 | 42 | 48 | 2 3/8 |
| | | CMFF4254N_ | 616 | 680 | 42 | 54 | 2 3/8 |
| | | CMFF4260N_ | 659 | 723 | 42 | 60 | 2 3/8 |
| | | CMFF4266N_ | 777 | 901 | 42 | 66 | 2 3/8 |
| | | CMFF4272N_ | 819 | 943 | 42 | 72 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMFF4824N_ | 416 | 454 | 48 | 24 | 2 3⁄8 |
| | Fabric Panel Package - 48" | CMFF4830N_ | 461 | 499 | 48 | 30 | 2 3/8 |
| | Ŭ | CMFF4836N_ | 521 | 596 | 48 | 36 | 2 3/8 |
| / I/] | | CMFF4842N | 590 | 665 | 48 | 42 | 2 3/8 |
| | | CMFF4848N | 637 | 712 | 48 | 48 | 2 3/8 |
| | | CMFF4854N_ | 678 | 752 | 48 | 54 | 2 3/8 |
| | | CMFF4860N_ | 729 | 804 | 48 | 60 | 2 3/8 |
| 4 | Non-Powered Compile Single Segmented | CMFF5424N | 417 | 455 | 54 | 24 | 2 3/8 |
| | Fabric Panel Package - 54" | CMFF5430N_ | 462 | 501 | 54 | 30 | 2 3/8 |
| ar a | g | CMFF5436N | 522 | 598 | 54 | 36 | 2 3/8 |
| / | | CMFF5442N | 590 | 666 | 54 | 42 | 2 3/8 |
| | | CMFF5448N | 638 | 714 | 54 | 48 | 2 3/8 |
| | | CMFF5454N_ | 678 | 754 | 54 | 54 | 2 3/8 |
| | | CMFF5460N_ | 729 | 805 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMFF6624N | 488 | 539 | 66 | 24 | 2 3/8 |
| | Fabric Panel Package - 66" | CMFF6630N | 557 | 608 | 66 | 30 | 2 3/8 |
| | | CMFF6636N_ | 619 | 712 | 66 | 36 | 23/8 |
| " II / | | CMFF6642N | 706 | 799 | 66 | 42 | 23/8 |
| | | CMFF6648N | 748 | 841 | 66 | 48 | 23/8 |
| | | CMFF6654N | 811 | 904 | 66 | 54 | 2 3/8 |
| ^ | | CMFF6660N | 861 | 954 | 66 | 60 | 23/8 |
| | | _ | | | | | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFFXXYYP_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | Powered Compile Single Segmented Fabric Panel Package - 42" | CMFF4224P_ CMFF4230P_ CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4250P_ CMFF4260P_ CMFF4272P_ | 6r1 534 635 673 742 791 857 899 1038 1094 | 567 668 736 806 855 921 963 1161 1217 | 42 42 42 42 42 42 42 42 42 42 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
|--------------|---|--|--|---|--|--|--|
| | Fabric Panel Package - 42" | CMFF4230P_ CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_ | 635 673 742 791 857 899 1038 | 668 736 806 855 921 963 1161 | 42 42 42 42 42 42 42 | 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| | | CMFF4236P_ CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_ | 673 742 791 857 899 1038 | 736 806 855 921 963 1161 | 42 42 42 42 42 42 | 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| | Powarad Campila Single Segmented | CMFF4242P_ CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_ | 742 791 857 899 1038 | 806 855 921 963 1161 | 42 42 42 42 42 | 42 48 54 | 2 3/8 2 3/8 2 3/8 |
| | Powarad Campila Single Segmented | CMFF4248P_ CMFF4254P_ CMFF4260P_ CMFF4266P_ | 791 857 899 1038 | 855 921 963 1161 | 42 42 42 42 | 48 54 | 2 3/8 2 3/8 |
| | Powarad Campila Single Segmented | CMFF4254P_ CMFF4260P_ CMFF4266P_ | 857 899 1038 | 921 963 1161 | 42 42 42 | 54 | 2 3/8 |
| | Powarad Campila Single Segmented | CMFF4260P_ CMFF4266P_ | 899 1038 | 963 1161 | 42 42 | | |
| | Powarad Campila Single Segmented | CMFF4266P_ | 1038 | 1161 | 42 | 60 | 2 2 0 |
| | Payarad Campila Single Segmented | _ | | | | | 2 3/8 |
| | Poward Campile Single Segmented | CMFF4272P_ | 1094 | 1217 | | 66 | 2 3/8 |
| | Powered Compile Single Segmented | | | | 42 | 72 | 2 3/8 |
| | i owered compile amque acquiented | CMFF4824P | 570 | 607 | 48 | 24 | 2 3/8 |
| | Fabric Panel Package - 48" | CMFF4830P | 668 | 706 | 48 | 30 | 2 3/8 |
| | 0 | CMFF4836P | 739 | 812 | 48 | 36 | 2 3/8 |
| | | CMFF4842P | 811 | 886 | 48 | 42 | 2 3/8 |
| | | CMFF4848P_ | 877 | 952 | 48 | 48 | 2 3/8 |
| | | CMFF4854P_ | 919 | 993 | 48 | 54 | 2 3/8 |
| | | CMFF4860P_ | 971 | 1044 | 48 | 60 | 2 3/8 |
| | Powered Compile Single Segmented | CMFF5424P_ | 571 | 609 | 54 | 24 | 2 3/8 |
| | Fabric Panel Package - 54" | CMFF5430P | 668 | 707 | 54 | 30 | 2 3/8 |
| | 3 | CMFF5436P | 741 | 817 | 54 | 36 | 2 3/8 |
| | | CMFF5442P | 812 | 888 | 54 | 42 | 2 3/8 |
| | | CMFF5448P_ | 878 | 954 | 54 | 48 | 2 3/8 |
| | | CMFF5454P_ | 920 | 996 | 54 | 54 | 2 3/8 |
| | | CMFF5460P_ | 972 | 1048 | 54 | 60 | 2 3/8 |
| | Powered Compile Single Segmented | CMFF6624P_ | 640 | 691 | 66 | 24 | 2 3/8 |
| | Fabric Panel Package - 66" | CMFF6630P_ | 763 | 814 | 66 | 30 | 2 3/8 |
| | - | CMFF6636P_ | 834 | 927 | 66 | 36 | 2 3/8 |
| " | | CMFF6642P_ | 927 | 1020 | 66 | 42 | 2 3/8 |
| | | CMFF6648P_ | 985 | 1078 | 66 | 48 | 2 3/8 |
| | | CMFF6654P_ | 1049 | 1142 | 66 | 54 | 2 3/8 |
| ′ , | | CMFF6660P_ | 1100 | 1193 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMFMAXXYYN_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| vered Compile Monolithic Acoustic backage - 42" wered Compile Monolithic Acoustic ackage - 48" | CMFMA4224N_ CMFMA4230N_ CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4250N_ CMFMA4830N_ CMFMA4830N_ CMFMA4836N_ | 434 488 531 583 620 686 722 | 6r2 466 520 595 647 684 750 785 | 42 42 42 42 42 42 42 42 42 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
|---|--|---|---|---|--|--|
| nckage - 42" vered Compile Monolithic Acoustic | CMFMA4230N_ CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_ CMFMA4824N_ CMFMA4824N_ CMFMA4836N_ CMFMA4836N_ | 488 531 583 620 686 722 | 520 595 647 684 750 785 | 42 42 42 42 42 42 | 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| vered Compile Monolithic Acoustic | CMFMA4236N_ CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_ CMFMA4824N_ CMFMA4824N_ CMFMA4836N_ CMFMA4836N_ | 531 583 620 686 722 | 595 647 684 750 785 | 42 42 42 42 42 | 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| | CMFMA4242N_ CMFMA4248N_ CMFMA4254N_ CMFMA4260N_ CMFMA4824N_ CMFMA4824N_ CMFMA4830N_ CMFMA4836N_ | 583 620 686 722 | 647 684 750 785 | 42 42 42 42 | 42 48 54 60 | 2 3/8 2 3/8 2 3/8 |
| | CMFMA4248N_ CMFMA4254N_ CMFMA4260N_ CMFMA4824N_ CMFMA4830N_ CMFMA4836N_ | 620 686 722 453 | 684 750 785 491 | 42 42 42 | 48 54 60 | 2 3/8 2 3/8 |
| | CMFMA4254N_ CMFMA4260N_ CMFMA4824N_ CMFMA4830N_ CMFMA4836N_ | 686 722 453 | 750 785 491 | 42 42 | 54 60 | 2 3/8 |
| | CMFMA4260N_ CMFMA4824N_ CMFMA4830N_ CMFMA4836N_ | 722 453 | 785 491 | 42 | 60 | |
| | CMFMA4824N_ CMFMA4830N_ CMFMA4836N_ | 453 | 491 | | | 2 3/8 |
| | CMFMA4830N_ CMFMA4836N_ | | | 10 | | |
| | CMFMA4836N_ | 510 | | 40 | 24 | 2 3/8 |
| - | | 010 | 532 | 48 | 30 | 2 3/8 |
| | _ | 563 | 638 | 48 | 36 | 2 3/8 |
| | CMFMA4842N_ | 630 | 705 | 48 | 42 | 2 3/8 |
| | CMFMA4848N_ | 665 | 740 | 48 | 48 | 2 3/8 |
| | CMFMA4854N | 713 | 788 | 48 | 54 | 2 3/8 |
| | CMFMA4860N_ | 779 | 855 | 48 | 60 | 2 3/8 |
| vered Compile Monolithic Acoustic | CMFMA5424N | 453 | 492 | 54 | 24 | 2 3/8 |
| ackage - 54" | CMFMA5430N | 511 | 550 | 54 | 30 | 2 3/8 |
| 3. | CMFMA5436N | 563 | 640 | 54 | 36 | 2 3/8 |
| | CMFMA5442N_ | 630 | 707 | 54 | 42 | 2 3/8 |
| | CMFMA5448N | 665 | 741 | 54 | 48 | 2 3/8 |
| | CMFMA5454N | 714 | 791 | 54 | 54 | 2 3/8 |
| | CMFMA5460N_ | 779 | 856 | 54 | 60 | 2 3/8 |
| vered Compile Monolithic Acoustic | CMFMA6624N | 505 | 556 | 66 | 24 | 2 3/8 |
| | CMFMA6630N | | 631 | | 30 | 2 3/8 |
| ŭ | CMFMA6636N | 663 | 756 | 66 | 36 | 2 3/8 |
| | CMFMA6642N | 745 | 838 | 66 | 42 | 2 3/8 |
| | _ | | | | | 2 3/8 |
| | | | | | | 2 3/8 |
| | | | 1074 | 66 | 60 | 23/8 |
| | wered Compile Monolithic Acoustic ackage - 66" | ackage - 66" CMFMA6630N_ CMFMA6636N_ | ackage - 66" CMFMA6630N 580 CMFMA6636N 663 CMFMA6642N 745 CMFMA6648N 805 CMFMA6654N 893 | ckage - 66" CMFMA6630N_ 580 631 CMFMA6636N_ 663 756 CMFMA6642N_ 745 838 CMFMA6648N_ 805 898 CMFMA6654N_ 893 988 | ackage - 66" CMFMA6630N 580 631 66 CMFMA6636N 663 756 66 CMFMA6642N 745 838 66 CMFMA6648N 805 898 66 CMFMA6654N 893 988 66 | ackage - 66" CMFMA6630N_ 580 631 66 30 CMFMA6636N_ 663 756 66 36 CMFMA6642N_ 745 838 66 42 CMFMA6648N_ 805 898 66 48 CMFMA6654N_ 893 988 66 54 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFMAXXYYP_ - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no uncharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | ICHES |
|----------|-------------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| / | Powered Compile Monolithic Acoustic | CMFMA4224P_ | 587 | 619 | 42 | 24 | 2 3/8 |
| | Panel Package - 42" | CMFMA4230P_ | 693 | 725 | 42 | 30 | 2 3/8 |
| | · · | CMFMA4236P_ | 748 | 812 | 42 | 36 | 2 3/8 |
| | | CMFMA4242P_ | 806 | 870 | 42 | 42 | 2 3/8 |
| | | CMFMA4248P_ | 858 | 922 | 42 | 48 | 2 3/8 |
| | | CMFMA4254P_ | 924 | 988 | 42 | 54 | 2 3/8 |
| | | CMFMA4260P_ | 961 | 1024 | 42 | 60 | 2 3/8 |
| | Powered Compile Monolithic Acoustic | CMFMA4824P | 604 | 642 | 48 | 24 | 2 3/8 |
| | Panel Package - 48" | CMFMA4830P | 714 | 752 | 48 | 30 | 2 3/8 |
| | | CMFMA4836P | 780 | 856 | 48 | 36 | 2 3/8 |
| / II | | CMFMA4842P | 850 | 926 | 48 | 42 | 2 3/8 |
| | | CMFMA4848P | 902 | 977 | 48 | 48 | 2 3/8 |
| | | CMFMA4854P | 954 | 1030 | 48 | 54 | 2 3/8 |
| | | CMFMA4860P_ | 1019 | 1095 | 48 | 60 | 2 3/8 |
| | Powered Compile Monolithic Acoustic | CMFMA5424P_ | 607 | 646 | 54 | 24 | 2 3/8 |
| | Panel Package - 54" | CMFMA5430P_ | 715 | 754 | 54 | 30 | 2 3/8 |
| | · · | CMFMA5436P_ | 780 | 857 | 54 | 36 | 2 3/8 |
| / II | | CMFMA5442P_ | 851 | 928 | 54 | 42 | 2 3/8 |
| | | CMFMA5448P_ | 902 | 978 | 54 | 48 | 2 3/8 |
| | | CMFMA5454P_ | 954 | 1031 | 54 | 54 | 2 3/8 |
| | | CMFMA5460P_ | 1020 | 1097 | 54 | 60 | 2 3/8 |
| | Powered Compile Monolithic Acoustic | CMFMA6624P_ | 659 | 710 | 66 | 24 | 2 3/8 |
| | Panel Package - 66" | CMFMA6630P_ | 787 | 838 | 66 | 30 | 2 3/8 |
| | - | CMFMA6636P_ | 879 | 972 | 66 | 36 | 2 3/8 |
| / | | CMFMA6642P_ | 963 | 1056 | 66 | 42 | 2 3/8 |
| | | CMFMA6648P_ | 1042 | 1135 | 66 | 48 | 2 3/8 |
| | | CMFMA6654P_ | 1132 | 1227 | 66 | 54 | 2 3/8 |
| | | CMFMA6660P_ | 1219 | 1312 | 66 | 60 | 2 3/8 |
| · | | | | | | | |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMLFMXXYYN_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INI H W | | CHES D | |
|--------------|-----------------------------------|--------------------------|------------|------|-----------------------|----------|----------------|--|
| | | | Gr1 | Gr2 | н | VV | U | |
| | Non-Powered Compile Monolithic | CMLFM3024N_ | 443 | 461 | 30 | 24 | 2 3/8 | |
| | Single Sided Panel Package - 30" | CMLFM3030N_ | 514 | 527 | 30 | 30 | 2 3/8 | |
| | | CMLFM3036N_ | 586 | 602 | 30 | 36 | 2 3/8 | |
| | | CMLFM3042N_ | 665 | 678 | 30 | 42 | 2 3/8 | |
| _ | | CMLFM3048N_ | 724 | 740 | 30 | 48 | 2 3/8 | |
| | | CMLFM3054N_ | 799 | 818 | 30 | 54 | 2 3/8 | |
| | | CMLFM3060N_ | 877 | 898 | 30 | 60 | 2 3/8 | |
| | Non-Powered Compile Monolithic | CMLFM4224N_ | 523 | 539 | 42 | 24 | 2 3/8 | |
| | Single Sided Panel Package - 42" | | | | | | | |
| | omyte otded rattet rackage - 42 | CMLFM4230N_ | 613 | 632 | 42 | 30 | 2 3/8 | |
| ´ | | CMLFM4236N_ | 700 704 | 723 | 42 | 36 42 | 23/8 | |
| | | CMLFM4242N_ | 794 | 817 | 42 | 42 | 23/8 | |
| | | CMLFM4248N_ | 865 | 890 | 42 | 48 | 23/8 | |
| | | CMLFM4254N_ | 957 | 987 | 42 | 54 | 2 3/8 | |
| | | CMLFM4260N_ | 1050 | 1081 | 42 | 60 | 2 3/8 | |
| | Non-Powered Compile Monolithic | CMLFM4824N_ | 619 | 645 | 48 | 24 | 2 3/8 | |
| | Single Sided Panel Package - 48" | CMLFM4830N_ | 726 | 745 | 48 | 30 | 2 3/8 | |
| | | CMLFM4836N | 833 | 857 | 48 | 36 | 2 3/8 | |
| | | CMLFM4842N_ | 944 | 973 | 48 | 42 | 2 3/8 | |
| | | CMLFM4848N_ | 1030 | 1061 | 48 | 48 | 2 3/8 | |
| | | CMLFM4854N_ | 1146 | 1180 | 48 | 54 | 2 3/8 | |
| | | CMLFM4860N_ | 1258 | 1295 | 48 | 60 | 2 3/8 | |
| | Non-Powered Compile Monolithic | CMLFM5424N_ | 620 | 642 | 54 | 24 | 2 3/8 | |
| | Single Sided Panel Package - 54" | CMLFM5430N | 726 | 751 | 54 54 | 30 | 23/8 | |
| | Siligle Sided Fallel Fackage - 54 | CMLFM5436N | 833 | 857 | 54 54 | 36 | 23/8 | |
| | | CMLFM5442N | 945 | 975 | 54 54 | 30 42 | 23/8 | |
| | | CMLFM5448N | 1030 | 1063 | 54 54 | 42 48 | 23/8 | |
| | | CMLFM5454N CMLFM5454N | 1146 | 1180 | 54 54 | 48 54 | 2 3/8 | |
| | | CMLFM5460N_ | 1258 | 1296 | 54 54 | 54 60 | 2 3/8 2 3/8 | |
| | | CIVILFIVI546UIN_ | 1258 | 1296 | 54 | bU | 2 3/8 | |
| | Non-Powered Compile Monolithic | CMLFM6624N_ | 765 | 790 | 66 | 24 | 2 3/8 | |
| | Single Sided Panel Package - 66" | CMLFM6630N_ | 896 | 926 | 66 | 30 | 2 3/8 | |
| | | CMLFM6636N_ | 1033 | 1065 | 66 | 36 | 2 3/8 | |
| | | CMLFM6642N_ | 1175 | 1209 | 66 | 42 | 2 3/8 | |
| | | CMLFM6648N_ | 1278 | 1319 | 66 | 48 | 2 3/8 | |
| | | CMLFM6654N_ | 1422 | 1467 | 66 | 54 | 2 3/8 | |
| | | CMLFM6660N_ | 1565 | 1614 | 66 | 60 | 2 3/8 | |
| | | | | | | | | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLFMXXYYP_ - MONOLITHIC LAMINATE SINGLE SIDED PANEL - POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- · Panels are not tackable.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h. panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION | PRODUCT CODE | LIST Gr1 | PRICE Gr2 | DIM H | ENSIONS/IN W | ICHES D |
|---------------|-----------------------------------|----------------------|---------------|--------------|----------|-----------------|------------|
| | Non-Powered Compile Monolithic | CMLFM3024P_ | 596 | 613 | 30 | 24 | 2 3/8 |
| | Single Sided Panel Package - 30" | CMLFM3030P_ | 719 | 790 | 30 | 30 | 2 3/8 |
| / 11 | | CMLFM3036P_ | 802 | 884 | 30 | 36 | 2 3/8 |
| | | CMLFM3042P_ | 886 | 974 | 30 | 42 | 2 3/8 |
| | | CMLFM3048P_ | 961 | 1058 | 30 | 48 | 2 3/8 |
| | | CMLFM3054P_ | 1038 | 1149 | 30 | 54 | 2 3/8 |
| | | CMLFM3060P_ | 1117 | 1237 | 30 | 60 | 2 3/8 |
| | Non-Powered Compile Monolithic | CMLFM4224P_ | 676 | 751 | 42 | 24 | 2 3/8 |
| | Single Sided Panel Package - 42" | CMLFM4230P | 819 | 906 | 42 | 30 | 2 3/8 |
| | Siligle Sided Faller Fackage - 42 | CMLFM4236P_ | 918 | 1019 | 42 | 36 | 2 3/8 |
| ~ | | CMLFM4242P_ | 1017 | 1130 | 42 | 42 | 2 3/8 |
| | | _ | 1104 | 1227 | 42 | 48 | |
| | | CMLFM4248P_ | | | | | 2 3/8 |
| | | CMLFM4254P_ | 1197 | 1337 | 42 | 54 | 2 3/8 |
| | | CMLFM4260P_ | 1293 | 1444 | 42 | 60 | 2 3/8 |
| | Non-Powered Compile Monolithic | CMLFM4824P_ | 773 | 788 | 48 | 24 | 2 3⁄8 |
| | Single Sided Panel Package - 48" | CMLFM4830P | 932 | 954 | 48 | 30 | 2 3/8 |
| | · · | CMLFM4836P | 1049 | 1075 | 48 | 36 | 2 3/8 |
| | | CMLFM4842P_ | 1164 | 1193 | 48 | 42 | 2 3/8 |
| | | CMLFM4848P_ | 1268 | 1296 | 48 | 48 | 2 3/8 |
| | | CMLFM4854P | 1384 | 1421 | 48 | 54 | 2 3/8 |
| | | CMLFM4860P_ | 1499 | 1681 | 48 | 60 | 2 3/8 |
| <i>a</i> | N. D. LO T.M. Edit | ON ALLEN AS A O.A.D. | 77.4 | 004 | E4 | 0.4 | 0.00 |
| | Non-Powered Compile Monolithic | CMLFM5424P_ | 774 | 864 | 54 | 24 | 2 3/8 |
| | Single Sided Panel Package - 54" | CMLFM5430P_ | 932 | 1040 | 54 | 30 | 2 3/8 |
| | | CMLFM5436P_ | 1049 | 1169 | 54 | 36 | 2 3/8 |
| | | CMLFM5442P_ | 1164 | 1303 | 54 | 42 | 2 3/8 |
| | | CMLFM5448P_ | 1268 | 1418 | 54 | 48 | 2 3/8 |
| | | CMLFM5454P_ | 1385 | 1550 | 54 | 54 | 2 3/8 |
| | | CMLFM5460P_ | 1499 | 1682 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Monolithic | CMLFM6624P | 920 | 1033 | 66 | 24 | 2 3/8 |
| | Single Sided Panel Package - 66" | CMLFM6630P | 1100 | 1232 | 66 | 30 | 2 3/8 |
| | | CMLFM6636P_ | 1250 | 1401 | 66 | 36 | 2 3/8 |
| ^ | | CMLFM6642P_ | 1394 | 1565 | 66 | 42 | 2 3/8 |
| | | CMLFM6648P_ | 1516 | 1703 | 66 | 48 | 2 3/8 |
| | | CMLFM6654P | 1663 | 1870 | 66 | 54 | 2 3/8 |
| | | CMLFM6660P_ | 1807 | 2032 | 66 | 60 | 2 3/8 |
| | | GIVILI IVIUUUUI _ | 1007 | LUJL | UU | JU | 2 J/U |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2



${\bf CMLLMXXYYN_-MONOLITHIC\,LAMINATE\,DOUBLE\,SIDED\,PANEL-NON-POWERED}$

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h nanels
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

| red Compile Monolithic ed Laminate Panel Package - 30" red Compile Monolithic ed Laminate Panel Package - 42" | CMLLM3024N_ CMLLM3030N_ CMLLM3036N_ CMLLM3048N_ CMLLM3054N_ CMLLM3060N_ CMLLM3060N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM424N_ | 501 594 678 774 864 956 1033 594 699 814 928 | H 30 30 30 30 30 30 30 30 30 42 42 42 | 24 30 36 42 48 54 60 | 2 38 2 38 2 38 2 38 2 38 2 38 2 38 2 38 |
|--|--|---|---|--|--|
| ed Laminate Panel Package - 30" red Compile Monolithic | CMLLM3030N_ CMLLM3036N_ CMLLM3042N_ CMLLM3054N_ CMLLM3060N_ CMLLM4224N_ CMLLM4236N_ CMLLM4236N_ CMLLM4248N_ CMLLM4248N_ | 594 678 774 864 956 1033 594 699 814 | 30 30 30 30 30 30 30 42 42 42 | 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| red Compile Monolithic | CMLLM3036N_ CMLLM3042N_ CMLLM3054N_ CMLLM3050N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4242N_ CMLLM4248N_ | 678 774 864 956 1033 594 699 814 | 30 30 30 30 30 30 42 42 42 42 | 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| | CMLLM3042N_ CMLLM3048N_ CMLLM3054N_ CMLLM3060N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4242N_ CMLLM4248N_ | 774 864 956 1033 594 699 814 | 30 30 30 30 30 42 42 42 | 42 48 54 60 24 30 | 2 38 2 38 2 38 2 38 2 38 |
| | CMLLM3048N_ CMLLM3054N_ CMLLM3060N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 864 956 1033 594 699 814 | 30 30 30 30 42 42 42 42 | 48 54 60 24 30 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| | CMLLM3054N_ CMLLM3060N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 956 1033 594 699 814 | 30 30 42 42 42 42 | 54 60 24 30 | 2 3/8 2 3/8 2 3/8 |
| | CMLLM3060N_ CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 1033 594 699 814 | 30 42 42 42 42 | 24 30 | 2 3/8 |
| | CMLLM4224N_ CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 594 699 814 | 42 42 42 | 24 30 | 2 3/8 |
| | CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 699 814 | 42 42 | 30 | |
| | CMLLM4230N_ CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 699 814 | 42 42 | 30 | |
| eu Lammate i anei i atkage - 42 | CMLLM4236N_ CMLLM4242N_ CMLLM4248N_ | 814 | 42 | | 2 3/0 |
| | CMLLM4242N_ CMLLM4248N_ | | | | 2 3/8 |
| | CMLLM4248N_ | 320 | 42 | 36 42 | 2 3/8 2 3/8 |
| | | 1039 | 42 42 | 42 48 | 2 3/8 2 3/8 |
| | | | | 48 54 | |
| | _ | 1142 | 42 | | 2 3/8 |
| Non-Powered Compile Monolithic | CMLLM4260N_ | 1242 | 42 | 60 | 2 3/8 |
| | CMLLM4824N_ | 702 | 48 | 24 | 2 3/8 |
| ed Laminate Panel Package - 48" | CMLLM4830N_ | 832 | 48 | 30 | 2 3/8 |
| | CMLLM4836N_ | 965 | 48 | 36 | 2 3/8 |
| | CMLLM4842N_ | 1103 | 48 | 42 | 2 3/8 |
| | CMLLM4848N_ | 1240 | 48 | 48 | 2 3/8 |
| | CMLLM4854N_ | 1366 | 48 | 54 | 2 3/8 |
| | CMLLM4860N_ | 1444 | 48 | 60 | 2 3/8 |
| red Compile Monolithic | CMLLM5424N_ | 702 | 54 | 24 | 2 3/8 |
| ed Laminate Panel Package - 54" | CMLLM5430N_ | 832 | 54 | 30 | 2 3/8 |
| ed Lammate i anei i ackage - 54 | CMLLM5436N_ | 966 | 54 | 36 | 2 3/8 |
| | CMLLM5442N | 1104 | 54 | 42 | 2 3/8 |
| | _ | | | | 2 3/8 |
| | | | | | 2 3/8 |
| | _ | | | | 2 3/8 |
| | CIVILLIVIS400IN_ | 1407 | 54 | 00 | 2 3/0 |
| | CMLLM6624N_ | 889 | 66 | 24 | 2 3/8 |
| ed Laminate Panel Package - 66" | CMLLM6630N_ | 1050 | 66 | 30 | 2 3/8 |
| | CMLLM6636N_ | 1218 | 66 | 36 | 2 3/8 |
| | CMLLM6642N_ | 1395 | 66 | 42 | 2 3/8 |
| | CMLLM6648N_ | 1565 | 66 | 48 | 2 3/8 |
| | CMLLM6654N_ | 1726 | 66 | 54 | 2 3/8 |
| | CMLLM6660N_ | 1887 | 66 | 60 | 2 3/8 |
| | red Compile Monolithic led Laminate Panel Package - 66" | led Laminate Panel Package - 66" CMLLM6630N_ CMLLM6636N_ CMLLM6642N_ CMLLM6648N_ CMLLM6654N_ | CMLLM5454N_ 1366 CMLLM5460N_ 1487 red Compile Monolithic | CMLLM5454N_ 1366 54 CMLM5460N_ 1487 54 red Compile Monolithic CMLLM6624N_ 889 66 led Laminate Panel Package - 66" CMLLM6630N_ 1050 66 CMLLM6636N_ 1218 66 CMLLM6642N_ 1395 66 CMLLM6648N_ 1565 66 CMLLM6654N_ 1726 66 | CMLLM5454N_ 1366 54 54 60 CMLLM5460N_ 1487 54 60 cmed Compile Monolithic CMLLM6624N_ 1050 66 30 CMLLM6636N_ 1218 66 36 CMLLM6636N_ 1395 66 42 CMLLM6642N_ 1395 66 42 CMLLM6648N_ 1565 66 48 CMLLM6654N_ 1726 66 54 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLLMXXYYP_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate modules incorporated into an aluminum frame.
- · Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30"h, 42"h, 48"h and 54"h panels.
- 4 panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION PRODUCT CODE LIST F | | LIST PRICE | DIME H | ENSIONS/IN W | CHES D |
|----------|---|---------------------------|------------|-----------|-----------------|-----------|
| | | | UII | Н | VV | U |
| | Powered Compile Monolithic | CMLLM3024P_ | 657 | 30 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 30" | CMLLM3030P_ | 801 | 30 | 30 | 2 3/8 |
| | · · | CMLLM3036P_ | 896 | 30 | 36 | 2 3/8 |
| | | CMLLM3042P_ | 994 | 30 | 42 | 2 3/8 |
| | | CMLLM3048P | 1100 | 30 | 48 | 2 3/8 |
| | | CMLLM3054P | 1196 | 30 | 54 | 2 3/8 |
| | | CMLLM3060P_ | 1274 | 30 | 60 | 2 3/8 |
| _ | | | | | | |
| | Powered Compile Monolithic | CMLLM4224P_ | 748 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42" | CMLLM4230P_ | 906 | 42 | 30 | 2 3/8 |
| | | CMLLM4236P_ | 1032 | 42 | 36 | 2 3/8 |
| | | CMLLM4242P_ | 1150 | 42 | 42 | 2 3/8 |
| | | CMLLM4248P_ | 1276 | 42 | 48 | 2 3/8 |
| | | CMLLM4254P_ | 1383 | 42 | 54 | 2 3/8 |
| | | CMLLM4260P_ | 1483 | 42 | 60 | 2 3/8 |
| | Powered Compile Monolithic | CMLLM4824P_ | 855 | 48 | 24 | 2 3⁄8 |
| | Double Sided Laminate Panel Package - 48" | CMLLM4830P_ | 1038 | 48 | 30 | 2 3/8 |
| | Double Sided Laminate Faller Fackage - 40 | CMLLM4836P | 1183 | 48 | 36 | 2 3/8 |
| | | CMLLM4842P_ | 1325 | 48 | 42 | 2 3/8 |
| | | CMLLM4848P | 1479 | 48 | 48 | 2 3/8 |
| | | CMLLM4854P_ | 1606 | 40 48 | 40 54 | 2 3/8 |
| | | CMLLM4854P_ CMLLM4860P | | 48 48 | 54 60 | 2 3/8 |
| | | CIVILLIVI480UP_ | 1678 | 48 | DU | 2 3/0 |
| | Powered Compile Monolithic | CMLLM5424P_ | 855 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54" | CMLLM5430P_ | 1039 | 54 | 30 | 2 3/8 |
| | · · | CMLLM5436P_ | 1183 | 54 | 36 | 2 3/8 |
| | | CMLLM5442P_ | 1325 | 54 | 42 | 2 3/8 |
| | | CMLLM5448P_ | 1480 | 54 | 48 | 2 3/8 |
| | | CMLLM5454P_ | 1608 | 54 | 54 | 2 3/8 |
| | | CMLLM5460P_ | 1727 | 54 | 60 | 2 3⁄8 |
| * | Powered Compile Monolithic | CMITMEC34D | 1042 | ee. | 24 | 2 20 |
| | • | CMLLM6624P_ | 1042 | 66 ee | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66" | CMLLM6630P_ | 1258 | 66 | 30 | 2 3/8 |
| | | CMLLM6636P_ | 1435 | 66 | 36 | 2 3/8 |
| r I | | CMLLM6642P_ | 1617 | 66 | 42 | 2 3/8 |
| | | CMLLM6648P_ | 1802 | 66 | 48 | 2 3/8 |
| | | CMLLM6654P_ | 1966 | 66 | 54 | 2 3/8 |
| | | CMLLM6660P_ | 2128 | 66 | 60 | 2 3/8 |
| | | | | | | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYN_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

| | DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIMENSIONS/INCHES | | |
|-----|--------------------------------------|--------------|------|-------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Non-Powered Compile Single Segmented | CMFL4224N_ | 523 | 540 | 42 | 24 | 2 3/8 |
| | Laminate Panel Package - 42" | CMFL4230N_ | 613 | 632 | 42 | 30 | 2 3/8 |
| | | CMFL4236N_ | 700 | 724 | 42 | 36 | 2 3/8 |
| | | CMFL4242N_ | 794 | 818 | 42 | 42 | 2 3/8 |
| | | CMFL4248N_ | 865 | 891 | 42 | 48 | 2 3/8 |
| | | CMFL4254N_ | 957 | 987 | 42 | 54 | 2 3/8 |
| | | CMFL4260N_ | 1050 | 1081 | 42 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMFL4824N | 619 | 638 | 48 | 24 | 2 3⁄8 |
| | Laminate Panel Package - 48" | CMFL4830N_ | 726 | 745 | 48 | 30 | 2 3/8 |
| | v | CMFL4836N_ | 833 | 858 | 48 | 36 | 2 3/8 |
| | | CMFL4842N_ | 944 | 974 | 48 | 42 | 2 3/8 |
| | | CMFL4848N | 1030 | 1060 | 48 | 48 | 2 3/8 |
| | | CMFL4854N | 1146 | 1371 | 48 | 54 | 2 3/8 |
| | | CMFL4860N_ | 1258 | 1297 | 48 | 60 | 2 3⁄8 |
| | Non-Powered Compile Single Segmented | CMFL5424N | 620 | 642 | 54 | 24 | 2 3⁄8 |
| | Laminate Panel Package - 54" | CMFL5430N | 726 | 751 | 54 | 30 | 2 3/8 |
| | v | CMFL5436N | 833 | 858 | 54 | 36 | 2 3/8 |
| | | CMFL5442N | 945 | 975 | 54 | 42 | 2 3/8 |
| | | CMFL5448N | 1030 | 1063 | 54 | 48 | 2 3/8 |
| | | CMFL5454N_ | 1146 | 1181 | 54 | 54 | 2 3/8 |
| | | CMFL5460N_ | 1258 | 1297 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMFL6624N | 765 | 791 | 66 | 24 | 2 3/8 |
| | Lmainate Panel Package - 66" | CMFL6630N | 896 | 926 | 66 | 30 | 2 3/8 |
| | | CMFL6636N | 1033 | 1065 | 66 | 36 | 2 3/8 |
| | | CMFL6642N | 1175 | 1207 | 66 | 42 | 2 3/8 |
| | | CMFL6648N | 1278 | 1320 | 66 | 48 | 2 3/8 |
| | | CMFL6654N | 1422 | 1468 | 66 | 54 | 2 3/8 |
| r J | | CMFL6660N | 1565 | 1615 | 66 | 60 | 2 3/8 |
| | | | | | | | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFLXXYYP_ - SEGMENTED LAMINATE SINGLE SIDED PANEL - POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.

- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

| | DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIM | ENSIONS/IN | CHES |
|---|----------------------------------|---------------|------|-------|-----|------------|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Powered Compile Single Segmented | CMFL4224P_ | 676 | 751 | 42 | 24 | 2 3/8 |
| | Laminate Panel Package - 42" | CMFL4230P_ | 819 | 906 | 42 | 30 | 2 3/8 |
| | | CMFL4236P_ | 918 | 1020 | 42 | 36 | 2 3/8 |
| | | CMFL4242P_ | 1017 | 1131 | 42 | 42 | 2 3/8 |
| | | CMFL4248P_ | 1104 | 1228 | 42 | 48 | 2 3/8 |
| | | CMFL4254P_ | 1197 | 1337 | 42 | 54 | 2 3/8 |
| | | CMFL4260P_ | 1293 | 1444 | 42 | 60 | 2 3/8 |
| | Powered Compile Single Segmented | CMFL4824P | 773 | 791 | 48 | 24 | 2 3/8 |
| | Laminate Panel Package - 48" | CMFL4830P | 932 | 953 | 48 | 30 | 2 3/8 |
| | · · | CMFL4836P | 1049 | 1075 | 48 | 36 | 2 3/8 |
| | | CMFL4842P_ | 1164 | 1192 | 48 | 42 | 2 3/8 |
| | | CMFL4848P_ | 1268 | 1300 | 48 | 48 | 2 3/8 |
| | | CMFL4854P_ | 1384 | 1420 | 48 | 54 | 2 3/8 |
| | | CMFL4860P_ | 1499 | 1540 | 48 | 60 | 2 3/8 |
| | Powered Compile Single Segmented | CMFL5424P | 774 | 865 | 54 | 24 | 2 3/8 |
| | Laminate Panel Package - 54" | CMFL5430P | 932 | 1040 | 54 | 30 | 2 3/8 |
| | Zammato i anom aonago | CMFL5436P_ | 1049 | 1169 | 54 | 36 | 2 3/8 |
| | | CMFL5442P | 1164 | 1303 | 54 | 42 | 2 3/8 |
| | | CMFL5448P | 1268 | 1419 | 54 | 48 | 2 3/8 |
| | | CMFL5454P | 1385 | 1550 | 54 | 54 | 2 3/8 |
| | | CMFL5460P_ | 1499 | 1683 | 54 | 60 | 2 3/8 |
| a | Powered Compile Single Segmented | CMFL6624P | 920 | 1034 | 66 | 24 | 2 3/8 |
| | Laminate Panel Package - 66" | CMFL6630P | 1100 | 1232 | 66 | 30 | 2 3/8 |
| | Editifiate Faller Fackage 00 | CMFL6636P | 1212 | 1403 | 66 | 36 | 2 3/8 |
| | | CMFL6642P | 1394 | 1565 | 66 | 42 | 2 3/8 |
| | | CMFL6648P | 1516 | 1701 | 66 | 48 | 2 3/8 |
| | | CMFL6654P | 1663 | 1871 | 66 | 54 | 2 3/8 |
| | | CMFL6660P_ | 1807 | 2034 | 66 | 60 | 2 3/8 |
| | | 0.W. 200001 _ | 1007 | 2001 | 00 | 00 | 200 |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 – No Knockout Side 2

CMLLXXYYN_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - NON-POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the

same height.

- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels
- 4 Panel connector brackets per side come standard with 66"h panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--------------|---|--------------|------------|-------------------|----|-------|
| | | | Gr1 | Н | W | D |
| / 1 | Non-Powered Compile Single Segmented | CMLL4224N_ | 594 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42" | CMLL4230N_ | 699 | 42 | 30 | 2 3/8 |
| | | CMLL4236N_ | 814 | 42 | 36 | 2 3/8 |
| | | CMLL4242N_ | 928 | 42 | 42 | 2 3/8 |
| / W | | CMLL4248N_ | 1039 | 42 | 48 | 2 3/8 |
| | | CMLL4254N_ | 1142 | 42 | 54 | 2 3/8 |
| | | CMLL4260N_ | 1242 | 42 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMLL4824N_ | 702 | 48 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 48" | CMLL4830N_ | 832 | 48 | 30 | 2 3/8 |
| | | CMLL4836N_ | 965 | 48 | 36 | 2 3/8 |
| ' IP I | | CMLL4842N_ | 1103 | 48 | 42 | 2 3/8 |
| | | CMLL4848N_ | 1240 | 48 | 48 | 2 3/8 |
| | | CMLL4854N_ | 1366 | 48 | 54 | 2 3/8 |
| | | CMLL4860N_ | 1485 | 48 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMLL5424N_ | 702 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54" | CMLL5430N_ | 832 | 54 | 30 | 2 3/8 |
| | | CMLL5436N_ | 966 | 54 | 36 | 2 3/8 |
| ' JY J | | CMLL5442N_ | 1104 | 54 | 42 | 2 3/8 |
| | | CMLL5448N_ | 1241 | 54 | 48 | 2 3/8 |
| | | CMLL5454N_ | 1366 | 54 | 54 | 2 3/8 |
| | | CMLL5460N_ | 1487 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Single Segmented | CMLL6624N_ | 889 | 66 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66" | CMLL6630N_ | 1050 | 66 | 30 | 2 3/8 |
| | | CMLL6636N_ | 1218 | 66 | 36 | 2 3/8 |
| | | CMLL6642N_ | 1395 | 66 | 42 | 2 3/8 |
| | | CMLL6648N_ | 1565 | 66 | 48 | 2 3/8 |
| | | CMLL6654N_ | 1726 | 66 | 54 | 2 3/8 |
| ´ | | CMLL6660N_ | 1887 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMLLXXYYP_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL - POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- · Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48h" and 54"h panels.
- 4 Panel connector brackets per side come standard with 66" panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | CHES | |
|-----|---|--------------|------------|-----|------|-------|
| | | | Gr1 | Н | W | D |
| | Powered Compile Single Segmented | CMLL4224P_ | 748 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42" | CMLL4230P_ | 906 | 42 | 30 | 2 3/8 |
| | | CMLL4236P_ | 1032 | 42 | 36 | 2 3/8 |
| | | CMLL4242P_ | 1150 | 42 | 42 | 2 3/8 |
| | | CMLL4248P_ | 1276 | 42 | 48 | 2 3/8 |
| | | CMLL4254P_ | 1383 | 42 | 54 | 2 3/8 |
| | | CMLL4260P_ | 1483 | 42 | 60 | 2 3⁄8 |
| | Powered Compile Single Segmented | CMLL4824P | 855 | 48 | 24 | 2 3⁄8 |
| | Double Sided Laminate Panel Package - 48" | CMLL4830P | 1038 | 48 | 30 | 2 3/8 |
| | | CMLL4836P | 1183 | 48 | 36 | 2 3/8 |
| | | CMLL4842P | 1325 | 48 | 42 | 2 3/8 |
| | | CMLL4848P_ | 1479 | 48 | 48 | 2 3/8 |
| | | CMLL4854P | 1606 | 48 | 54 | 2 3/8 |
| | | CMLL4860P_ | 1727 | 48 | 60 | 2 3/8 |
| | | | | | | |
| | Powered Compile Single Segmented | CMLL5424P_ | 855 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54" | CMLL5430P_ | 1039 | 54 | 30 | 2 3/8 |
| | | CMLL5436P_ | 1183 | 54 | 36 | 2 3/8 |
| | | CMLL5442P_ | 1325 | 54 | 42 | 2 3/8 |
| | | CMLL5448P_ | 1480 | 54 | 48 | 2 3/8 |
| | | CMLL5454P_ | 1608 | 54 | 54 | 2 3/8 |
| | | CMLL5460P_ | 1727 | 54 | 60 | 2 3/8 |
| | | | | | | |
| | Powered Compile Single Segmented | CMLL6624P_ | 1042 | 66 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66" | CMLL6630P_ | 1258 | 66 | 30 | 2 3/8 |
| | | CMLL6636P_ | 1435 | 66 | 36 | 2 3/8 |
| | | CMLL6642P_ | 1617 | 66 | 42 | 2 3/8 |
| | | CMLL6648P_ | 1802 | 66 | 48 | 2 3/8 |
| | | CMLL6654P_ | 1966 | 66 | 54 | 2 3/8 |
| rje | | CMLL6660P_ | 2128 | 66 | 60 | 2 3/8 |
| | | | | | | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYN_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|-------|----------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| _ | Non-Powered Compile Write Board | CMFW4824N_ | 555 | 582 | 48 | 24 | 2 3/8 |
| | Single Sided Panel Package - 48" | CMFW4830N_ | 670 | 702 | 48 | 30 | 2 3/8 |
| | No punchouts | CMFW4836N_ | 743 | 779 | 48 | 36 | 2 3/8 |
| | | CMFW4842N_ | 838 | 702 | 48 | 42 | 2 3/8 |
| WRITE | | CMFW4848N_ | 942 | 990 | 48 | 48 | 2 3/8 |
| | | CMFW4854N_ | 1047 | 1084 | 48 | 54 | 2 3/8 |
| | | CMFW4860N_ | 1152 | 1214 | 48 | 60 | 2 3/8 |
| | Non-Powered Compile Write Board | CMFW5424N | 556 | 578 | 54 | 24 | 2 3/8 |
| | Single Sided Panel Package - 54" | CMFW5430N_ | 671 | 696 | 54 | 30 | 2 3/8 |
| | | CMFW5436N_ | 744 | 768 | 54 | 36 | 2 3/8 |
| | | CMFW5442N | 839 | 869 | 54 | 42 | 2 3/8 |
| WRITE | | CMFW5448N | 943 | 976 | 54 | 48 | 2 3/8 |
| | | CMFW5454N | 1047 | 1082 | 54 | 54 | 2 3/8 |
| | | CMFW5460N_ | 1153 | 1192 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Write Board | CMFW6624N | 700 | 726 | 66 | 24 | 2 3/8 |
| | Single Sided Panel Package - 66" | CMFW6630N | 832 | 862 | 66 | 30 | 2 3/8 |
| | • | CMFW6636N | 927 | 959 | 66 | 36 | 2 3/8 |
| | | CMFW6642N_ | 1048 | 1083 | 66 | 42 | 2 3/8 |
| RITE | | CMFW6648N | 1169 | 1211 | 66 | 48 | 2 3/8 |
| | | CMFW6654N | 1300 | 1344 | 66 | 54 | 2 3/8 |
| | | CMFW6660N | 1435 | 1483 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFWXXYYP_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data

| | DESCRIPTION | PRODUCT CODE | | PRICE | DIMENSIONS/INCHES | | |
|-----------|----------------------------------|--------------|------|-------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Powered Compile Write Board | CMFW4824P_ | 707 | 734 | 48 | 24 | 2 3/8 |
| | Single Sided Panel Package - 48" | CMFW4830P_ | 877 | 909 | 48 | 30 | 2 3/8 |
| | Punchouts on one side | CMFW4836P_ | 959 | 995 | 48 | 36 | 2 3/8 |
| | | CMFW4842P_ | 1058 | 1104 | 48 | 42 | 2 3/8 |
| | | CMFW4848P_ | 1180 | 1226 | 48 | 48 | 2 3/8 |
| | | CMFW4854P_ | 1287 | 1323 | 48 | 54 | 2 3/8 |
| | | CMFW4860P_ | 1393 | 1454 | 48 | 60 | 2 3⁄8 |
| _ | Powered Compile Write Board | CMFW5424P_ | 709 | 731 | 54 | 24 | 2 3/8 |
| | Single Sided Panel Package - 54" | CMFW5430P_ | 878 | 903 | 54 | 30 | 2 3/8 |
| | | CMFW5436P_ | 959 | 984 | 54 | 36 | 2 3/8 |
| | | CMFW5442P_ | 1059 | 1089 | 54 | 42 | 2 3/8 |
| | | CMFW5448P_ | 1180 | 1213 | 54 | 48 | 2 3/8 |
| | | CMFW5454P_ | 1289 | 1324 | 54 | 54 | 2 3/8 |
| | | CMFW5460P_ | 1393 | 1435 | 54 | 60 | 2 3/8 |
| | Powered Compile Write Board | CMFW6624P_ | 854 | 879 | 66 | 24 | 2 3/8 |
| | Single Sided Panel Package - 66" | CMFW6630P_ | 1039 | 1069 | 66 | 30 | 2 3/8 |
| | | CMFW6636P_ | 1142 | 1174 | 66 | 36 | 2 3/8 |
| | | CMFW6642P_ | 1269 | 1304 | 66 | 42 | 2 3/8 |
| NRTE NRTE | | CMFW6648P_ | 1408 | 1447 | 66 | 48 | 2 3/8 |
| w. | | CMFW6654P_ | 1539 | 1585 | 66 | 54 | 2 3/8 |
| | | CMFW6660P_ | 1677 | 1727 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMWWXXYYN_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

| Powered Compile Write Board e Segmented Panel Package - 48" unchouts | CMWW4824N_ CMWW4830N_ CMWW4836N_ CMWW4842N_ CMWW4848N_ CMWW4854N_ CMWW4860N_ | 608 755 817 927 1085 1204 1327 | 625 776 846 957 1118 1241 1365 | 48 48 48 48 48 48 48 | 24 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
|--|--|---|---|--|--|---|
| e Segmented Panel Package - 48″ Inchouts | CMWW4830N_ CMWW4836N_ CMWW4842N_ CMWW4848N_ CMWW4854N_ | 755 817 927 1085 1204 | 776 846 957 1118 1241 | 48 48 48 48 48 | 30 36 42 48 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| inchouts | CMWW4836N_ CMWW4842N_ CMWW4848N_ CMWW4854N_ | 817 927 1085 1204 | 846 957 1118 1241 | 48 48 48 48 | 36 42 48 | 2 3/8 2 3/8 2 3/8 |
| | CMWW4842N_ CMWW4848N_ CMWW4854N_ | 927 1085 1204 | 957 1118 1241 | 48 48 48 | 42 48 | 2 3/8 2 3/8 |
| | CMWW4848N_ CMWW4854N_ | 1085 1204 | 1118 1241 | 48 48 | 48 | 2 3/8 |
| | CMWW4854N_ | 1204 | 1241 | 48 | | |
| | _ | | | | 54 | 220 |
| | CMWW4860N_ | 1327 | 1365 | 48 | | 2 3/8 |
| | | | | 40 | 60 | 2 3/8 |
| Powered Compile Write Board | CMWW5424N_ | 609 | 642 | 54 | 24 | 2 3/8 |
| Single Segmented Panel Package - 54" | CMWW5430N_ | 755 | 788 | 54 | 30 | 2 3/8 |
| | CMWW5436N_ | 817 | 881 | 54 | 36 | 2 3/8 |
| | CMWW5442N_ | 928 | 992 | 54 | 42 | 2 3/8 |
| | CMWW5448N_ | 1085 | 1149 | 54 | 48 | 2 3/8 |
| | CMWW5454N_ | 1205 | 1269 | 54 | 54 | 2 3/8 |
| | CMWW5460N_ | 1327 | 1391 | 54 | 60 | 2 3/8 |
| Powered Compile Write Board | CMWW6624N_ | 751 | 784 | 66 | 24 | 2 3/8 |
| e Segmented Panel Package - 66" | CMWW6630N_ | 920 | 953 | 66 | 30 | 2 3/8 |
| | CMWW6636N_ | 927 | 991 | 66 | 36 | 2 3/8 |
| | CMWW6642N_ | 1138 | 1203 | 66 | 42 | 2 3/8 |
| | CMWW6648N_ | 1308 | 1372 | 66 | 48 | 2 3/8 |
| | CMWW6654N_ | 1460 | 1524 | 66 | 54 | 2 3/8 |
| | CMWW6660N_ | 1610 | 1674 | 66 | 60 | 2 3/8 |
| | | Segmented Panel Package - 66" CMWW6630N_ CMWW6636N_ CMWW6642N_ CMWW6648N_ CMWW6654N_ | e Segmented Panel Package - 66" CMWW6630N_ 920 CMWW6636N_ 927 CMWW6642N_ 1138 CMWW6648N_ 1308 CMWW6654N_ 1460 | Segmented Panel Package - 66" CMWW6630N 920 953 CMWW6636N 927 991 CMWW6642N 1138 1203 CMWW6648N 1308 1372 CMWW6654N 1460 1524 1460 146 | Regmented Panel Package - 66" CMWW6630N_ 920 953 66 CMWW6636N_ 927 991 66 CMWW6642N_ 1138 1203 66 CMWW6648N_ 1308 1372 66 CMWW6654N_ 1460 1524 66 | Segmented Panel Package - 66" CMWW6630N 920 953 66 30 CMWW6636N 927 991 66 36 CMWW6636N 1138 1203 66 42 CMWW6642N 1308 1372 66 48 CMWW6648N 1460 1524 66 54 |

Raceway Cover Options (1) Shown

RACEWAY COVER OPTIONS (Suffix)

(0) No Knockouts Side 1 and Side 2

(1) Knockouts Side 1 - No Knockout Side 2

CMWWXXYYP_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL - POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48"h. and 54"h. panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--------------|--------------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Powered Compile Write Board | CMWW4824P_ | 761 | 779 | 48 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 48" | CMWW4830P_ | 961 | 982 | 48 | 30 | 2 3/8 |
| WRITE | Punchouts on one side | CMWW4836P_ | 1034 | 1061 | 48 | 36 | 2 3/8 |
| | | CMWW4842P_ | 1149 | 1178 | 48 | 42 | 2 3/8 |
| WRITE | | CMWW4848P_ | 1322 | 1355 | 48 | 48 | 2 3/8 |
| | | CMWW4854P_ | 1444 | 1481 | 48 | 54 | 2 3/8 |
| | | CMWW4860P_ | 1568 | 1605 | 48 | 60 | 2 3/8 |
| _ | Powered Compile Write Board | CMWW5424P_ | 761 | 794 | 54 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 54" | CMWW5430P | 961 | 994 | 54 | 30 | 2 3/8 |
| WRITE | | CMWW5436P_ | 1034 | 1098 | 54 | 36 | 2 3/8 |
| | | CMWW5442P_ | 1150 | 1214 | 54 | 42 | 2 3/8 |
| WRITE | | CMWW5448P_ | 1322 | 1386 | 54 | 48 | 2 3/8 |
| / | | CMWW5454P_ | 1445 | 1509 | 54 | 54 | 2 3/8 |
| | | CMWW5460P_ | 1568 | 1632 | 54 | 60 | 2 3/8 |
| | Powered Compile Write Board | CMWW6624P_ | 902 | 935 | 66 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 66" | CMWW6630P_ | 1125 | 1158 | 66 | 30 | 2 3/8 |
| | | CMWW6636P_ | 1219 | 1283 | 66 | 36 | 2 3/8 |
| WRUTE | | CMWW6642P_ | 1358 | 1422 | 66 | 42 | 2 3/8 |
| .alf | | CMWW6648P_ | 1547 | 1611 | 66 | 48 | 2 3/8 |
| ₩" \ | | CMWW6654P_ | 1700 | 1764 | 66 | 54 | 2 3/8 |
| | | CMWW6660P_ | 1851 | 1915 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFOXXYYN_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".

| | DESCRIPTION | PRODUCT CODE | LIST | LIST PRICE | | DIMENSIONS/INCHES | | |
|----------------|--------------------------------------|--------------|------|------------|----|-------------------|-------|--|
| | | | Gr1 | Gr2 | Н | W | D | |
| | Non-Powered Compile Single Segmented | CMF04224N_ | 355 | 371 | 42 | 24 | 2 3/8 | |
| | Open Bottom Panel Package - 42" | CMF04230N_ | 398 | 412 | 42 | 30 | 2 3/8 | |
| | | CMF04236N_ | 422 | 449 | 42 | 36 | 2 3/8 | |
| | | CMF04242N_ | 482 | 509 | 42 | 42 | 2 3/8 | |
| | | CMF04248N_ | 513 | 540 | 42 | 48 | 2 3/8 | |
| | | CMF04254N_ | 572 | 586 | 42 | 54 | 2 3/8 | |
| | | CMF04260N_ | 611 | 638 | 42 | 60 | 2 3/8 | |
| | Non-Powered Compile Single Segmented | CMF04824N_ | 383 | 404 | 48 | 24 | 2 3/8 | |
| ا ام | Open Bottom Panel Package -48" | CMF04830N_ | 429 | 447 | 48 | 30 | 2 3/8 | |
| | | CMF04836N_ | 482 | 501 | 48 | 36 | 2 3/8 | |
| | | CMF04842N_ | 547 | 584 | 48 | 42 | 2 3/8 | |
| | | CMF04848N_ | 590 | 628 | 48 | 48 | 2 3/8 | |
| | | CMF04854N_ | 627 | 665 | 48 | 54 | 2 3/8 | |
| | | CMF04860N_ | 675 | 713 | 48 | 60 | 2 3/8 | |
| | Non-Powered Compile Single Segmented | CMF05424N | 384 | 406 | 54 | 24 | 2 3/8 | |
| | Open Bottom Panel Package -54" | CMF05430N | 429 | 451 | 54 | 30 | 2 3/8 | |
| | | CMF05436N | 483 | 505 | 54 | 36 | 2 3/8 | |
| 'IP J | | CMF05442N | 547 | 585 | 54 | 42 | 2 3/8 | |
| /1 // / | | CMF05448N_ | 590 | 628 | 54 | 48 | 2 3/8 | |
| | | CMF05454N_ | 627 | 666 | 54 | 54 | 2 3/8 | |
| | | CMF05460N_ | 676 | 714 | 54 | 60 | 2 3/8 | |
| | Non-Powered Compile Single Segmented | CMF06624N_ | 450 | 482 | 66 | 24 | 2 3/8 | |
| | Open Bottom Panel Package - 66" | CMF06630N_ | 516 | 548 | 66 | 30 | 2 3/8 | |
| | | CMF06636N_ | 574 | 631 | 66 | 36 | 2 3/8 | |
| | | CMF06642N_ | 653 | 711 | 66 | 42 | 2 3/8 | |
| | | CMF06648N_ | 691 | 749 | 66 | 48 | 2 3/8 | |
| | | CMF06654N_ | 751 | 808 | 66 | 54 | 2 3/8 | |
| | | CMF06660N_ | 796 | 853 | 66 | 60 | 2 3/8 | |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFOXXYYP_ - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- 24" wide panels have one punchout, 30" wide panels or wider have two punchouts.

| d Compile Single Segmented ottom Panel Package - 42" d Compile Single Segmented ottom Panel Package -48" | CMF04224P_ CMF04230P_ CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_ | 94 494 588 620 685 730 791 832 | 510 604 647 712 757 805 859 | 42 42 42 42 42 42 42 42 42 | 24 30 36 42 48 54 60 | 2 38 2 38 2 38 2 38 2 38 2 38 2 38 2 38 |
|---|--|--|---|--|--|--|
| ottom Panel Package - 42" d Compile Single Segmented | CMF04230P_ CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_ | 588 620 685 730 791 832 | 604 647 712 757 805 | 42 42 42 42 42 | 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| d Compile Single Segmented | CMF04236P_ CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_ | 620 685 730 791 832 | 647 712 757 805 | 42 42 42 42 | 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| 1 0 0 | CMF04242P_ CMF04248P_ CMF04254P_ CMF04260P_ | 685 730 791 832 | 712 757 805 | 42 42 42 | 42 48 54 | 2 3/8 2 3/8 2 3/8 |
| 1 0 0 | CMF04248P_ CMF04254P_ CMF04260P_ CMF04824P_ | 730 791 832 | 757 805 | 42 42 | 48 54 | 2 3/8 2 3/8 |
| 1 0 0 | CMF04254P_ CMF04260P_ CMF04824P_ | 791 832 | 805 | 42 | 54 | 2 3/8 |
| 1 0 0 | CMF04260P_ CMF04824P_ | 832 | | | | |
| 1 0 0 | CMF04824P_ | | 859 | 42 | 60 | 2 3/8 |
| 1 0 0 | _ | 525 | | | | |
| ottom Panel Package -48" | CMEUNOSOD | JZJ | 546 | 48 | 24 | 2 3/8 |
| · | GIVII 04030I _ | 616 | 635 | 48 | 30 | 2 3/8 |
| | CMF04836P_ | 684 | 703 | 48 | 36 | 2 3/8 |
| | CMF04842P | 750 | 788 | 48 | 42 | 2 3/8 |
| | CMF04848P | 809 | 847 | 48 | 48 | 2 3/8 |
| | CMF04854P | 847 | 885 | 48 | 54 | 2 3/8 |
| | CMF04860P_ | 897 | 934 | 48 | 60 | 2 3/8 |
| d Compile Single Segmented | CMF05424P | 525 | 547 | 54 | 24 | 2 3/8 |
| ottom Panel Package -54" | CMF05430P | 619 | 640 | 54 | 30 | 2 3/8 |
| | CMF05436P | 684 | 706 | 54 | 36 | 2 3/8 |
| | CMF05442P | 751 | 790 | 54 | 42 | 2 3/8 |
| | CMF05448P | 811 | 850 | 54 | 48 | 2 3/8 |
| | CMF05454P | 850 | 888 | 54 | 54 | 2 3/8 |
| | CMF05460P_ | 897 | 935 | 54 | 60 | 2 3/8 |
| d Compile Single Segmented | CMF06624P | 591 | 622 | 66 | 24 | 2 3/8 |
| | CMF06630P | 704 | 736 | 6 | 30 | 2 3/8 |
| | _ | | 831 | | | 2 3/8 |
| | _ | 855 | 912 | 66 | | 2 3/8 |
| | _ | | | | | 2 3/8 |
| | _ | | | | | 2 3/8 |
| | CMF06660P_ | 1019 | 1077 | 66 | 60 | 2 3/8 |
| 0 | ottom Panel Package - 66″ | CMF06636P_ CMF06642P_ CMF06648P_ CMF06654P_ | CMF06636P_ 773 CMF06642P_ 855 CMF06648P_ 908 CMF06654P_ 971 | CMF06636P 773 831 CMF06642P 855 912 CMF06648P 908 966 CMF06654P 971 1028 | CMF06636P_ 773 831 66 CMF06642P_ 855 912 66 CMF06648P_ 908 966 66 CMF06654P_ 971 1028 66 | CMF06636P_ 773 831 66 36 CMF06642P_ 855 912 66 42 CMF06648P_ 908 966 66 48 CMF06654P_ 971 1028 66 54 |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMFGXXYYN_ - COMPILE GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same beinht

- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance.
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

| CMFG4224N_ CMFG4230N_ CMFG4236N_ CMFG4226N_ CMFG4248N_ CMFG4254N_ CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4848N_ CMFG4848N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG5424N_ CMFG5424N_ CMFG5424N_ | 978 480 547 612 684 748 841 927 516 604 687 770 840 978 1106 | 6r2 498 568 638 713 778 873 964 534 625 712 797 870 1011 1145 | H 42 42 42 42 42 42 42 42 48 48 48 48 48 48 | 24 30 36 42 48 54 60 24 30 36 42 48 54 60 | 2 3/8 2 3/8 |
|--|--|--|---|--|---|
| CMFG4230N_ CMFG4236N_ CMFG4242N_ CMFG4248N_ CMFG4254N_ CMFG4254N_ CMFG4826N_ CMFG4830N_ CMFG4836N_ CMFG4836N_ CMFG4848N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4860N_ | 547 612 684 748 841 927 516 604 687 770 840 978 1106 | 568 638 713 778 873 964 534 625 712 797 870 1011 1145 | 42 42 42 42 42 42 42 48 48 48 48 48 48 48 | 30 36 42 48 54 60 24 30 36 42 48 54 | 2 38 2 38 2 38 2 38 2 38 2 38 2 38 2 38 |
| CMFG4236N_ CMFG4242N_ CMFG4248N_ CMFG4254N_ CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4842N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ | 612 684 748 841 927 516 604 687 770 840 978 1106 | 638 713 778 873 964 534 625 712 797 870 1011 1145 | 42 42 42 42 42 42 48 48 48 48 48 48 48 | 36 42 48 54 60 24 30 36 42 48 54 | 2 3/8 2 3/8 |
| CMFG4242N_ CMFG4248N_ CMFG4254N_ CMFG4254N_ CMFG4826N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4842N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4854N_ CMFG4860N_ | 684 748 841 927 516 604 687 770 840 978 1106 | 713 778 873 964 534 625 712 797 870 1011 1145 | 42 42 42 42 42 48 48 48 48 48 48 48 | 42 48 54 60 24 30 36 42 48 54 | 2 3/8 2 3/8 |
| CMFG4248N_ CMFG4254N_ CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4844N_ CMFG4854N_ CMFG4854N_ CMFG4860N_ | 748 841 927 516 604 687 770 840 978 1106 | 778 873 964 534 625 712 797 870 1011 1145 | 42 42 42 48 48 48 48 48 48 48 | 48 54 60 24 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4254N_ CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4844N_ CMFG4854N_ CMFG4860N_ | 841 927 516 604 687 770 840 978 1106 | 873 964 534 625 712 797 870 1011 1145 | 42 42 48 48 48 48 48 48 48 | 54 60 24 30 36 42 48 54 | 2 3/8 2 3/8 |
| CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4848N_ CMFG4854N_ CMFG4860N_ CMFG5424N_ | 927 516 604 687 770 840 978 1106 | 964 534 625 712 797 870 1011 1145 | 48 48 48 48 48 48 48 | 24 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4260N_ CMFG4824N_ CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4848N_ CMFG4854N_ CMFG4860N_ CMFG5424N_ | 516 604 687 770 840 978 1106 | 534 625 712 797 870 1011 1145 | 48 48 48 48 48 48 | 24 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4830N_ CMFG4836N_ CMFG4842N_ CMFG4848N_ CMFG4854N_ CMFG4850N_ | 604 687 770 840 978 1106 | 625 712 797 870 1011 1145 | 48 48 48 48 48 48 | 30 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4836N_ CMFG4842N_ CMFG4848N_ CMFG4854N_ CMFG4860N_ CMFG5424N_ | 687 770 840 978 1106 | 712 797 870 1011 1145 | 48 48 48 48 48 | 36 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4842N_ CMFG4848N_ CMFG4854N_ CMFG4860N_ CMFG5424N_ | 770 840 978 1106 | 797 870 1011 1145 | 48 48 48 48 | 42 48 54 | 2 3/8 2 3/8 2 3/8 2 3/8 |
| CMFG4848N_ CMFG4854N_ CMFG4860N_ CMFG5424N_ | 840 978 1106 517 | 870 1011 1145 | 48 48 48 | 48 54 | 2 3/8 2 3/8 2 3/8 |
| CMFG4854N_ CMFG4860N_ CMFG5424N_ | 978 1106 517 | 1011 1145 | 48 48 | 54 | 2 3/8 2 3/8 |
| CMFG4860N_ CMFG5424N_ | 1106 517 | 1145 | 48 | | 2 3/8 |
| _ CMFG5424N_ | 517 | | | 60 | |
| _ | | E20 | | | |
| CMFG5430N_ | | 330 | 54 | 24 | 2 3/8 |
| | 607 | 629 | 54 | 30 | 2 3/8 |
| CMFG5436N_ | 687 | 713 | 54 | 36 | 2 3/8 |
| CMFG5442N_ | 773 | 800 | 54 | 42 | 2 3/8 |
| CMFG5448N_ | 841 | 872 | 54 | 48 | 2 3/8 |
| CMFG5454N_ | 979 | 1012 | 54 | 54 | 2 3/8 |
| CMFG5460N_ | 1107 | 1146 | 54 | 60 | 2 3/8 |
| CMFG6624N_ | 648 | 675 | 66 | 24 | 2 3/8 |
| CMFG6630N_ | 753 | 784 | 66 | 30 | 2 3/8 |
| CMFG6636N_ | 858 | 891 | 66 | 36 | 2 3/8 |
| CMFG6642N_ | 966 | 1009 | 66 | 42 | 2 3/8 |
| CMFG6648N_ | 1048 | 1095 | 66 | 48 | 2 3/8 |
| CMFG6654N_ | 1213 | 1264 | 66 | 54 | 2 3/8 |
| | 1369 | 1423 | 66 | 60 | 2 3/8 |
| | CMFG6624N_ CMFG6630N_ CMFG6636N_ CMFG6642N_ CMFG6648N_ CMFG6654N_ CMFG6660N_ | CMFG6630N_ 753 CMFG6636N_ 858 CMFG6642N_ 966 CMFG6648N_ 1048 CMFG6654N_ 1213 | CMFG6630N_ 753 784 CMFG6636N_ 858 891 CMFG6642N_ 966 1009 CMFG6648N_ 1048 1095 CMFG6654N_ 1213 1264 | CMFG6630N_ 753 784 66 CMFG6636N_ 858 891 66 CMFG6642N_ 966 1009 66 CMFG6648N_ 1048 1095 66 CMFG6654N_ 1213 1264 66 | CMFG6630N_ 753 784 66 30 CMFG6636N_ 858 891 66 36 CMFG6642N_ 966 1009 66 42 CMFG6648N_ 1048 1095 66 48 CMFG6654N_ 1213 1264 66 54 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMFGXXYYP_ - COMPILE GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same

- height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing starts at 29" high to the top of the panel.

| DESCRIPTION | PRODUCT CODE | LIST I Gr1 | PRICE Gr2 | DIMI H | ENSIONS/IN W | CHES D |
|---|--|--|--|--|--|--|
| Powered Compile Glazed Panel Package - 42" | CMFG4224P_ CMFG4230P_ CMFG4236P_ CMFG4242P_ CMFG4248P_ CMFG4254P_ CMFG4260P_ | 632 753 829 902 985 1078 1165 | 650 774 855 931 1015 1110 1202 | 42 42 42 42 42 42 42 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| Powered Compile Glazed Panel Package - 48" | CMFG4824P_ CMFG4830P_ CMFG4836P_ CMFG4842P_ CMFG4848P_ CMFG4854P_ CMFG4860P_ | 668 809 902 992 1076 1216 1347 | 687 830 928 1018 1107 1249 1385 | 48 48 48 48 48 48 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| Powered Compile Glazed Panel Package - 54" | CMFG5424P_ CMFG5430P_ CMFG5436P_ CMFG5442P_ CMFG5454P_ CMFG5454P_ CMFG5460P_ | 668 811 902 992 1077 1217 1348 | 689 833 928 1019 1108 1250 1387 | 54 54 54 54 54 54 54 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |
| Powered Compile Glazed Panel Package - 66" | CMFG6624P_ CMFG6630P_ CMFG6636P_ CMFG6642P_ CMFG6648P_ CMFG6654P_ CMFG6660P_ | 801 959 1075 1187 1289 1450 1612 | 828 990 1108 1230 1336 1501 1666 | 66 66 66 66 66 66 | 24 30 36 42 48 54 60 | 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 2 3/8 |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

CMPGXXYYN_ - COMPILE PARTLY GLAZED PANEL PACKAGE - NON-POWERED

- · Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|------------|-----------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| A 1 | Non-Powered Compile Partly Glazed | CMPG4824N_ | 550 | 592 | 48 | 24 | 2 3/8 |
| | Panel Package - 48" | CMPG4830N_ | 634 | 688 | 48 | 30 | 2 3/8 |
| | | CMPG4836N_ | 707 | 762 | 48 | 36 | 2 3/8 |
| | | CMPG4842N_ | 787 | 857 | 48 | 42 | 2 3/8 |
| | | CMPG4848N_ | 868 | 951 | 48 | 48 | 2 3/8 |
| | | CMPG4854N_ | 959 | 1044 | 48 | 54 | 2 3/8 |
| | | CMPG4860N_ | 1042 | 1136 | 48 | 60 | 2 3/8 |
| A | Non-Powered Compile Partly Glazed | CMPG5424N_ | 550 | 593 | 54 | 24 | 2 3⁄8 |
| | Panel Package - 54" | CMPG5430N_ | 634 | 689 | 54 | 30 | 2 3/8 |
| | | CMPG5436N_ | 709 | 766 | 54 | 36 | 2 3/8 |
| | | CMPG5442N_ | 788 | 857 | 54 | 42 | 2 3/8 |
| | | CMPG5448N_ | 868 | 951 | 54 | 48 | 2 3/8 |
| | | CMPG5454N_ | 959 | 1045 | 54 | 54 | 2 3/8 |
| | | CMPG5460N_ | 1043 | 1138 | 54 | 60 | 2 3/8 |
| /1 | Non-Powered Compile Partly Glazed | CMPG6624N_ | 604 | 651 | 66 | 24 | 2 3/8 |
| | Panel Package - 66" | CMPG6630N_ | 692 | 749 | 66 | 30 | 2 3/8 |
| | - | CMPG6636N_ | 776 | 921 | 66 | 36 | 2 3/8 |
| | | CMPG6642N_ | 864 | 933 | 66 | 42 | 2 3/8 |
| | | CMPG6648N_ | 955 | 1037 | 66 | 48 | 2 3/8 |
| | | CMPG6654N_ | 1052 | 1136 | 66 | 54 | 2 3/8 |
| | | CMPG6660N_ | 1146 | 1237 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPGXXYYP_ - COMPILE PARTLY GLAZED PANEL PACKAGE - POWERED

- · With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.

- 3 Panel connector brackets per side come standard with 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Panels contain leveling glides. Maximum extension of glides is 2".
- · Standard clear (CLR) plexi.
- Optional Smoked Plexi-Glass or Frosted Plexi with 10% upcharge. Please note the smoked glass has 51% light transmittance
- PVC glass retainer in matching paint color.
- Glazing is 14" nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST | LIST PRICE | | DIMENSIONS/INCHES | | |
|--------------|-------------------------------|--------------|------|------------|----|-------------------|-------|--|
| | | | Gr1 | Gr2 | Н | W | D | |
| / 1 | Powered Compile Partly Glazed | CMPG4824P_ | 704 | 746 | 48 | 24 | 2 3/8 | |
| | Panel Package - 48" | CMPG4830P_ | 841 | 895 | 48 | 2 3/8 | | |
| | · · | CMPG4836P_ | 923 | 978 | 48 | 36 | 2 3/8 | |
| | | CMPG4842P_ | 1008 | 1076 | 48 | 42 | 2 3/8 | |
| | | CMPG4848P_ | 1107 | 1189 | 48 | 48 | 2 3/8 | |
| | | CMPG4854P_ | 1197 | 1283 | 48 | 54 | 2 3/8 | |
| | | CMPG4860P_ | 1282 | 1377 | 48 | 60 | 2 3/8 | |
| | Powered Compile Partly Glazed | CMPG5424P_ | 704 | 747 | 54 | 24 | 2 3/8 | |
| | Panel Package - 54" | CMPG5430P_ | 842 | 897 | 54 | 30 | 2 3/8 | |
| | | CMPG5436P_ | 924 | 981 | 54 | 36 | 2 3/8 | |
| | | CMPG5442P_ | 1008 | 1077 | 54 | 42 | 2 3/8 | |
| | | CMPG5448P_ | 1108 | 1191 | 54 | 48 | 2 3/8 | |
| | | CMPG5454P_ | 1198 | 1284 | 54 | 54 | 2 3/8 | |
| | | CMPG5460P_ | 1282 | 1377 | 54 | 60 | 2 3/8 | |
| | Powered Compile Partly Glazed | CMPG6624P_ | 755 | 802 | 66 | 24 | 2 3/8 | |
| | Panel Package - 66" | CMPG6630P_ | 898 | 955 | 66 | 30 | 2 3/8 | |
| | | CMPG6636P_ | 992 | 1137 | 66 | 36 | 2 3/8 | |
| | | CMPG6642P_ | 1085 | 1154 | 66 | 42 | 2 3/8 | |
| / | | CMPG6648P_ | 1192 | 1274 | 66 | 48 | 2 3/8 | |
| | | CMPG6654P_ | 1293 | 1377 | 66 | 54 | 2 3/8 | |
| J 🅊 | | CMPG6660P_ | 1386 | 1477 | 66 | 60 | 2 3/8 | |
| | | _ | | | | | | |

Raceway Cover Options (1) Shown

- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPLGXXYYN_ - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

panels.

- 4 Panel connector brackets per side come standard with 66"h. panels.
- Standard clear (CLR) plexi.
- Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data
- Glazing is 12" nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|------------------|--------------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| A 1 | Non-Powered Compile 12" Top Glazed | CMPLG4224N_ | 527 | 546 | 42 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 42" | CMPLG4230N_ | 616 | 635 | 42 | 30 | 2 3/8 |
| | | CMPLG4236N | 707 | 745 | 42 | 36 | 2 3/8 |
| | | CMPLG4242N | 787 | 824 | 42 | 42 | 2 3/8 |
| | | CMPLG4248N | 855 | 893 | 42 | 48 | 2 3/8 |
| | | CMPLG4254N | 955 | 993 | 42 | 54 | 2 3/8 |
| | | CMPLG4260N_ | 1048 | 1086 | 42 | 60 | 2 3/8 |
| / 1 | Non-Powered Compile 12" Top Glazed | CMPLG4824N_ | 539 | 556 | 48 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 48" | CMPLG4830N_ | 621 | 639 | 48 | 30 | 2 3/8 |
| | | CMPLG4836N_ | 693 | 729 | 48 | 36 | 2 3/8 |
| | | CMPLG4842N_ | 770 | 806 | 48 | 42 | 2 3/8 |
| | | CMPLG4848N_ | 843 | 879 | 48 | 48 | 2 3/8 |
| | | CMPLG4854N_ | 942 | 975 | 48 | 54 | 2 3/8 |
| | | CMPLG4860N_ | 1022 | 1058 | 48 | 60 | 2 3/8 |
| | Non-Powered Compile 12" Top Glazed | CMPLG5424N_ | 542 | 563 | 54 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 54" | CMPLG5430N_ | 621 | 640 | 54 | 30 | 2 3/8 |
| | | CMPLG5436N_ | 696 | 733 | 54 | 36 | 2 3/8 |
| | | CMPLG5442N_ | 773 | 811 | 54 | 42 | 2 3/8 |
| | | CMPLG5448N_ | 854 | 892 | 54 | 48 | 2 3/8 |
| | | CMPLG5454N_ | 943 | 981 | 54 | 54 | 2 3/8 |
| | | CMPLG5460N_ | 1023 | 1061 | 54 | 60 | 2 3/8 |
| _ | Non-Powered Compile 12" Top Glazed | CMPLG6624N_ | 590 | 628 | 66 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 66" | CMPLG6630N_ | 678 | 716 | 66 | 30 | 2 3/8 |
| | | CMPLG6636N_ | 776 | 851 | 66 | 36 | 2 3/8 |
| | | CMPLG6642N_ | 847 | 922 | 66 | 42 | 2 3/8 |
| | | CMPLG6648N_ | 938 | 1012 | 66 | 48 | 2 3/8 |
| ´] | | CMPLG6654N_ | 1033 | 1108 | 66 | 54 | 2 3/8 |
| | | CMPLG6660N_ | 1124 | 1199 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- (0) No Knockouts Side 1 and Side 2
- (1) Knockouts Side 1 No Knockout Side 2
- (2) Knockouts Side 1 and Side 2

CMPLGXXYYP_ - SINGLE 12" GLAZED AT TOP PANEL - POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- · Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.

- · Standard clear (CLR) plexi.
- · Optional smoked (SMK) plexi-glass or frosted (FRST) plexi.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIM | ENSIONS/IN | CHES |
|-----------|---|--------------|------|-------|-----|------------|-------|
| | | | Gr1 | Gr2 | Н | W | D |
| | Powered Compile 12" Top Glazed | CMPLG4224P_ | 680 | 701 | 42 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 42" | CMPLG4230P_ | 822 | 843 | 42 | 30 | 2 3/8 |
| | | CMPLG4236P_ | 923 | 960 | 42 | 36 | 2 3/8 |
| | | CMPLG4242P_ | 1007 | 1045 | 42 | 42 | 2 3/8 |
| | | CMPLG4248P_ | 1094 | 1132 | 42 | 48 | 2 3/8 |
| | | CMPLG4254P_ | 1194 | 1231 | 42 | 54 | 2 3/8 |
| | | CMPLG4260P_ | 1291 | 1328 | 42 | 60 | 2 3/8 |
| | Powered Compile 12" Top Glazed | CMPLG4824P | 692 | 713 | 48 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 48" | CMPLG4830P | 828 | 845 | 48 | 30 | 2 3/8 |
| | 2g.3 00g000 . a aaga 10 | CMPLG4836P | 911 | 946 | 48 | 36 | 23/8 |
| | | CMPLG4842P | 992 | 1025 | 48 | 42 | 2 3/8 |
| | | CMPLG4848P | 1073 | 1108 | 48 | 48 | 2 3/8 |
| | | CMPLG4854P | 1181 | 1216 | 48 | 54 | 2 3/8 |
| | | CMPLG4860P_ | 1265 | 1300 | 48 | 60 | 2 3/8 |
| <i>a</i> | | | | | | | |
| | Powered Compile 12" Top Glazed | CMPLG5424P_ | 693 | 712 | 54 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 54" | CMPLG5430P_ | 829 | 848 | 54 | 30 | 2 3/8 |
| | | CMPLG5436P_ | 911 | 949 | 54 | 36 | 2 3/8 |
| | | CMPLG5442P_ | 992 | 1030 | 54 | 42 | 2 3/8 |
| | | CMPLG5448P_ | 1092 | 1130 | 54 | 48 | 2 3/8 |
| l v | | CMPLG5454P_ | 1181 | 1219 | 54 | 54 | 2 3/8 |
| | | CMPLG5460P_ | 1265 | 1303 | 54 | 60 | 2 3/8 |
| /1 | Powered Compile 12" Top Glazed | CMPLG6624P_ | 745 | 782 | 66 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 66" | CMPLG6630P | 886 | 924 | 66 | 30 | 2 3/8 |
| | J 11J 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | CMPLG6636P_ | 979 | 1053 | 66 | 36 | 2 3/8 |
| | | CMPLG6642P | 1069 | 1143 | 66 | 42 | 2 3/8 |
| | | CMPLG6648P_ | 1176 | 1251 | 66 | 48 | 2 3/8 |
| | | CMPLG6654P | 1273 | 1348 | 66 | 54 | 2 3/8 |
| | | CMPLG6660P_ | 1364 | 1438 | 66 | 60 | 2 3/8 |
| | | _ | | | | | |

Raceway Cover Options (1) Shown

• RACEWAY COVER OPTIONS (Suffix)

(1) Knockouts Side 1 - No Knockout Side 2

PANELS PRIVACY GLASS

CMPSXX - COMPILE PRIVACY GLASS

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- · Width dimensions given are width of glass only.

- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

| Compile Privacy Glass CMPS24 CMPS30 CMPS36 CMPS36 CMPS36 CMPS36 CMPS42 CMPS42 CMPS42 CMPS48 CMPS48 CMPS54 CMPS54 CMPS54 CMPS54 CMPS60 CMPS60 CMPS60 CMPS60 CMPS60 CMPS60 CMPS0924 CMPS0930 CMPS0930 CMPS0930 CMPSTT CMPSTT H W D CMPSTT H W D CMPSTT H W D CMPS4 6 CMPS36 CMPS36 357 12 24 6 CMPS66 CMPS67 357 9 24 6 CMPS0930 313 359 9 30 6 | | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|-------|-----------------------|--------------|------------|------|-------------------|----|---|
| CMPS30 313 359 12 30 6 CMPS36 330 363 12 36 6 CMPS42 341 398 12 42 6 CMPS48 350 426 12 48 6 CMPS54 360 453 12 54 6 CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | | | | CLR | FRST | Н | W | D |
| CMPS30 313 359 12 30 6 CMPS36 330 363 12 36 6 CMPS42 341 398 12 42 6 CMPS48 350 426 12 48 6 CMPS54 360 453 12 54 6 CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | _ | Compile Privacy Glass | CMPS24 | 295 | 357 | 12 | 24 | 6 |
| CMPS42 341 398 12 42 6 CMPS48 350 426 12 48 6 CMPS54 360 453 12 54 6 CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | | , , | CMPS30 | | 359 | 12 | 30 | |
| CMPS48 350 426 12 48 6 CMPS54 360 453 12 54 6 CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | | | CMPS36 | 330 | 363 | 12 | 36 | 6 |
| CMPS64 360 453 12 54 6 CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | | | CMPS42 | 341 | 398 | 12 | 42 | 6 |
| CMPS60 376 488 12 60 6 CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | | | CMPS48 | 350 | 426 | 12 | 48 | 6 |
| CMPS0924 295 357 9 24 6 CMPS0930 313 359 9 30 6 | 12" H | | CMPS54 | 360 | 453 | 12 | 54 | 6 |
| CMPS0930 313 359 9 30 6 | | | CMPS60 | 376 | 488 | 12 | 60 | 6 |
| CMPS0930 313 359 9 30 6 | | | CMPS0924 | 295 | 357 | 9 | 24 | 6 |
| | | | CMPS0930 | 313 | 359 | | 30 | |
| CMPS0936 330 363 9 36 6 | | | CMPS0936 | 330 | 363 | 9 | 36 | 6 |
| CMPS0942 341 398 9 42 6 | | | CMPS0942 | 341 | 398 | 9 | 42 | 6 |
| CMPS0948 350 426 9 48 6 | | | CMPS0948 | 350 | 426 | 9 | 48 | 6 |
| g-н СМРS0954 360 453 9 54 6 | 9"H | | CMPS0954 | 360 | 453 | 9 | 54 | 6 |
| CMPS0960 376 488 9 60 6 | | | CMPS0960 | 376 | 488 | 9 | 60 | 6 |
| CMPS0624 295 357 6 24 6 | | | CMPS0624 | 295 | 357 | 6 | 24 | 6 |
| CMPS0630 313 359 6 30 6 | _ | | CMPS0630 | 313 | 359 | | 30 | |
| CMPS0636 330 363 6 36 6 | | | CMPS0636 | 330 | 363 | 6 | 36 | 6 |
| CMPS0642 341 398 6 42 6 | | | CMPS0642 | 341 | 398 | 6 | 42 | 6 |
| CMPS0648 350 426 6 48 6 | | | CMPS0648 | 350 | 426 | 6 | 48 | 6 |
| CMPS0654 360 453 6 54 6 | | | CMPS0654 | 360 | 453 | 6 | 54 | 6 |
| CMPS0660 376 488 6 60 6 | | | CMPS0660 | 376 | 488 | 6 | 60 | 6 |

CMPSEGXX - COMPILE PRIVACY GLASS PANEL WIDTH

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.

- · Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIME | DIMENSIONS/INCHES | | |
|--|-----------------------|--------------|------------|------|------|-------------------|------|--|
| | | | CLR | FRST | Н | W | D | |
| | Compile Privacy Glass | CMPSEG0624 | 264 | 322 | 6 | 24 | 2.41 | |
| | | CMPSEG0630 | 288 | 328 | 6 | 30 | 2.41 | |
| | | CMPSEG0636 | 306 | 335 | 6 | 36 | 2.41 | |
| | | CMPSEG0642 | 319 | 371 | 6 | 42 | 2.41 | |
| | | CMPSEG0648 | 339 | 404 | 6 | 48 | 2.41 | |
| | | CMPSEG0654 | 352 | 435 | 6 | 54 | 2.41 | |
| | | CMPSEG0660 | 360 | 471 | 6 | 60 | 2.41 | |
| | | CMPSEG0924 | 264 | 322 | 9 | 24 | 2.41 | |
| | | CMPSEG0930 | 288 | 328 | 9 | 30 | 2.41 | |
| | | CMPSEG0936 | 306 | 322 | 9 | 36 | 2.41 | |
| | | CMPSEG0942 | 319 | 371 | 9 | 42 | 2.41 | |
| | | CMPSEG0948 | 339 | 404 | 9 | 48 | 2.41 | |
| | | CMPSEG0954 | 352 | 435 | 9 | 54 | 2.41 | |
| | | CMPSEG0960 | 360 | 471 | 9 | 60 | 2.41 | |
| | | CMPSEG1224 | 264 | 322 | 12 | 24 | 2.41 | |
| | | CMPSEG1230 | 288 | 328 | 12 | 30 | 2.41 | |
| | | CMPSEG1236 | 306 | 335 | 12 | 36 | 2.41 | |
| | | CMPSEG1242 | 319 | 371 | 12 | 42 | 2.41 | |
| | | CMPSEG1248 | 339 | 404 | 12 | 48 | 2.41 | |
| | | CMPSEG1254 | 352 | 435 | 12 | 54 | 2.41 | |
| | | CMPSEG1260 | 360 | 471 | 12 | 60 | 2.41 | |

CMPMP-GI-W - PRIVACY GLASS FOR 1" LAMINATE GALLERY PANELS

- Privacy glass integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- · Includes aluminum trim with channel, end caps and glass tile.
- Top rail may also be used to hang accessories.

- Glass and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- Standard in clear (CLR) or frosted (FRST).

| DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIMENSIONS/INCHES | | |
|--------------------------------------|--------------|-------|---------|-------------------|----|---|
| | | Clear | Frosted | Н | W | D |
| 6" H Privacy Glass w/ Aluminum Trim | CMPMP24GI6W | 290 | 356 | 6 | 24 | 1 |
| * | CMPMP30GI6W | 315 | 361 | 6 | 30 | 1 |
| | CMPMP36GI6W | 335 | 368 | 6 | 36 | 1 |
| | CMPMP42GI6W | 350 | 405 | 6 | 42 | 1 |
| | CMPMP48GI6W | 369 | 440 | 6 | 48 | 1 |
| 9" H Privacy Glass w/ Aluminum Trim | CMPMP24GI9W | 290 | 356 | 9 | 24 | 1 |
| | CMPMP30GI9W | 315 | 361 | 9 | 30 | 1 |
| | CMPMP36GI9W | 335 | 368 | 9 | 36 | 1 |
| | CMPMP42GI9W | 350 | 405 | 9 | 42 | 1 |
| | CMPMP48GI9W | 369 | 440 | 9 | 48 | 1 |
| 12" H Privacy Glass w/ Aluminum Trim | CMPMP24GIW | 290 | 356 | 12 | 24 | 1 |
| • | CMPMP30GIW | 315 | 361 | 12 | 30 | 1 |
| | CMPMP36GIW | 335 | 368 | 12 | 36 | 1 |
| | CMPMP42GIW | 350 | 405 | 12 | 42 | 1 |
| | CMPMP48GIW | 369 | 440 | 12 | 48 | 1 |
| | | | | | | |

CMPFD-W - PRIVACY FELT FOR 1" LAMINATE GALLERY PANELS

- Privacy felt integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- Includes aluminum trim with channel, end caps and felt tile.
- Top rail may also be used to hang accessories.

- Felt and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- Please specify standard felt finish.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-----------------------------|--------------|------------|-------------------|----|---|
| | | | Н | W | D |
| 6" H Felt w/ Aluminum Trim | CMPFD0624W | 116 | 6 | 24 | 1 |
| | CMPFD0630W | 135 | 6 | 30 | 1 |
| | CMPFD0636W | 160 | 6 | 36 | 1 |
| | CMPFD0642W | 180 | 6 | 42 | 1 |
| | CMPFD0648W | 264 | 6 | 48 | 1 |
| | CMPFD0654W | 289 | 6 | 54 | 1 |
| | CMPFD0660W | 310 | 6 | 60 | 1 |
| | CMPFD0666W | 327 | 6 | 66 | 1 |
| | CMPFD0672W | 369 | 6 | 72 | 1 |
| 9" H Felt w/ Aluminum Trim | CMPFD0924W | 116 | 9 | 24 | 1 |
| | CMPFD0930W | 135 | 9 | 30 | 1 |
| | CMPFD0936W | 160 | 9 | 36 | 1 |
| | CMPFD0942W | 180 | 9 | 42 | 1 |
| | CMPFD0948W | 264 | 9 | 48 | 1 |
| | CMPFD0954W | 289 | 9 | 54 | 1 |
| | CMPFD0960W | 310 | 9 | 60 | 1 |
| | CMPFD0966W | 327 | 9 | 66 | 1 |
| | CMPFD0972W | 369 | 9 | 72 | 1 |
| 12" H Felt w/ Aluminum Trim | CMPFD1224W | 116 | 12 | 24 | 1 |
| | CMPFD1230W | 135 | 12 | 30 | 1 |
| | CMPFD1236W | 160 | 12 | 36 | 1 |
| | CMPFD1242W | 180 | 12 | 42 | 1 |
| | CMPFD1248W | 264 | 12 | 48 | 1 |
| | CMPFD1254W | 289 | 12 | 54 | 1 |
| | CMPFD1260W | 310 | 12 | 60 | 1 |
| | CMPFD1266W | 327 | 12 | 66 | 1 |
| | CMPFD1272W | 369 | 12 | 72 | 1 |

PANELS OVER PANEL

CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.

- Felt and attachment hardware to ship separately
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/IN | CHES |
|--|--------------|--|-----|------------|------|
| | | | Н | W | D |
| 6" Integrated Felt Divider, Panel Width | CMPSEF0624 | H W D 107 6 24 2.41 124 6 30 2.41 148 6 36 2.41 163 6 42 2.41 244 6 48 2.41 263 6 54 2.41 285 6 60 2.41 107 9 24 2.41 124 9 30 2.41 148 9 36 2.41 163 9 42 2.41 263 9 42 2.41 263 9 54 2.41 285 9 60 2.41 107 12 24 2.41 124 12 30 2.41 148 12 36 2.41 148 12 36 2.41 163 12 42 2.41 | | | |
| · · | CMPSEF0630 | 124 | 6 | 30 | 2.41 |
| | CMPSEF0636 | 148 | 6 | 36 | 2.41 |
| | CMPSEF0642 | 163 | 6 | 42 | 2.41 |
| | CMPSEF0648 | 244 | 6 | 48 | 2.41 |
| | CMPSEF0654 | 263 | 6 | 54 | 2.41 |
| | CMPSEF0660 | 285 | 6 | 60 | 2.41 |
| 9" Integrated Felt Divider, Panel Width | CMPSEF0924 | 107 | 9 | 24 | 2.41 |
| 3 | CMPSEF0930 | 124 | | 30 | 2.41 |
| | CMPSEF0936 | 148 | | 36 | |
| | CMPSEF0942 | 163 | 9 | 42 | 2.41 |
| | CMPSEF0948 | 244 | 9 | 48 | 2.41 |
| | CMPSEF0954 | 263 | 9 | 54 | 2.41 |
| | CMPSEF0960 | 285 | 9 | 60 | 2.41 |
| 12" Integrated Felt Divider, Panel Width | | | | | |
| • | CMPSEF1224 | 107 | 12 | 24 | 2.41 |
| | CMPSEF1230 | 124 | 12 | 30 | 2.41 |
| | CMPSEF1236 | 148 | 12 | 36 | 2.41 |
| | CMPSEF1242 | 163 | 12 | 42 | 2.41 |
| | CMPSEF1248 | 244 | 12 | 48 | 2.41 |
| | CMPSEF1254 | 263 | 12 | 54 | 2.41 |
| | CMPSEF1260 | 285 | 12 | 60 | 2.41 |

CMOF - COMPILE FABRIC OVER PANEL

- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIME | ENSIONS/IN | CHES |
|---------------------------|--------------|------|-------|----------|------------|------|
| | | Gr1 | Gr2 | Н | W | D |
| Compile Fabric Over Panel | CM0F1224 | 205 | 231 | 12 | 24 | 2.3 |
| | CM0F1230 | 240 | 266 | 12 | 30 | 2.3 |
| | CM0F1236 | 267 | 294 | 12 | 36 | 2.3 |
| | CM0F1242 | 302 | 329 | 12 | 42 | 2.3 |
| | CMOF1248 | 349 | 376 | 12 | 48 | 2.3 |
| | CM0F1254 | 362 | 389 | 12 | 54 | 2.3 |
| | CMOF1260 | 429 | 455 | 12 | 60 | 2.3 |
| | CM0F1624 | 220 | 200 | 10 | 0.4 | 2.2 |
| | | 239 | 269 | 16 16 | 24 | 2.3 |
| | CM0F1630 | 278 | 309 | 16 | 30 | 2.3 |
| | CM0F1636 | 294 | 324 | 16 | 36 | 2.3 |
| | CMOF1642 | 350 | 381 | 16 | 42 | 2.3 |
| | CM0F1648 | 401 | 432 | 16 | 48 | 2.3 |
| | CM0F1654 | 420 | 450 | 16 | 54 | 2.3 |
| | CMOF1660 | 491 | 522 | 16 | 60 | 2.3 |
| | CM0F2424 | 308 | 351 | 24 | 24 | 2.3 |
| | CM0F2430 | 356 | 399 | 24 | 30 | 2.3 |
| | CM0F2436 | 398 | 441 | 24 | 36 | 2.3 |
| | CM0F2442 | 446 | 489 | 24 | 42 | 2.3 |
| | CM0F2448 | 481 | 524 | 24 | 48 | 2.3 |
| | CM0F2454 | 534 | 577 | 24 | 54 | 2.3 |
| | CM0F2460 | 614 | 657 | 24 | 60 | 2.3 |
| | 2212.100 | | -3, | =- | 30 | |

CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- · Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIMI | ENSIONS/IN | CHES |
|----------------------------|--------------|------|-------|------|------------|------|
| | | Gr1 | Gr2 | Н | W | D |
| Compile Laminate One Side, | CMOLF1224 | 229 | 245 | 12 | 24 | 2.3 |
| Fabric One Side Over Panel | CMOLF1230 | 270 | 286 | 12 | 30 | 2.3 |
| | CMOLF1236 | 306 | 320 | 12 | 36 | 2.3 |
| | CMOLF1242 | 347 | 361 | 12 | 42 | 2.3 |
| | CMOLF1248 | 399 | 413 | 12 | 48 | 2.3 |
| | CMOLF1254 | 421 | 435 | 12 | 54 | 2.3 |
| | CMOLF1260 | 492 | 506 | 12 | 60 | 2.3 |
| | CMOLF1624 | 274 | 292 | 16 | 24 | 2.3 |
| | CMOLF1630 | 328 | 346 | 16 | 30 | 2.3 |
| | CMOLF1636 | 362 | 380 | 16 | 36 | 2.3 |
| | CMOLF1642 | 411 | 429 | 16 | 42 | 2.3 |
| | CMOLF1648 | 469 | 487 | 16 | 48 | 2.3 |
| | CMOLF1654 | 495 | 513 | 16 | 54 | 2.3 |
| | CMOLF1660 | 576 | 594 | 16 | 60 | 2.3 |
| | CM0LF2424 | 359 | 383 | 24 | 24 | 2.3 |
| | CMOLF2430 | 429 | 451 | 24 | 30 | 2.3 |
| | CMOLF2436 | 476 | 498 | 24 | 36 | 2.3 |
| | CMOLF2442 | 535 | 559 | 24 | 42 | 2.3 |
| | CMOLF2448 | 582 | 606 | 24 | 48 | 2.3 |
| | CMOLF2454 | 649 | 671 | 24 | 54 | 2.3 |
| | CM0LF2460 | 742 | 764 | 24 | 60 | 2.3 |

CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL

- Laminate modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/IN | CHES |
|---------------------------------------|--------------|------------|-----|------------|------|
| | | | Н | W | D |
| Compile Laminate Two Sides Over Panel | CMOLL1224 | 255 | 12 | 24 | 2.3 |
| | CMOLL1230 | 289 | 12 | 30 | 2.3 |
| | CMOLL1236 | 341 | 12 | 36 | 2.3 |
| | CMOLL1242 | 388 | 12 | 42 | 2.3 |
| | CMOLL1248 | 446 | 12 | 48 | 2.3 |
| | CMOLL1254 | 473 | 12 | 54 | 2.3 |
| | CMOLL1260 | 550 | 12 | 60 | 2.3 |
| | CMOLL1624 | 305 | 16 | 24 | 2.3 |
| | CMOLL1630 | 359 | 16 | 30 | 2.3 |
| | CMOLL1636 | 409 | 16 | 36 | 2.3 |
| | CMOLL1642 | 465 | 16 | 42 | 2.3 |
| | CMOLL1648 | 532 | 16 | 48 | 2.3 |
| | CMOLL1654 | 566 | 16 | 54 | 2.3 |
| | CMOLL1660 | 653 | 16 | 60 | 2.3 |
| | CMOLL2424 | 406 | 24 | 24 | 2.3 |
| | CMOLL2430 | 479 | 24 | 30 | 2.3 |
| | CMOLL2436 | 546 | 24 | 36 | 2.3 |
| | CMOLL2442 | 619 | 24 | 42 | 2.3 |
| | CMOLL2448 | 676 | 24 | 48 | 2.3 |
| | CMOLL2454 | 753 | 24 | 54 | 2.3 |
| | CMOLL2460 | 857 | 24 | 60 | 2.3 |
| | | | | | |

PANELS OVER PANEL

CMOG - COMPILE GLAZED OVER PANEL

- Glazed module incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| | DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIME | ENSIONS/IN | CHES |
|---|---------------------------|--------------|------|-------|------|------------|------|
| | | | CLR | FRST | Н | W | D |
| | Compile Glazed Over Panel | CM0G1224 | 183 | 192 | 12 | 24 | 2.3 |
| | complie ciazoa ever ranor | CMOG1230 | 213 | 222 | 12 | 30 | 2.3 |
| | | CMOG1236 | 238 | 248 | 12 | 36 | 2.3 |
| | | CMOG1242 | 266 | 276 | 12 | 42 | 2.3 |
| | | CMOG1248 | 305 | 316 | 12 | 48 | 2.3 |
| | | CMOG1254 | 317 | 330 | 12 | 54 | 2.3 |
| | | CMOG1260 | 380 | 394 | 12 | 60 | 2.3 |
| • | | | | | | | |
| | | CMOG1624 | 213 | 222 | 16 | 24 | 2.3 |
| | | CMOG1630 | 241 | 251 | 16 | 30 | 2.3 |
| | | CMOG1636 | 274 | 285 | 16 | 36 | 2.3 |
| | | CMOG1642 | 306 | 317 | 16 | 42 | 2.3 |
| | | CMOG1648 | 352 | 365 | 16 | 48 | 2.3 |
| | | CMOG1654 | 363 | 377 | 16 | 54 | 2.3 |
| | | CMOG1660 | 429 | 445 | 16 | 60 | 2.3 |
| | | | | | | | |
| | | CMOG2424 | 272 | 283 | 24 | 24 | 2.3 |
| | | CMOG2430 | 294 | 305 | 24 | 30 | 2.3 |
| | | CMOG2436 | 346 | 359 | 24 | 36 | 2.3 |
| | | CM0G2442 | 388 | 402 | 24 | 42 | 2.3 |
| | | CM0G2448 | 414 | 430 | 24 | 48 | 2.3 |
| | | CM0G2454 | 458 | 475 | 24 | 54 | 2.3 |
| | | CMOG2460 | 531 | 549 | 24 | 60 | 2.3 |

CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL

- Fabric or write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- · Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST | PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------|-------|-------------------|----|-----|
| | | Gr1 | Gr2 | Н | W | D |
| Compile Fabric or Write Board Over Panel | CMOFW1224 | 258 | 272 | 12 | 24 | 2.3 |
| | CM0FW1230 | 306 | 320 | 12 | 30 | 2.3 |
| | CMOFW1236 | 347 | 361 | 12 | 36 | 2.3 |
| | CMOFW1242 | 395 | 409 | 12 | 42 | 2.3 |
| | CMOFW1248 | 437 | 451 | 12 | 48 | 2.3 |
| | CMOFW1254 | 482 | 496 | 12 | 54 | 2.3 |
| | CM0FW1260 | 561 | 575 | 12 | 60 | 2.3 |
| | CMOFW1624 | 311 | 329 | 16 | 24 | 2.3 |
| | CMOFW1630 | 366 | 384 | 16 | 30 | 2.3 |
| | CMOFW1636 | 418 | 435 | 16 | 36 | 2.3 |
| | CMOFW1642 | 476 | 493 | 16 | 42 | 2.3 |
| | CMOFW1648 | 544 | 562 | 16 | 48 | 2.3 |
| | CMOFW1654 | 580 | 597 | 16 | 54 | 2.3 |
| | CMOFW1660 | 667 | 684 | 16 | 60 | 2.3 |
| | CM0FW2424 | 401 | 425 | 24 | 24 | 2.3 |
| | CMOFW2430 | 462 | 484 | 24 | 30 | 2.3 |
| | CMOFW2436 | 566 | 588 | 24 | 36 | 2.3 |
| | CM0FW2442 | 633 | 657 | 24 | 42 | 2.3 |
| | CM0FW2448 | 666 | 688 | 24 | 48 | 2.3 |
| | CMOFW2454 | 796 | 818 | 24 | 54 | 2.3 |
| | CMOFW2460 | 884 | 906 | 24 | 60 | 2.3 |

CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL

- Write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | ENSIONS/IN | |
|--|--------------------------------|--------------|------------|----|------------|-------------------|
| | | | | Н | W | U |
| | Compile Write Board Over Panel | CM0WW1224 | 314 | 12 | 24 | 2.3 |
| | · | CM0WW1230 | 363 | 12 | 30 | 2.3 |
| | | CM0WW1236 | 432 | 12 | 36 | 2.3 |
| | | CM0WW1242 | 482 | 12 | 42 | 2.3 |
| | | CMOWW1248 | 566 | 12 | 48 | 2.3 2.3 2.3 |
| | | CM0WW1254 | 596 | 12 | 54 | 2.3 |
| | I | CMOWW1260 | 689 | 12 | 60 | 2.3 |
| | | CMOWW1624 | 384 | 16 | 24 | 2.3 |
| | | CMOWW1630 | 459 | 16 | 30 | |
| | | CMOWW1636 | 530 | 16 | 36 | |
| | | CMOWW1642 | 607 | 16 | 42 | |
| | | CMOWW1648 | 691 | 16 | 48 | |
| | | CMOWW1654 | 747 | 16 | 54 | |
| | | CMOWW1660 | 853 | 16 | 60 | 2.3 |
| | | CMOWW2424 | 525 | 24 | 24 | 2.3 |
| | | CMOWW2430 | 627 | 24 | 30 | |
| | | CMOWW2436 | 725 | 24 | 36 | |
| | | CM0WW2442 | 829 | 24 | 42 | |
| | | CMOWW2448 | 917 | 24 | 48 | |
| | | CMOWW2454 | 1023 | 24 | 54 | |
| | | CMOWW2460 | 1159 | 24 | 60 | |
| | | | | | | |

CHSD - SLIDER KIT FOR OVER PANEL

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN H | ISIONS/INCHE W | ES D |
|--|--------------|------------|------------|-------------------|---------|
| One kit required for installation of each Over Panel | CHSDKIT | 6 | .09 | 2.28 | .43 |

PANELS GALLERY PANEL

CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- · No connections at both ends, connection is at the center interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|--------------------------|--------------|---|--|--|---|--|
| | | | Н | W | D | |
| End of Run Gallery Panel | CMLEP4227NC | 435 | 42 | 26.25 | 1 | |
| | CMLEP4251NC | 789 | 42 | 50.30 | 1 | |
| | CMLEP4263NC | 917 | 42 | 62.30 | 1 | |
| | CMLEP4827NC | 479 | 48 | 26.25 | 1 | |
| | CMLEP4851NC | 867 | 48 | 50.30 | 1 | |
| | CMLEP4863NC | 1007 | 48 | 62.30 | 1 | |
| | CMLEP5427NC | 522 | 54 | 26.25 | 1 | |
| | CMLEP5451NC | 945 | 54 | 50.30 | 1 | |
| | CMLEP5463NC | 1099 | 54 | 62.30 | 1 | |
| | | End of Run Gallery Panel CMLEP4227NC CMLEP4251NC CMLEP4263NC CMLEP4827NC CMLEP4851NC CMLEP4851NC CMLEP4863NC CMLEP4863NC CMLEP5427NC CMLEP5427NC CMLEP5427NC | End of Run Gallery Panel CMLEP4227NC 435 CMLEP4251NC 789 CMLEP4263NC 917 CMLEP4287NC 479 CMLEP4851NC 867 CMLEP4883NC 1007 CMLEP4883NC 1007 CMLEP5427NC 522 CMLEP5451NC 945 | H End of Run Gallery Panel CMLEP4227NC 435 42 CMLEP4251NC 789 42 CMLEP463NC 917 42 CMLEP4867NC 479 48 CMLEP4863NC 867 48 CMLEP4863NC 1007 48 CMLEP4863NC 1007 48 CMLEP5427NC 522 54 CMLEP5451NC 945 54 | End of Run Gallery Panel CMLEP4227NC 435 42 26.25 CMLEP4251NC 789 42 50.30 CMLEP4263NC 917 42 62.30 CMLEP4827NC 479 48 26.25 CMLEP4851NC 867 48 50.30 CMLEP4851NC 867 48 50.30 CMLEP4863NC 1007 48 62.30 CMLEP4863NC 1007 48 62.30 CMLEP5427NC 522 54 26.25 CMLEP5427NC 522 54 26.25 CMLEP5451NC 945 54 50.30 | |

CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- . No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|------------|-----------------------------|--------------|------------|-------------------|-------|---|--|
| | | | | Н | W | D | |
| | Middle of Run Gallery Panel | CMLMP4251NC | 918 | 42 | 50.30 | 1 | |
| | | CMLMP4263NC | 1044 | 42 | 62.30 | 1 | |
| | | CMLMP4851NC | 996 | 48 | 50.30 | 1 | |
| t | | CMLMP4863NC | 1136 | 48 | 62.30 | 1 | |
| \ , | | CMLMP5451NC | 1074 | 54 | 50.30 | 1 | |
| 1 | | CMLMP5463NC | 1228 | 54 | 62.30 | 1 | |



CMLSEPLXXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- . No connections at both ends, connection is at center on both faces.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | IENSIONS/INC | HES | |
|---------------------------------------|---------------------------------|-----------------|------------|-----|--------------|-----|--|
| | | | | Н | W | D | |
| | Single End of Run Gallery Panel | CMLSEPL4215NC | 327 | 42 | 14.25 | 1 | |
| | , | CMLSEPR4215NC | 327 | 42 | 14.25 | 1 | |
| 4 | | CMLSEPL4227NC | 601 | 42 | 26.30 | 1 | |
| | | CMLSEPR4227NC | 601 | 42 | 26.30 | 1 | |
| | | CMLSEPL4815NC | 356 | 48 | 14.25 | 1 | |
| | | CMLSEPR4815NC | 356 | 48 | 14.25 | 1 | |
| | | CMLSEPL4827NC | 657 | 48 | 26.30 | 1 | |
| \searrow | | CMLSEPR4827NC | 657 | 48 | 26.30 | 1 | |
| | | CMLSEPL5415NC | 383 | 54 | 14.25 | 1 | |
| | | CMLSEPR5415NC | 383 | 54 | 14.25 | 1 | |
| | | CMLSEPL5427NC | 713 | 54 | 26.30 | 1 | |
| | | CMLSEPR5427NC | 713 | 54 | 26.30 | 1 | |
| | | CMI CEDI ACCOMO | 620 | 40 | 22.22 | 1 | |
| | | CMLSEPL4233NC | 620 | 42 | 32.33 | 1 | |
| 4 | | CMLSEPR4233NC | 620 | 42 | 32.33 | 1 | |
| | | CMLSEPL4833NC | 677 | 48 | 32.33 | 1 | |
| | | CMLSEPR4833NC | 677 | 48 | 32.33 | 1 | |
| l l | | CMLSEPL5433NC | 734 | 54 | 32.33 | 1 | |
| · · · · · · · · · · · · · · · · · · · | | CMLSEPR5433NC | 734 | 54 | 32.33 | 1 | |

CMLSMPXXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- · Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|---|------------------------------------|--------------|------------|-------------------|-------|---|--|
| | | | | Н | W | D | |
| | Single Middle of Run Gallery Panel | CMLSMP4227NC | 730 | 42 | 26.30 | 1 | |
| | , | CMLSMP4827NC | 786 | 48 | 26.30 | 1 | |
| | | CMLSMP5427NC | 842 | 54 | 26.30 | 1 | |
| | | CMLSMP4233NC | 752 | 42 | 32.30 | 1 | |
| 4 | | CMLSMP4833NC | 808 | 48 | 32.30 | 1 | |
| | | CMLSMP5433NC | 866 | 54 | 32.30 | 1 | |

PANELS GALLERY PANEL

CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- · Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- · Connections at both ends as well as the center on the interior face.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|------------|--------------------------|--------------|------------|-------------------|-------|---|--|
| | | | | Н | W | D | |
| | End of Run Gallery Panel | CMLEP4251 | 821 | 42 | 50.30 | 1 | |
| | | CMLEP4263 | 946 | 42 | 62.30 | 1 | |
| | | CMLEP4851 | 898 | 48 | 50.30 | 1 | |
| 8 | | CMLEP4863 | 1038 | 48 | 62.30 | 1 | |
| L . | | CMLEP5451 | 976 | 54 | 50.30 | 1 | |
| | | CMLEP5463 | 1130 | 54 | 62.30 | 1 | |

CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- · Connections at both ends as well as the center on the interior face.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|-----|-----------------------------|--------------|------------|-------------------|-------|---|--|
| | | | | Н | W | D | |
| | Middle of Run Gallery Panel | CMLMP4251 | 923 | 42 | 50.30 | 1 | |
| | | CMLMP4263 | 1049 | 42 | 62.30 | 1 | |
| | | CMLMP4851 | 1001 | 48 | 50.30 | 1 | |
| .] | | CMLMP4863 | 1141 | 48 | 62.30 | 1 | |
| | | CMLMP5451 | 1078 | 54 | 50.30 | 1 | |
| 1 | | CMLMP5463 | 1235 | 54 | 62.30 | 1 | |

CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|---------------------------------|--------------|---|--|---|---|--|
| | | | Н | W | D | |
| Single End of Run Gallery Panel | CMLSEPL4227 | 615 | 42 | 26.30 | 1 | |
| | CMLSEPR4227 | 615 | 42 | 26.30 | 1 | |
| | CMLSEPL4827 | 673 | 48 | 26.30 | 1 | |
| | CMLSEPR4827 | 673 | 48 | 26.30 | 1 | |
| | CMLSEPL5427 | 728 | 54 | 26.30 | 1 | |
| | CMLSEPR5427 | 728 | 54 | 26.30 | 1 | |
| | CMLSEPL4233 | 635 | 42 | 32.33 | 1 | |
| | CMLSEPR4233 | 635 | 42 | 32.33 | 1 | |
| | CMLSEPL4833 | 691 | 48 | 32.33 | 1 | |
| | CMLSEPR4833 | 691 | 48 | 32.33 | 1 | |
| | CMLSEPL5433 | 750 | 54 | 32.33 | 1 | |
| | CMLSEPR5433 | 750 | 54 | 32.33 | 1 | |
| | | Single End of Run Gallery Panel CMLSEPL4227 CMLSEPR4227 CMLSEPR427 CMLSEPR4827 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPR5427 CMLSEPR4233 CMLSEPR4233 CMLSEPR4233 CMLSEPR4833 CMLSEPL4833 CMLSEPL4833 CMLSEPL5433 | Single End of Run Gallery Panel CMLSEPL4227 CMLSEPR4227 CMLSEPL4827 CMLSEPL4827 CMLSEPL4827 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPL4233 CMLSEPL4233 CMLSEPL4233 CMLSEPL4233 CMLSEPL4233 CMLSEPL5433 CMLSEPL5433 CMLSEPL5433 CMLSEPL5433 CMLSEPL5433 CMLSEPL5433 CMLSEPL5433 | H Single End of Run Gallery Panel CMLSEPL4227 CMLSEPR4227 CMLSEPL4827 CMLSEPL4827 CMLSEPL4827 CMLSEPL4827 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR4233 CMLSEPR4233 CMLSEPR4233 CMLSEPR4833 CMLSEPR4833 CMLSEPR4833 CMLSEPL5433 CMLSEPL5433 | Single End of Run Gallery Panel CMLSEPL4227 CMLSEPR4227 CMLSEPR4227 CMLSEPL4827 CMLSEPL4827 CMLSEPR4827 CMLSEPR4827 CMLSEPR4827 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPL5427 CMLSEPR5427 CMLSEPR5427 CMLSEPR5427 CMLSEPL4233 CMLSEPR4233 CMLSEPR4233 CMLSEPR4833 CMLSEPR4833 CMLSEPR4833 CMLSEPR4833 CMLSEPR4833 CMLSEPL5433 CMLSEPL5433 | |

CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|-----|------------------------------------|--------------|------------|-------------------|-------|---|--|
| | | | | Н | W | D | |
| | Single Middle of Run Gallery Panel | CMLSMP4227 | 744 | 42 | 26.30 | 1 | |
| | | CMLSMP4827 | 801 | 48 | 26.30 | 1 | |
| a I | | CMLSMP5427 | 855 | 54 | 26.30 | 1 | |
| | | CMLSMP4233 | 767 | 42 | 32.30 | 1 | |
| | | CMLSMP4833 | 824 | 48 | 32.30 | 1 | |
| Ţ | | CMLSMP5433 | 882 | 54 | 32.30 | 1 | |
| | | | | | | | |

CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- · Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- · Please specify LP laminate finish and PVC edge finish.
- · If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | DIMENSIONS/INCHES | | |
|--------------------------|--------------|------------|------|-------------------|---|--|
| | | | Н | W | D | |
| Two Way Return | CML2PL4213 | 224 | 42 | 13 | 1 | |
| End of Run Gallery Panel | CML2PL4225 | 488 | 42 | 25 | 1 | |
| | CML2PL4231 | 501 | 42 | 31 | 1 | |
| | CML2PL4813 | 251 | 48 | 13 | 1 | |
| | CML2PL4825 | 543 | 48 | 25 | 1 | |
| | CML2PL4831 | 558 | 48 | 31 | 1 | |
| | CML2PL5413 | 279 | 54 | 13 | 1 | |
| | CML2PL5425 | 598 | 54 | 25 | 1 | |
| | CML2PL5431 | 615 | 54 | 31 | 1 | |

CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- · Includes all attachment hardware and glides.
- · Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | PRODUCT CODE LIST PRICE | | | DIMENSIONS/INCHES | | |
|------------|--|--------------------------|-------------------------|----------|----------|-------------------|--|--|
| | | | | Н | W | D | | |
| | Two Way Return End of Run Gallery Panel | CML2PR4213 CML2PR4225 | 224 488 | 42 42 | 13 25 | 1 | | |
| | Lift of Hull Gallery Faller | CML2PR4231 | 501 | 42 | 31 | 1 | | |
| | | CML2PR4813 CML2PR4825 | 251 543 | 48 48 | 13 25 | 1 1 | | |
| | | CML2PR4831 CML2PR5413 | 558 279 | 48 54 | 31 13 | 1 1 | | |
| \searrow | | CML2PR5425 CML2PR5431 | 598 615 | 54 54 | 25 31 | 1 | | |
| | | GIVILZF NO43 I | 010 | 34 | 31 | ı | | |

PANELS GALLERY PANEL

CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|---|--|--|---|--|--|----------------------------|--|
| | | | | Н | W | D | |
| | Three Way Return End of Run Gallery Panel | CML3PL4225 CML3PL4249 CML3PL4261 CML3PL4825 CML3PL4849 CML3PL4861 CML3PL4425 | 333 676 802 374 754 894 417 | 42 42 42 48 48 48 54 | 25 49 61 25 49 61 25 49 | 1 1 1 1 1 1 | |
| • | | CML3PL5449 CML3PL5461 | 830 985 | 54 54 | 61 | 1 | |

CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPRxxxx or CMLSEPRxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | RODUCT CODE LIST PRICE | | | CHES | | |
|---|-------------------------|--------------|------------------------|----|----|------|--|--|
| | | | | Н | W | D | | |
| | Three Way Return | CML3PR4225 | 333 | 42 | 25 | 1 | | |
| | End of Run Gallery Pane | CML3PR4249 | 676 | 42 | 49 | 1 | | |
| | | CML3PR4261 | 802 | 42 | 61 | 1 | | |
| | | CML3PR4825 | 374 | 48 | 25 | 1 | | |
| | | CML3PR4849 | 754 | 48 | 49 | 1 | | |
| | | CML3PR4861 | 894 | 48 | 61 | 1 | | |
| * | | CML3PR5425 | 417 | 54 | 25 | 1 | | |
| | | CML3PR5449 | 830 | 54 | 49 | 1 | | |
| | | CML3PR5461 | 985 | 54 | 61 | 1 | | |
| | | | | | | | | |

CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|--------------|----------------------|--------------|------------|-------------------|------|---|--|
| | | | | Н | W | D | |
| | Extension End of Run | CMLXPL4212 | 207 | 42 | 12.3 | 1 | |
| | Return Gallery Panel | CMLXPL4224 | 790 | 42 | 24 | 1 | |
| | · | CMLXPL4230 | 475 | 42 | 30 | 1 | |
| | | CMLXPL4236 | 547 | 42 | 35 | 1 | |
| | | CMLXPL4242 | 687 | 42 | 42 | 1 | |
| | | CMLXPL4248 | 706 | 42 | 48 | 1 | |
| | | CMLXPL4812 | 231 | 48 | 12.3 | 1 | |
| \checkmark | | CMLXPL4824 | 418 | 48 | 24 | 1 | |
| | | CMLXPL4830 | 491 | 48 | 30 | 1 | |
| | | CMLXPL4836 | 561 | 48 | 36 | 1 | |
| | | CMLXPL4842 | 706 | 48 | 42 | 1 | |
| | | CMLXPL4848 | 728 | 48 | 48 | 1 | |
| | | CMLXPL5412 | 258 | 54 | 12.3 | 1 | |
| | | CMLXPL5424 | 446 | 54 | 24 | 1 | |
| | | CMLXPL5430 | 523 | 54 | 30 | 1 | |
| | | CMLXPL5436 | 601 | 54 | 36 | 1 | |
| | | CMLXPL5442 | 678 | 54 | 42 | 1 | |
| | | CMLXPL5448 | 833 | 54 | 48 | 1 | |
| | | | | | | | |

CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.

- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edged and self edges on edge connecting to panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | HES | |
|---|----------------------|--------------|------------|-------------------|------|-----|--|
| | | | | Н | W | D | |
| | Extension End of Run | CMLXPL4212 | 207 | 42 | 12.3 | 1 | |
| | Return Gallery Panel | CMLXPR4224 | 790 | 42 | 24 | 1 | |
| | , | CMLXPR4230 | 475 | 42 | 30 | 1 | |
| | | CMLXPR4236 | 547 | 42 | 35 | 1 | |
| | | CMLXPR4242 | 687 | 42 | 42 | 1 | |
| ļ | | CMLXPR4248 | 706 | 42 | 48 | 1 | |
| • | | CMLXPL4812 | 231 | 48 | 12.3 | 1 | |
| • | | CMLXPR4824 | 418 | 48 | 24 | 1 | |
| | | CMLXPR4830 | 491 | 48 | 30 | 1 | |
| | | CMLXPR4836 | 561 | 48 | 36 | 1 | |
| | | CMLXPR4842 | 706 | 48 | 42 | 1 | |
| | | CMLXPR4848 | 728 | 48 | 48 | 1 | |
| | | CMLXPL5412 | 258 | 54 | 12.3 | 1 | |
| | | CMLXPR5424 | 446 | 54 | 24 | 1 | |
| | | CMLXPR5430 | 523 | 54 | 30 | 1 | |
| | | CMLXPR5436 | 601 | 54 | 36 | 1 | |
| | | CMLXPR5442 | 678 | 54 | 42 | 1 | |
| | | CMLXPR5448 | 833 | 54 | 48 | 1 | |

PANELS GALLERY PANEL

CMLXPLXXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- · Connections only at one exposed end.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | ENSIONS/IN | CHES |
|------------------------------------|--------------|------------|------|------------|------|
| | | | Н | W | D |
| Extension End of Run Gallery Panel | CMLXPL4224NC | 403 | 42 | 24 | 1 |
| | CMLXPL4230NC | 472 | 42 | 30 | 1 |
| | CMLXPL4236NC | 543 | 42 | 35 | 1 |
| | CMLXPL4242NC | 684 | 42 | 42 | 1 |
| | CMLXPL4248NC | 703 | 42 | 48 | 1 |
| | CMLXPL4824NC | 415 | 48 | 24 | 1 |
| | CMLXPL4830NC | 488 | 48 | 30 | 1 |
| | CMLXPL4836NC | 558 | 48 | 36 | 1 |
| | CMLXPL4842NC | 703 | 48 | 42 | 1 |
| | CMLXPL4848NC | 725 | 48 | 48 | 1 |
| | CMLXPL5424NC | 444 | 54 | 24 | 1 |
| | CMLXPL5430NC | 521 | 54 | 30 | 1 |
| | CMLXPL5436NC | 598 | 54 | 36 | 1 |
| | CMLXPL5442NC | 676 | 54 | 42 | 1 |
| | CMLXPL5448NC | 830 | 54 | 48 | 1 |

CMLXPLXXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION

- · Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- · Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|------------------------------------|--------------|------------|-------------------|----|---|
| | | | Н | W | D |
| Extension End of Run Gallery Panel | CMLXPR4224NC | 403 | 42 | 24 | 1 |
| | CMLXPR4230NC | 472 | 42 | 30 | 1 |
| | CMLXPR4236NC | 543 | 42 | 35 | 1 |
| | CMLXPR4242NC | 684 | 42 | 42 | 1 |
| | CMLXPR4248NC | 703 | 42 | 48 | 1 |
| | CMLXPR4824NC | 415 | 48 | 24 | 1 |
| | CMLXPR4830NC | 488 | 48 | 30 | 1 |
| | CMLXPR4836NC | 558 | 48 | 36 | 1 |
| | CMLXPR4842NC | 703 | 48 | 42 | 1 |
| | CMLXPR4848NC | 725 | 48 | 48 | 1 |
| | CMLXPR5424NC | 444 | 54 | 24 | 1 |
| | CMLXPR5430NC | 521 | 54 | 30 | 1 |
| | CMLXPR5436NC | 598 | 54 | 36 | 1 |
| | CMLXPR5442NC | 676 | 54 | 42 | 1 |
| | CMLXPR5448NC | 830 | 54 | 48 | 1 |

CMHLPBB01 - GALLERY PANEL BRACKET

- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- Available in standard paint colors.
- Screws are included with the bracket.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | | |
|------|-------------|--------------|------------|----------------------------|---|---|
| • • | Bracket | CMHLPBB01 | 46 | 1.5 | 8 | 1 |
| • 00 | | | | | | |

CMHLPCB01 - GALLERY PANEL CORNER BRACKET

- Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- · Available in standard paint colors.

Screws are included with the bracket.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | | | |
|----------|----------------|--------------|------------|----------------------------|---|---|--|
| | Corner Bracket | CMHLPCB01 | 44 | 1.5 | 4 | 4 | |
| * | | | | | | | |

CMPDSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering."
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---------------------------------|---|----------------------|-------------------|----------------|---|
| Sliding Privacy Door - 66" High | CMPDSL6636R CMPDSL6636L CMPDSL6642R | 3131 3131 3214 | 66 66 66 | 36 36 42 | D |
| | CMPDSL6642L | 3214 | 66 | 42 | |

CMFMA - MINI PANEL KIT

- Compile's Mini Panel Kits are now available to our dealers and their sales staff.
 The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
- One Monolithic Mini Panel (Laminate side one / Acoustic side two).
- One Segmented Glazed Mini panel.
- One 2-way Universal Corner Post Kit.
- Two 24" Raceway Cover with Punch Out.
- Two 24" Raceway Cover with out Punch Out.
- · One Raceway Cut Out Cover.

- · One 3-way Post Base Cover.
- · One End of Run Trim.
- One Pair of Corner Brackets.
- One Mid span Worksurface Support Bracket.
- One Duplex.
- One Power Distribution Harness.
- One Mesh jumper.
- One Carry Bag.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | | | |
|----------------|---------------|------------|----------------------------|----|-------|--|
| Mini Panel Kit | CMFMA2418KIT1 | 2434 | 30 | 24 | 2 7/8 | |

- **CHP POST PACKAGE** Universal Post with all "Quick-Connection" clips.
- Post trim(s)

Post base and top cap

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | ENSIONS/IN | | |
|-----------|--|--------------|------------|----|------------|-----|--|
| | | | | Н | W | D | |
| ⋒ | 2 - Way Post | CHP30-2 | 115 | 30 | 2.3 | 2.3 | |
| | , | CHP42-2 | 115 | 42 | 2.3 | 2.3 | |
| | | CHP46-2 | 167 | 46 | 2.3 | 2.3 | |
| | | CHP54-2 | 142 | 54 | 2.3 | 2.3 | |
| | | CHP58-2 | 209 | 58 | 2.3 | 2.3 | |
| | | CHP60-2 | 209 | 60 | 2.3 | 2.3 | |
| | | CHP64-2 | 247 | 64 | 2.3 | 2.3 | |
| | | CHP66-2 | 167 | 66 | 2.3 | 2.3 | |
| | | CHP70-2 | 241 | 70 | 2.3 | 2.3 | |
| y | | CHP72-2 | 241 | 72 | 2.3 | 2.3 | |
| | | CHP78-2 | 274 | 78 | 2.3 | 2.3 | |
| | | CHP82-2 | 288 | 82 | 2.3 | 2.3 | |
| | | CHP90-2 | 288 | 90 | 2.3 | 2.3 | |
| m | 3 - Way Post | CHP30-3 | 101 | 30 | 2.3 | 2.3 | |
| | , | CHP42-3 | 101 | 42 | 2.3 | 2.3 | |
| | | CHP46-3 | 151 | 46 | 2.3 | 2.3 | |
| | | CHP54-3 | 126 | 54 | 2.3 | 2.3 | |
| | | CHP58-3 | 189 | 58 | 2.3 | 2.3 | |
| | | CHP60-3 | 189 | 60 | 2.3 | 2.3 | |
| | | CHP64-3 | 201 | 64 | 2.3 | 2.3 | |
| | | CHP66-3 | 151 | 66 | 2.3 | 2.3 | |
| | | CHP70-3 | 217 | 70 | 2.3 | 2.3 | |
| (* | | CHP72-3 | 217 | 72 | 2.3 | 2.3 | |
| • | | CHP78-3 | 247 | 78 | 2.3 | 2.3 | |
| | | CHP82-3 | 258 | 82 | 2.3 | 2.3 | |
| | | CHP90-3 | 286 | 90 | 2.3 | 2.3 | |
| ⋒ | 4 - Way Post | CHP30-4 | 82 | 30 | 2.3 | 2.3 | |
| | *No trim or base. Includes top cap only. | CHP42-4 | 82 | 42 | 2.3 | 2.3 | |
| | | CHP46-4 | 138 | 46 | 2.3 | 2.3 | |
| | | CHP54-4 | 106 | 54 | 2.3 | 2.3 | |
| | | CHP58-4 | 154 | 58 | 2.3 | 2.3 | |
| | | CHP60-4 | 154 | 60 | 2.3 | 2.3 | |
| | | CHP64-4 | 163 | 64 | 2.3 | 2.3 | |
| | | CHP66-4 | 126 | 66 | 2.3 | 2.3 | |
| | | CHP70-4 | 180 | 70 | 2.3 | 2.3 | |
| III | | CHP72-4 | 180 | 72 | 2.3 | 2.3 | |
| -Ψ· | | CHP78-4 | 204 | 78 | 2.3 | 2.3 | |
| | | CHP82-4 | 213 | 82 | 2.3 | 2.3 | |
| | | CHP90-4 | 238 | 90 | 2.3 | 2.3 | |

CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC)
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).

• 4-way kits include post cap (CMPC) only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME | DIMENSIONS/INCHES | | |
|--------------|---|--------------|------------|------|-------------------|-----|--|
| | | | | Н | W | D | |
| r i n | 90 Degree Corner Post Kit for Over Panels | CH0P12-2 | 75 | 12 | 2.3 | 2.3 | |
| | v | CHOP12-3 | 64 | 12 | 2.3 | 2.3 | |
| | | CHOP12-4 | 44 | 12 | 2.3 | 2.3 | |
| | | CHOP16-2 | 75 | 16 | 2.3 | 2.3 | |
| | | CHOP16-3 | 75 | 16 | 2.3 | 2.3 | |
| | | CHOP16-4 | 64 | 16 | 2.3 | 2.3 | |
| | | CH0P24-2 | 84 | 24 | 2.3 | 2.3 | |
| | | CH0P24-3 | 75 | 24 | 2.3 | 2.3 | |
| | | CH0P24-4 | 63 | 24 | 2.3 | 2.3 | |

CHPXW - 60 DEGREE POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 Way aluminum post extrusion.
- · Post top cap

- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/IN | CHES | |
|----------|----------------------------------|--------------|------------|-----|------------|------|--|
| | | | | Н | W | D | |
| | 2 - Way - 60 Degree Post Package | CHP2W30 | 82 | 30 | 2.3 | 2.3 | |
| | , , | CHP2W42 | 82 | 42 | 2.3 | 2.3 | |
| | | CHP2W46 | 106 | 46 | 2.3 | 2.3 | |
| | | CHP2W54 | 106 | 54 | 2.3 | 2.3 | |
| | | CHP2W58 | 145 | 58 | 2.3 | 2.3 | |
| | | CHP2W60 | 159 | 60 | 2.3 | 2.3 | |
| | | CHP2W64 | 172 | 64 | 2.3 | 2.3 | |
| | | CHP2W66 | 126 | 66 | 2.3 | 2.3 | |
| | | CHP2W70 | 183 | 70 | 2.3 | 2.3 | |
| | | CHP2W72 | 183 | 72 | 2.3 | 2.3 | |
| | | CHP2W78 | 204 | 78 | 2.3 | 2.3 | |
| | | CHP2W82 | 213 | 82 | 2.3 | 2.3 | |
| | | CHP2W90 | 234 | 90 | 2.3 | 2.3 | |
| | | | | | | | |
| P | 3 - Way - 60 Degree Post Package | CHP3W30 | 82 | 30 | 2.3 | 2.3 | |
| | | CHP3W42 | 82 | 42 | 2.3 | 2.3 | |
| | | CHP3W46 | 116 | 46 | 2.3 | 2.3 | |
| | | CHP3W54 | 106 | 54 | 2.3 | 2.3 | |
| | | CHP3W58 | 145 | 58 | 2.3 | 2.3 | |
| | | CHP3W60 | 159 | 60 | 2.3 | 2.3 | |
| | | CHP3W64 | 172 | 64 | 2.3 | 2.3 | |
| | | CHP3W66 | 126 | 66 | 2.3 | 2.3 | |
| | | CHP3W70 | 183 | 70 | 2.3 | 2.3 | |
| | | CHP3W72 | 183 | 72 | 2.3 | 2.3 | |
| ~_ | | CHP3W78 | 204 | 78 | 2.3 | 2.3 | |
| | | CHP3W82 | 213 | 82 | 2.3 | 2.3 | |
| | | CHP3W90 | 234 | 90 | 2.3 | 2.3 | |
| | | | | | | | |

RACEWAY COVER

CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- · No electrical knockouts included.
- Note: Made of reinforced aluminum.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME | CHES | |
|-----------------------|--------------|------------|------|------|---|
| | | | Н | W | D |
| Compile Raceway Cover | CMRC24NP | 18 | | 24 | |
| Without Knockouts | CMRC30NP | 22 | | 30 | |
| | CMRC36NP | 25 | | 36 | |
| | CMRC42NP | 27 | | 42 | |
| | CMRC48NP | 30 | | 48 | |
| | CMRC54NP | 37 | | 54 | |
| | CMRC60NP | 39 | | 60 | |

CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24"w and three knockouts for 30"w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|-----------------------|--------------|------------|-------------------|----|---|--|
| | | | Н | W | D | |
| Compile Raceway Cover | CMRC24PO | 18 | | 24 | | |
| With Knockouts | CMRC30PO | 22 | | 30 | | |
| | CMRC36PO | 25 | | 36 | | |
| | CMRC42PO | 27 | | 42 | | |
| | CMRC48PO | 30 | | 48 | | |
| | CMRC54PO | 37 | | 54 | | |
| | CMRC60PO | 39 | | 60 | | |

CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Fog.
- Note: Knockout covers are made of plastic.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|--------------------------------|--------------|------------|-------------------|---|---|--|
| | | | Н | W | D | |
| Compile Raceway Knockout Cover | CMRCB01 | 17 | | | | |

CHP - 90-DEGREE UNIVERSAL CORNER POST

- Available in 42", 54" and 66"h.
- Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections.
 Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN: H | SIONS/INCHE W | S D |
|---------------------------------|----------------------------------|-----------------------|----------------------|------------------|--------|
| 90-Degree Universal Corner Post | CHP30 CHP42 CHP54 CHP66 | 76 76 99 121 | 30 36 48 60 | | |

CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- · Trims are PVC.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | DIMENSIONS/INCHES | | |
|---|----------------------------------|--------------|------------|------|-------------------|-----|--|
| | | | | Н | W | D | |
| 4 | End of Run Trim Insert for Panel | CMET16 | 18 | 16 | 2.3 | 0.5 | |
| | | CMET30 | 21 | 30 | 2.3 | 0.5 | |
| | | CMET42 | 21 | 42 | 2.3 | 0.5 | |
| | | CMET46 | 22 | 46 | 2.3 | 0.5 | |
| | | CMET48 | 25 | 48 | 2.3 | 0.5 | |
| | | CMET54 | 25 | 54 | 2.3 | 0.5 | |
| | | CMET58 | 26 | 58 | 2.3 | 0.5 | |
| | | CMET60 | 26 | 60 | 2.3 | 0.5 | |
| | | CMET64 | 27 | 64 | 2.3 | 0.5 | |
| | | CMET66 | 27 | 66 | 2.3 | 0.5 | |
| | | CMET70 | 29 | 70 | 2.3 | 0.5 | |
| | | CMET72 | 29 | 72 | 2.3 | 0.5 | |
| V | | CMET78 | 31 | 78 | 2.3 | 0.5 | |
| | | CMET82 | 32 | 82 | 2.3 | 0.5 | |
| | | CMET90 | 38 | 90 | 2.3 | 0.5 | |

PANELS TRIM INSERTS

CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- · Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.

- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------------------|--------------|------------|-------------------|-----|-----|
| | | | | Н | W | D |
| M | Trim Insert for Universal Corner Post | CMETP30 | 17 | 30 | 2.3 | 0.5 |
| | | CMETP42 | 17 | 42 | 2.3 | 0.5 |
| | | CMETP46 | 22 | 46 | 2.3 | 0.5 |
| | | CMETP48 | 14 | 48 | 2.3 | 0.5 |
| | | CMETP54 | 18 | 54 | 2.3 | 0.5 |
| | | CMETP58 | 24 | 58 | 2.3 | 0.5 |
| | | CMETP60 | 26 | 60 | 2.3 | 0.5 |
| | | CMETP64 | 27 | 64 | 2.3 | 0.5 |
| | | CMETP66 | 19 | 66 | 2.3 | 0.5 |
| | | CMETP70 | 30 | 70 | 2.3 | 0.5 |
| | | CMETP72 | 30 | 72 | 2.3 | 0.5 |
| | | CMETP78 | 31 | 78 | 2.3 | 0.5 |
| | | CMETP82 | 33 | 82 | 2.3 | 0.5 |
| | | CMETP90 | 38 | 90 | 2.3 | 0.5 |

CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.

- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---------------------------|--------------|------------|-------------------|---|---|
| | | | Н | W | D |
| Trim Insert for Step Down | CMET06 | 11 | 6 | | |
| | CMET12 | 14 | 12 | | |
| | CMET18 | 18 | 18 | | |
| | CMET24 | 24 | 24 | | |
| | CMET36 | 29 | 36 | | |
| | | | | | |
| | | | | | |
| | | | | | |

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- · Wall attachment hardware not provided.
- Made of aluminum.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | CHES | |
|---|--------------|--------------|------------|-----|------|-----|
| | | | | Н | W | D |
| M | Wall Adapter | CHWA30 | 47 | 30 | 2.36 | .79 |
| | | CHWA42 | 64 | 42 | 2.36 | .79 |
| | | CHWA46 | 64 | 46 | 2.36 | .79 |
| | | CHWA48 | 64 | 48 | 2.36 | .79 |
| | | CHWA54 | 81 | 54 | 2.36 | .79 |
| | | CHWA58 | 81 | 58 | 2.36 | .79 |
| | | CHWA60 | 94 | 60 | 2.36 | .79 |
| | | CHWA64 | 94 | 64 | 2.36 | |
| | | CHWA66 | 94 | 66 | 2.36 | .79 |
| | | CHWA70 | 108 | 70 | 2.36 | .79 |
| | | CHWA72 | 108 | 72 | 2.36 | .79 |
| | | CHWA78 | 121 | 78 | 2.36 | .79 |
| | | CHWA82 | 136 | 82 | 2.36 | .79 |
| | | CHWA90 | 149 | 90 | 2.36 | .79 |

PANELS POST COVERS

CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
- · Panel frame finish.
- · Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material. Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS H | SIONS/INCHE W | ES D |
|------------------|--------------|------------|-------------|------------------|------|
| Vertical Channel | CWMA60 | 39 | 60 | 0.6 | 0.7 |

CMPC - UNIVERSAL POST CAP

- · Comes standard with universal post.
- Specified separately for reconfiguration purposes.

- Available in standard Compile paint options.
- Made of PVC.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | |
|--------------------|--------------|------------|----------------------------|--|
| Universal Post Cap | CMPC | 8 | 2 38 | |

CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- · Finish is smooth plastic.
- Available in standard Compile paint options.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS H | SIONS/INCHES W | S D |
|------------------------------------|--------------|------------|-------------|-------------------|--------|
| Post Base Cover - 3-Way Connection | CMPC1 | 13 | 6 | | |
| Post Base Cover - 2-Way Connection | CMPC2 | 14 | 6 | | |

CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- · Not intended to add to a run of panels in conjunction with Leveling Glides.
- · Kit will contains one legs and all attachment hardware.
- . For the installation the customer will have to remove the existing levelers on the

panel and replace it with the legs.

• Please specify paint finish.



CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- Double kit for freestanding applications.
- · Kit will contains two legs and all attachment hardware.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.
- Please specify paint finish.
- Note: Leg is on available for freestanding panels 42" to 60" wide.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | | |
|-----------------|--------------|------------|----------------------------|----|---|
| Double Flat Leg | CMHLPF02 | 249 | .31 | 21 | 3 |

CMHLLP01 - LOW PROFILE FOOT

- Provides added support to a panel under load.
- Adjustable glides and connectors included.

Made of powder coated steel.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H W D | | CHES D |
|------------------|--------------|------------|----------------------------|----|-----------|
| Low Profile Foot | CMHLLP01 | 186 | 12 | 11 | 1.1 |

CMHLLP02 - LOW PROFILE FOOT

- · Provides added support to a panel under load.
- · Adjustable glides and connectors included.

- Made of powder coated steel.
- Set includes 2 complete legs.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|----|-------------------------|--------------|------------|-------------------|----|-----|
| | | | | Н | W | D |
| โด | Double Low Profile Foot | CMHLLP02 | 371 | 12 | 11 | 1.1 |



CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- · Please specify post height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI H | ENSIONS/INC W | HES D |
|-----|----------------|--------------|------------|-----------|------------------|----------|
| AR. | Post Separator | CMPS01 | 154 | 96 | 3.25 | 14 |



NOTES