

worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:



• Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



WORKSURFACES CONFIGURATION

This page provides a three dimensional view of a sample configuration highlighting each Worksurface component required when specifying this configuration.

Components


A. CWVL2436 Curvilinear Worksurface – Left

Note: When deepest end equals 24", opposite depth is 18"

When deepest end equals 30", opposite depth is 24"

B. CWCC3618 Corner Curved Worksurface

C. CWVR2436 Curvilinear Worksurface – Right



CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | ENSIONS/INCHES |
|------|-------------------------------------|--------------|------------|------|----------------|
| | BEOOM TION | THOUGHTOODE | EIOTTIIOE | D | W |
| W | Rectangular Worksurfaces - 24" Deep | CWS2424P | 139 | 24 | 24 |
| VV _ | | CWS2430P | 149 | 24 | 30 |
| | | CWS2436P | 167 | 24 | 36 |
| | | CWS2442P | 214 | 24 | 42 |
| | | CWS2448P | 258 | 24 | 48 |
| D | | CWS2454P | 301 | 24 | 54 |
| | | CWS2460P | 339 | 24 | 60 |
| | | CWS2466P | 354 | 24 | 66 |
| | | CWS2472P | 367 | 24 | 72 |
| | | CWS2478P | 590 | 24 | 78 |
| | | CWS2484P | 597 | 24 | 84 |
| | | CWS2490P | 626 | 24 | 90 |
| | | CWS2496P | 668 | 24 | 96 |
| | Rectangular Worksurfaces - 30" Deep | CWS3024P | 163 | 30 | 24 |
| | | CWS3030P | 173 | 30 | 30 |
| | | CWS3036P | 205 | 30 | 36 |
| | | CWS3042P | 288 | 30 | 42 |
| | | CWS3048P | 301 | 30 | 48 |
| | | CWS3054P | 330 | 30 | 54 |
| | | CWS3060P | 354 | 30 | 60 |
| | | CWS3066P | 366 | 30 | 66 |
| | | CWS3072P | 388 | 30 | 72 |
| | | CWS3078P | 734 | 30 | 78 |
| | | CWS3084P | 748 | 30 | 84 |



CWSNSC - STRAIGHT WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

| DESCRIPTION | | PRODUCT CODE | LIST PRICE | | ENSIONS/INCHES |
|------------------------|----------------------|--------------|------------|----|----------------|
| | | | | D | W |
| Straight Worksurface N | lo Scoops - 24" Deep | CWS2424NSC | 139 | 24 | 24 |
| W | | CWS2430NSC | 149 | 24 | 30 |
| | | CWS2436NSC | 167 | 24 | 36 |
| | | CWS2442NSC | 214 | 24 | 42 |
| | | CWS2448NSC | 258 | 24 | 48 |
| D | | CWS2454NSC | 301 | 24 | 54 |
| | | CWS2460NSC | 339 | 24 | 60 |
| | | CWS2466NSC | 354 | 24 | 66 |
| | | CWS2472NSC | 367 | 24 | 72 |
| | | CWS2478NSC | 590 | 24 | 78 |
| | | CWS2484NSC | 597 | 24 | 84 |
| | | CWS2490NSC | 702 | 24 | 90 |
| | | CWS2496NSC | 668 | 24 | 96 |
| Straight Worksurface N | No Scoops - 30" Deep | CWS3024NSC | 163 | 30 | 24 |
| | | CWS3030NSC | 173 | 30 | 30 |
| | | CWS3036NSC | 205 | 30 | 36 |
| / // | | CWS3042NSC | 288 | 30 | 42 |
| | | CWS3048NSC | 301 | 30 | 48 |
| | | CWS3054NSC | 330 | 30 | 54 |
| | | CWS3060NSC | 354 | 30 | 60 |
| | | CWS3066NSC | 366 | 30 | 66 |
| | | CWS3072NSC | 388 | 30 | 72 |
| | | CWS3078NSC | 734 | 30 | 78 |
| | | CWS3084NSC | 748 | 30 | 84 |

CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES

- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the
- For use with Height Adjustable Tables
- Surfaces not available in HPW.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/IN | CHES |
|---|-----------------------------------|--------------|------------|-----|------------|------|
| | | | | Н | D | W |
| | Rectangular Worksurface No Scoops | CWS2346NSCP | 258 | 1 | 23 | 46 |
| | for Height Adjustable Tables | CWS2352NSCP | 301 | 1 | 23 | 52 |
| W | | CWS2358NSCP | 339 | 1 | 23 | 58 |
| | | CWS2364NSCP | 354 | 1 | 23 | 64 |
| | | CWS2370NSCP | 367 | 1 | 23 | 70 |
| D | D | CWS2946NSCP | 301 | 1 | 29 | 46 |
| | | CWS2952NSCP | 330 | 1 | 29 | 52 |
| | | CWS2958NSCP | 354 | 1 | 29 | 58 |
| | | CWS2964NSCP | 366 | 1 | 29 | 64 |
| | | CWS2970NSCP | 388 | 1 | 29 | 70 |



CWSWNSC - WEDGE WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- · Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- · Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME | NSIONS/INC | CHES | |
|---------|--|---------------|------------|------|------------|------|--|
| | DECOMM FROM | 11100001 0002 | LIOTTINGE | D1 | D2 | W | |
| | Straight Wedge Worksurface No Scoops - Left | CWSW241848NSC | 359 | 24 | 18 | 48 | |
| W _ | | CWSW241854NSC | 405 | 24 | 18 | 54 | |
| | | CWSW241860NSC | 446 | 24 | 18 | 36 | |
| | | CWSW241866NSC | 494 | 24 | 18 | 42 | |
| | | CWSW241872NSC | 538 | 24 | 18 | 48 | |
| D1 | | CWSW302448NSC | 446 | 30 | 24 | 60 | |
| | | CWSW302454NSC | 504 | 30 | 24 | 66 | |
| | | CWSW302460NSC | 560 | 30 | 24 | 72 | |
| | | CWSW302466NSC | 615 | 30 | 24 | 78 | |
| | | CWSW302472NSC | 674 | 30 | 24 | 84 | |
| u. D1 | Straight Wedge Worksurface No Scoops - Right | CWSW182448NSC | 359 | 24 | 18 | 24 | |
| W DI | gg | CWSW182454NSC | 405 | 24 | 18 | 30 | |
| | | CWSW182460NSC | 446 | 24 | 18 | 36 | |
| | | CWSW182466NSC | 494 | 24 | 18 | 42 | |
| D2 | | CWSW182472NSC | 538 | 24 | 18 | 48 | |
| | | CWSW243048NSC | 446 | 30 | 24 | 60 | |
| | | CWSW243054NSC | 504 | 30 | 24 | 66 | |
| | | CWSW243060NSC | 560 | 30 | 24 | 72 | |
| | | CWSW243066NSC | 615 | 30 | 24 | 78 | |
| | | CWSW243072NSC | 674 | 30 | 24 | 84 | |

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME D | ENSIONS/INCHES W | |
|---------|-------------------------------------|--------------|------------|-----------|---------------------|--|
| | Rectangular Worksurfaces - 24" Deep | CWSP2426P | 167 | 24 | 26 | |
| W | Span a Post | CWSP2432P | 201 | 24 | 32 | |
| <i></i> | opun a root | CWSP2438P | 234 | 24 | 38 | |
| | | CWSP2444P | 264 | 24 | 44 | |
| | | CWSP2450P | 299 | 24 | 50 | |
| D | | CWSP2456P | 330 | 24 | 56 | |
| | | CWSP2462P | 437 | 24 | 62 | |
| | | CWSP2468P | 476 | 24 | 68 | |
| | | CWSP2474P | 517 | 24 | 74 | |
| | | CWSP2480P | 556 | 24 | 80 | |
| | | CWSP2486P | 634 | 24 | 86 | |
| | | | | | | |
| | Rectangular Worksurfaces - 30" Deep | CWSP3026P | 209 | 30 | 26 | |
| | Span a Post | CWSP3032P | 250 | 30 | 32 | |
| | | CWSP3038P | 296 | 30 | 38 | |
| | | CWSP3044P | 330 | 30 | 44 | |
| | | CWSP3050P | 373 | 30 | 50 | |
| | | CWSP3056P | 414 | 30 | 56 | |
| | | CWSP3062P | 546 | 30 | 62 | |
| | | CWSP3068P | 594 | 30 | 68 | |
| | | CWSP3074P | 646 | 30 | 74 | |
| | | CWSP3080P | 693 | 30 | 80 | |
| | | CWSP3086P | 791 | 30 | 86 | |
| | | | | | | |

- CWVR CURVILINEAR WORKSURFACES RIGHT

 All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | ENSIONS/INCHES |
|--------------|-------------------------------------|--------------|------------|------|----------------|
| | | | | D | W |
| D \wedge w | Curvilinear Worksurfaces - 24" Deep | CWVR2424P | 179 | 24 | 24 |
| W | | CWVR2430P | 185 | 24 | 30 |
| | | CWVR2436P | 223 | 24 | 36 |
| | | CWVR2442P | 258 | 24 | 42 |
| | | CWVR2448P | 295 | 24 | 48 |
| | | CWVR2454P | 330 | 24 | 54 |
| | | CWVR2460P | 358 | 24 | 60 |
| | | CWVR2466P | 396 | 24 | 66 |
| | | CWVR2472P | 426 | 24 | 72 |
| | | CWVR2478P | 590 | 24 | 78 |
| | | CWVR2484P | 597 | 24 | 84 |
| | Curvilinear Worksurfaces - 30" Deep | CWVR3024P | 185 | 30 | 24 |
| | | CWVR3030P | 196 | 30 | 30 |
| | | CWVR3036P | 231 | 30 | 36 |
| | | CWVR3042P | 317 | 30 | 42 |
| | | CWVR3048P | 330 | 30 | 48 |
| | | CWVR3054P | 366 | 30 | 54 |
| | | CWVR3060P | 396 | 30 | 60 |
| | | CWVR3066P | 426 | 30 | 66 |
| | | CWVR3072P | 453 | 30 | 72 |
| | | CWVR3078P | 734 | 30 | 78 |
| | | CWVR3084P | 748 | 30 | 84 |

CWVL - CURVILINEAR WORKSURFACES - LEFT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- When deepest end equals 24". the opposite depth is 18". When deepest end
- equals 30", the opposite depth is 24"
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/INCHES | |
|--------|-------------------------------------|--------------|------------|-----|----------------|--|
| | | | | D | W | |
| D ~ \M | Curvilinear Worksurfaces - 24" Deep | CWVL2424P | 179 | 24 | 24 | |
| DW | · | CWVL2430P | 185 | 24 | 30 | |
| | | CWVL2436P | 223 | 24 | 36 | |
| | | CWVL2442P | 258 | 24 | 42 | |
| | | CWVL2448P | 295 | 24 | 48 | |
| | | CWVL2454P | 330 | 24 | 54 | |
| - | | CWVL2460P | 358 | 24 | 60 | |
| | CWVL2466P | 396 | 24 | 66 | | |
| | | CWVL2472P | 426 | 24 | 72 | |
| | | CWVL2478P | 590 | 24 | 78 | |
| | | CWVL2484P | 597 | 24 | 84 | |
| | Curvilinear Worksurfaces - 30" Deep | CWVL3024P | 185 | 30 | 24 | |
| | | CWVL3030P | 196 | 30 | 30 | |
| | | CWVL3036P | 231 | 30 | 36 | |
| | | CWVL3042P | 317 | 30 | 42 | |
| | | CWVL3048P | 330 | 30 | 48 | |
| | | CWVL3054P | 366 | 30 | 54 | |
| | | CWVL3060P | 396 | 30 | 60 | |
| | | CWVL3066P | 426 | 30 | 66 | |
| | | CWVL3072P | 453 | 30 | 72 | |
| | | CWVL3078P | 734 | 30 | 78 | |
| | | CWVL3084P | 748 | 30 | 84 | |
| | | | | | | |

CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- · Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS D | IONS/INCHES W |
|---|----------------------------------|------------------------|------------|-------------|------------------|
| W | Corner Curved Worksurfaces - 36" | CWCC3618P CWCC3624P | 466 511 | 18 24 | 36 36 |
| | Corner Curved Worksurfaces - 42" | CWCC4224P CWCC4230P | 689 750 | 24 30 | 42 42 |
| | Corner Curved Worksurfaces - 48" | CWCC4824P CWCC4830P | 806 844 | 24 30 | 48 48 |

CWCF - FIVE SIDED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN: D | SIONS/INCHES W |
|---|------------------------------|------------------------|------------|-------------|-------------------|
| W | Five Sided Worksurface - 36" | CWCF3618P CWCF3624P | 461 511 | 18 24 | 36 36 |
| | Five Sided Worksurface - 42" | CWCF4224P CWCF4230P | 689 750 | 24 30 | 42 42 |
| | Five Sided Worksurface - 48" | CWCF4824P CWCF4830P | 806 844 | 24 30 | 48 48 |

CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | ENSIONS/INCHES | |
|-----|--|--------------|------------|----|----------------|--|
| | | | TF | D | W | |
| | Curved Corner Worksurface for 60° Post - 24" | CWC62424P | 435 | 24 | 24 | |
| W | | CWC62430P | 773 | 24 | 30 | |
| - J | | CWC62436P | 868 | 24 | 36 | |
| | | CWC62442P | 1327 | 24 | 42 | |
| | | CWC62448P | 1447 | 24 | 48 | |
| | Curved Corner Worksurface for 60° Post - 30" | CWC63024P | 435 | 30 | 24 | |
| | | CWC63030P | 773 | 30 | 30 | |
| | | CWC63036P | 868 | 30 | 36 | |
| | | CWC63042P | 1327 | 30 | 42 | |
| | | CWC63048P | 1447 | 30 | 48 | |

CWCEL - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-----------|------------------------------------|--------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
| | Extended Curved Corner - 36" x 24" | CWCEL362448P | 630 | 36 | 24 | 48 |
| W D1 | | CWCEL362460P | 687 | 36 | 24 | 60 |
| " | | CWCEL362466P | 754 | 36 | 24 | 66 |
| ~ | | CWCEL362472P | 834 | 36 | 24 | 72 |
| D2 | <u>)</u> | CWCEL362478P | 891 | 36 | 24 | 78 |
| | | CWCEL362484P | 959 | 36 | 24 | 84 |
| | Extended Curved Corner - 42" x 24" | CWCEL422460P | 723 | 42 | 24 | 60 |
| | | CWCEL422466P | 792 | 42 | 24 | 66 |
| | | CWCEL422472P | 879 | 42 | 24 | 72 |
| | | CWCEL422478P | 938 | 42 | 24 | 78 |
| | | CWCEL422484P | 1012 | 42 | 24 | 84 |
| | Extended Curved Corner - 42" x 30" | CWCEL423060P | 813 | 42 | 30 | 60 |
| | | CWCEL423066P | 891 | 42 | 30 | 66 |
| | | CWCEL423072P | 975 | 42 | 30 | 72 |
| | | CWCEL423078P | 1044 | 42 | 30 | 78 |
| | | CWCEL423084P | 1113 | 42 | 30 | 84 |
| | Extended Curved Corner - 48" x 24" | CWCEL482460P | 855 | 48 | 24 | 60 |
| | | CWCEL482466P | 924 | 48 | 24 | 66 |
| | | CWCEL482472P | 992 | 48 | 24 | 72 |
| | | CWCEL482478P | 1092 | 48 | 24 | 78 |
| | | CWCEL482484P | 1135 | 48 | 24 | 84 |
| | Extended Curved Corner - 48" x 30" | CWCEL483060P | 905 | 48 | 30 | 60 |
| | | CWCEL483066P | 985 | 48 | 30 | 66 |
| | | CWCEL483072P | 1069 | 48 | 30 | 72 |
| | | CWCEL483078P | 1150 | 48 | 30 | 78 |
| | | CWCEL483084P | 1201 | 48 | 30 | 84 |

CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners

• Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM | ENSIONS/IN | CHES |
|-----------|------------------------------------|--------------|------------|-----|------------|------|
| | | | | D1 | D2 | W |
| D2 | Extended Curved Corner - 36" x 24" | CWCER362448P | 630 | 36 | 24 | 48 |
| W/ | | CWCER362460P | 687 | 36 | 24 | 60 |
| | | CWCER362466P | 754 | 36 | 24 | 66 |
| | | CWCER362472P | 834 | 36 | 24 | 72 |
| | | CWCER362478P | 891 | 36 | 24 | 78 |
| D1 D2 | | CWCER362484P | 959 | 36 | 24 | 84 |
| | Extended Curved Corner - 42" x 24" | CWCER422460P | 723 | 42 | 24 | 60 |
| | | CWCER422466P | 792 | 42 | 24 | 66 |
| | | CWCER422472P | 879 | 42 | 24 | 72 |
| | | CWCER422478P | 938 | 42 | 24 | 78 |
| | | CWCER422484P | 1012 | 42 | 24 | 84 |
| | Extended Curved Corner - 42" x 30" | CWCER423060P | 813 | 42 | 30 | 60 |
| | | CWCER423066P | 891 | 42 | 30 | 66 |
| | | CWCER423072P | 975 | 42 | 30 | 72 |
| | | CWCER423078P | 1044 | 42 | 30 | 78 |
| | | CWCER423084P | 1113 | 42 | 30 | 84 |
| | Extended Curved Corner - 48" x 24" | CWCER482460P | 855 | 48 | 24 | 60 |
| | | CWCER482466P | 924 | 48 | 24 | 66 |
| | | CWCER482472P | 992 | 48 | 24 | 72 |
| | | CWCER482478P | 1092 | 48 | 24 | 78 |
| | | CWCER482484P | 1135 | 48 | 24 | 84 |
| | Extended Curved Corner - 48" x 30" | CWCER483060P | 905 | 48 | 30 | 60 |
| | | CWCER483066P | 985 | 48 | 30 | 66 |
| | | CWCER483072P | 1069 | 48 | 30 | 72 |
| | | CWCER483078P | 1150 | 48 | 30 | 78 |
| | | CWCER483084P | 1201 | 48 | 30 | 84 |

CWD - "D" WORKSURFACE

- Support hardware must be ordered separately. See listing in this section of the price list
- · Monoleg is included

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI D | ENSIONS/INCHES W | |
|---|-----------------------|--------------|------------|-----------|---------------------|--|
| | "D" Worksurface - 24" | CWD2442P | 516 | 24 | 42 | |
| | | CWD2448P | 530 | 24 | 48 | |
| | | CWD2460P | 556 | 24 | 60 | |
| | | CWD2472P | 594 | 24 | 72 | |
| | "D" Worksurface - 30" | CWD3042P | 559 | 30 | 42 | |
| • | | CWD3048P | 566 | 30 | 48 | |
| | | CWD3060P | 594 | 30 | 60 | |
| | | CWD3072P | 659 | 30 | 72 | |

CWH - HATCHET WORKSURFACE (LEFT SHOWN)

- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN: D1 | SIONS/INCHE D2 | es W |
|-----------------------------|--------------|------------|--------------|-------------------|---------|
| Hatchet Worksurface - Left | CWHL3672P | 1133 | 36 | 30 | 72 |
| Hatchet Worksurface - Right | CWHR3672P | 1133 | 36 | 30 | 72 |

Right Shown

CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | ENSIONS/IN | CHES |
|-----------|------------------------------------|--------------|------------|------|------------|------|
| | | | | D1 | D2 | W |
| D.O. | Straight Wedge Worksurface - Left | CWSW241848P | 359 | 24 | 18 | 48 |
| D2 | | CWSW241854P | 405 | 24 | 18 | 54 |
| | | CWSW241860P | 446 | 24 | 18 | 60 |
| | | CWSW241866P | 494 | 24 | 18 | 66 |
| W W | | CWSW241872P | 538 | 24 | 18 | 72 |
| D1 × | | CWSW302448P | 446 | 30 | 24 | 48 |
| | | CWSW302454P | 504 | 30 | 24 | 54 |
| | | CWSW302460P | 560 | 30 | 24 | 60 |
| | | CWSW302466P | 615 | 30 | 24 | 66 |
| | | CWSW302472P | 674 | 30 | 24 | 72 |
| | Straight Wedge Worksurface - Right | CWSW182448P | 359 | 18 | 24 | 48 |
| | | CWSW182454P | 405 | 18 | 24 | 54 |
| | | CWSW182460P | 446 | 18 | 24 | 60 |
| | | CWSW182466P | 494 | 18 | 24 | 66 |
| | | CWSW182472P | 538 | 18 | 24 | 72 |
| | | CWSW243048P | 446 | 24 | 30 | 48 |
| | | CWSW243054P | 504 | 24 | 30 | 54 |
| | | CWSW243060P | 560 | 24 | 30 | 60 |
| | | CWSW243066P | 615 | 24 | 30 | 66 |
| | | CWSW243072P | 674 | 24 | 30 | 72 |

CWOR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- · Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME D | ENSIONS/INCHES W |
|---|------------------------|------------|-----------|---------------------|
| Quarter Round Panel Worksurface - Left | CWQRL2424 CWQRL3030 | 214 283 | 24 30 | 24 30 |
| Quarter Round Panel Worksurface - Right | CWQRR2424 CWQRR3030 | 214 283 | 24 30 | 24 30 |



CWORC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI D | ENSIONS/INCHES W |
|--|------------------------|------------|-----------|---------------------|
| Quarter Round Panel Corner Worksurface | CWQRC2424 CWQRC3030 | 257 316 | 24 30 | 24 30 |

CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMI | ENSIONS/INCHES |
|-----|----------------------------------|--------------|------------|------|----------------|
| | | | | D | W |
| | Straight Transaction Worksurface | CWT1512 | 64 | 15 | 12 |
| W / | • | CWT1518 | 85 | 15 | 18 |
| | | CWT1524 | 101 | 15 | 24 |
| | | CWT1530 | 121 | 15 | 30 |
| | | CWT1536 | 138 | 15 | 36 |
| | | CWT1542 | 154 | 15 | 42 |
| D 💝 | | CWT1548 | 175 | 15 | 48 |
| | | CWT1554 | 191 | 15 | 54 |
| | | CWT1560 | 212 | 15 | 60 |
| | | CWT1566 | 227 | 15 | 66 |
| | | CWT1572 | 247 | 15 | 72 |
| | | CWT1578 | 264 | 15 | 78 |
| | | CWT1584 | 282 | 15 | 84 |

CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | SIONS/INCHES |
|---|-------------------------|----------------------------------|-------------------|----------------|----------------|
| | | | | D | W |
| W | End Transaction Surface | CWTE1512 CWTE1518 | 85 101 | 15 15 | 14 20 |
| | | CWTE1524 CWTE1530 CWTE1536 | 121 138 154 | 15 15 15 | 26 32 38 |
| D | | CWTE1542 CWTE1548 | 175 191 | 15 15 | 44 50 |
| | | CWTE1554 CWTE1560 CWTE1566 | 212 227 247 | 15 15 15 | 56 62 68 |
| | | CWTE1572 | 264 | 15 | 74 |

2 evolvefurnitur

CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN: | SIONS/INCHES W |
|-------|--------------------------------|--------------|------------|--------|-------------------|
| W W D | "L" Corner Transaction Surface | CWTCL90 | 180 | 15 | 21 |

CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

• Support hardware must be ordered separately. See the listing in this section.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIM D | MENSIONS/INCHES W |
|---|----------------------|------------|----------|----------------------|
| Corner Transaction Surface for 90° Post | CW9T1524 CW9T1530 | 245 | 15 | 32.861 38.861 |
| | CW9T1536 | 292 338 | 15 15 | 44.861 |
| | CW9T1542 CW9T1548 | 383 434 | 15 15 | 50.861 56.861 |

CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- · Priced and shipped in pairs.
- Available in standard paint colors.

- · Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES D W | |
|----------------|--------------|------------|--------------------------|--|
| Corner Bracket | CHCB2 | 22 | 2.5 | |

CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES D W |
|--------------------------|--------------|------------|--------------------------|
| Mid Span Support Bracket | CHWB1 | 14 | |

CHC15 & CHC22- CANTILEVER

- · Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.

- Priced individually
- · Specify handedness of each cantilever
- · Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS D | IONS/INCHES W |
|------------------|------------------|------------|-------------|------------------|
| Cantilever - 15" | CHC15L CHC15R | 50 50 | 15 15 | 6 6 |
| Cantilever - 22" | CHC22L CHC22R | 77 77 | 22 22 | 6 6 |

CMHC - WORKSURFACE SUPPORT CHANNEL

- · Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- · Screws are included.

- · Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS L | IONS/INCHES D |
|-----------------------------|--|------------------------|----------------------|------------------|
| Worksurface Support Channel | CMHC40 - for 54" wide table CMHC46 - for 60" wide table CMHC52 - for 66" wide table CMHC58 - for 72" wide table | 84 91 101 114 | 40 46 52 58 | 5 5 5 |
| | CMHC64 - for 78" wide table CMHC70 - for 84" wide table | 124 138 | 64 70 | 5 5 |

CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIME D | ENSIONS/INCHES W | |
|-------------|--------------|--------------|------------|-----------|---------------------|--|
| | Flat Bracket | CHFB1 | 21 | 3 | 4 | |
| \. / | | | | | | |

CHTB2 - TRANSACTION TOP BRACKETS

- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.

- Priced and shipped in pairs.
- · Available in Anodized Aluminum only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES D W |
|-----|--------------|--------------|------------|--------------------------|
| | Flat Bracket | CHTB2 | 22 | 2.5 |
| (°) | | | | |

CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.

- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN D | SIONS/INCHES W |
|---------------------|----------------------|------------|------------|-------------------|
| End Panel - 28"High | CHEP2924 CHEP2930 | 264 311 | 28 28 | 24 30 |

CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H |
|---------------------------|--------------------------|--------------|------------|------------------------|
| $\overline{\diamondsuit}$ | Mid Support Leg - Round | CHMSL1 | 91 | 28 |
| | Mid Support Leg - Square | CHMSL2 | 91 | 28 |

CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter

- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

| | | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H |
|------------|------------|-------------------|--------------|------------|------------------------|
| \bigcirc | \bigcirc | Corner Leg Round | CMHCL1 | 127 | 28 |
| | | Corner Leg Square | CMHCL2 | 127 | 28 |

CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- $\bullet~$ Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

| | | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES H |
|-------|--------|--|--------------|------------|------------------------|
| | | 5" Surface to Storage Support Leg - Round | CHWSRL01 | 59 | 4.5 |
| | | 5" Surface to Storage Support Leg - Square | CHWSSL01 | 59 | 4.5 |
| Round | Square | | | | |

CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS H | SIONS/INC D | CHES W |
|-------------------------|----------------------------------|-------------------|----------------|----------------|-------------|
| Metal End Gable - Right | CHMEG18R CHMEG24R CHMEG30R | 267 285 300 | 28 28 28 | 17 23 29 | 4 4 4 |

CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.

· Available in standard paint colors.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN H | SIONS/IN W | CHES D |
|------------------------|----------------------------------|-------------------|----------------|----------------|-------------|
| Metal End Gable - Left | CHMEG18L CHMEG24L CHMEG30L | 267 285 300 | 28 28 28 | 17 23 29 | 4 4 4 |

CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN H | SIONS/INC W | CHES D |
|-------------------|--------------|------------|------------|----------------|-----------|
| Metal Support Leg | CHMSL12 | 239 | 28 | 11 | 4 |

PEDESTAL FILLER BRACKET

• Screws to back of pedestal

• Fills the gap between the pedestal and panel when wing pnael is not used.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMEN D | ISIONS/INCHES W |
|--------------------------|--------------|------------|------------|--------------------|
| Pedestal Filler Bracket- | CHPBF | 60 | 26.875 | 1.375 |

CHPEDB - FLUSH PEDESTAL BRACKET

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces

• Used in flush mount applications only

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENS H | SIONS/INCE W | HES D |
|---|------------------------|--------------|------------|-------------|-----------------|----------|
| 0 | Flush Pedestal Bracket | CHPEDB | 29 | 8 | 1 | 1 |