



List Price Book
Effective January 1, 2023
Updated February 4, 2025

compile systems



PROTECTING THE ENVIRONMENT FOR FUTURE GENERATIONS

Our environmental success story began with the challenge to create an office system that would meet today's business requirements while maintaining a firm commitment to save and protect the environment.

Sustainability became a part of the creative focus and development of Compile that incorporates the latest technology and design features to provide excellent performance at a competitive price.

As government and industry environment ratings such as LEEDS & Greenguard become more prevalent, Compile offers designers and architects functional, attractive, and economical office designs that meet these standards.

Evolve Furniture Group is a leader in reducing waste in the manufacturing of its products as well as utilizing recycled materials wherever possible. We make extensive use of recycled plastic and wood waste from other Global factories.

Evolve Furniture Group is committed to the continuous improvement of our environmental systems, the prevention of pollution, and to comply with both the spirit and the letter of all relevant environmental legislation.

Compile Panels are 100% recyclable at the end of their lifespan. Nothing from an Evolve Panel needs to end up in a landfill.

SUSTAINABILITY INFORMATION

Compile offers fabrics that are made from 100% recycled polyester, which means less waste going to landfills. These fabrics also reduced the demand for petroleum products, and decrease the environmental impacts of processing those petroleum products into polyester.

Compile's epoxy powder coating process involves no liquids and is solvent free. It contains no harmful VOC's or lead. Up to 99% of over sprayed powdered is reclaimed, mixed with virgin powder and reused.

Compile's entire panel is up to 82% recycled.

Compile masonite is up to 85% recycled.

Compile's entire product line is up to 99% recyclable.

REFERENCES

| | |
|--|-----|
| Features, Benefits & General Information | 3 |
| Coding an Order | 4 |
| Textiles & Finishes | 116 |
| Panel COM Form | 121 |
| Panel Fabric Specification Sheet | 122 |
| Pedestal Cushions COM Form..... | 123 |
| Panel Fabric Sample..... | 124 |
| Appendix | 125 |
| Terms & Conditions..... | 126 |

PANELS

| | |
|---|----|
| Panels – Technical Information..... | 8 |
| Panel – Types | 9 |
| Panel Package – Configuration | 15 |
| Monolithic Panel Packages..... | 16 |
| Segmented Panel Packages..... | 18 |
| Acoustic Panel Packages | 20 |
| Monolithic Laminate Panel Packages | 22 |
| Segmented Laminate Panel Packages..... | 26 |
| Segmented Writeboard Panel Packages | 30 |
| Single Segmented Open Bottom Panel Packages | 34 |
| Glazed Panel Packages | 36 |
| Partly Glazed Panel Packages..... | 38 |
| 12" Top Partly Glazed Panel Packages..... | 40 |
| Privacy Glass..... | 42 |
| Over Panels | 44 |
| Gallery Panels | 48 |
| Sliding Doors..... | 55 |
| Post Packages | 56 |
| Raceway & Knockout Covers | 58 |
| Posts & Trim Inserts | 59 |
| Post Covers | 61 |
| Panel Legs..... | 62 |
| Post Separator..... | 63 |

ELECTRICAL

| | |
|--|----|
| Electrical – Technical Information | 68 |
| Electrical – Wire Schematic | 69 |
| Electrical – Configuration..... | 70 |
| Power Distribution Housing | 71 |
| Cables..... | 72 |
| I Connector | 72 |
| Duplex Receptacle | 73 |
| Power Entry | 74 |
| Electrical Box..... | 74 |
| Post Extension..... | 75 |

ELECTRICAL

| | |
|-------------------|----|
| Ceiling Feed..... | 75 |
| Cable Cover | 75 |
| Task Lights..... | 76 |

WORKSURFACES

| | |
|--|----|
| Worksurfaces – Technical Information | 78 |
| Worksurfaces – Configuration | 79 |
| Rectangular Worksurface | 80 |
| Straight Worksurfaces | 81 |
| Rectangular Worksurface for Height Adjustable Tables | 82 |
| Wedge Worksurfaces | 83 |
| Span a Post Rectangular Worksurfaces | 83 |
| Curvilinear Worksurface | 84 |
| Corner Worksurface | 85 |
| Extended Curved Corner..... | 86 |
| “D” Worksurface..... | 87 |
| Hatchet Worksurface | 88 |
| Straight Wedge Worksurfaces | 88 |
| Quarter Round Panel Worksurface | 88 |
| Transaction Worksurface | 89 |
| Accessories..... | 90 |

STORAGE

| | |
|---------------------------------------|-----|
| Storage – Technical Information | 96 |
| Storage – Configuration | 97 |
| Pedestals..... | 98 |
| Overhead Storage | 100 |
| Lateral File..... | 102 |
| Storage Towers | 105 |
| Key Alike Form | 107 |

ACCESSORIES

| | |
|--------------------------|-----|
| Tack Board..... | 110 |
| White Marker Board | 110 |
| Load Bars..... | 111 |
| Rail Accessories..... | 111 |



PANELS

- Panel Fabric modules consist of Module Frames, Module Interiors and Fabric Skins.

Fabric

- Fabric offerings include selections woven with 100% recycled yarn.

Panel Frame

- Typical workstation contains up to 62.2% recycled material.
- Panel is made of 82.3% recycled material.
- Acoustic panels are light tackable with 0.70 NRC and a 26 STC rating.
- Non Acoustic panels are not tackable with 0.17 NRC and a 28 STC rating.
- Raceway covers are aluminum.
- Plastic top cap vs Aluminum top cap.

Metal Components/Raceway Finish

- All aluminum components are painted with environmentally friendly epoxy powder.
- Raceway interiors are coated with recycled epoxy powder.
- The entire Compile Panel and the processes used to manufacture it are designed to save and protect the environment. Compile Panels are made from recycled materials and are 99% recyclable.

Panel Options

- Compile Panels come in 5 heights: 30", 42", 48" 54" and 66".
- Panel widths come in 7 sizes including: 24", 30", 36", 42", 48", 54" and 60".
- Panels conform to CGSB and ANSI/BIFMA standards.
 - This is your assurance that the quality, and performance level of these Panels have been tested to equal or exceed the requirements of the US government.
- Rigid, aluminum Panel Frame is 2 3/8" thick.
- Aluminum Panel Frame combined with easy to assemble "Quick Connect" clips, create a rigid Panel Wall.
- Levelling glides extend 2". Enables the client to deal with severe undulations in the flooring levels of a building.
- Compile makes it easy to select a Panel function that is suitable for your application.
- Compile makes it easy to select a Panel type and height that is suitable for your application.

VOICE/DATA AND ELECTRICAL POWER

- Voice/data cables can be inserted at the base. 8 wire, 4 circuit electrical capability, 2 utility + 2 dedicated circuits, each with 10 gauge (oversized) neutrals. All circuits can support up to 20 amps (15 CSA).
- Raceway Cover opening sizes conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.345" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" – 60" wide include raceway covers with 3 knockouts.

- Panels and electrical components are CSA/UL approved.
- Compile panel raceway is roughly 2.13" x 4.6" without power distribution housing installed. With power distribution housing installed inside, the dimension is reduced to roughly 2.13" x 2.13
- The base raceway cavity accommodates 50 .25" diameter communication cables without power installed or 30 .25" diameter communication cables with power installed.
- 90-degree posts accommodate 25 .25" diameter communication cables without a ceiling infeed or 20 .25" diameter communication cables with a ceiling infeed installed.
- 120-degree posts may not be utilized for power infeeds or communication cables. 90-degree posts may be utilized at the end of a 120-degree configuration if ceiling infeed of power and/or data cables is required.
- No tools are required to install electrical in the Compile Panel System.

WORKSURFACES

- 1" thick worksurfaces come in a variety of shapes and sizes. Essentially, they are 24" or 30" deep and are available in 6" increments from 24" to 84" wide.
- Cable scoops located at the back of each Worksurface provide routing of power and data cables.
- This convenient feature, together with a 3/8" gap between the Worksurface and the Panel, allows access to cables without having grommet holes in the Worksurface.
- With this choice of product, we can tailor each installation to your requirements. The addition of custom sizes shows a commitment to client satisfaction that not every manufacturer offers.
- Thermally fused laminate tops are standard.
- All Worksurfaces utilize balanced construction.
- Predrilled holes in worksurfaces enable installer to properly align worksurface.

STORAGE

- 19", 23" and 29" deep Pedestals. Freestanding and Worksurface supporting options available.
- Drawer divider and pencil tray included in all Freestanding Pedestals containing box drawers. Drawer divider and pencil tray not included in Worksurface Supporting Pedestals.
- Adjustable glides are accessible from the inside of the cabinet.
- Positive and secure locking system on all Pedestals is standard.
- Full height drawer sides are standard on all file drawers. This enables you to hang files from the drawer side so no extra hardware is necessary. File drawers accept letter sized files. Optional file bars are available to file legal and metric sized files.
- Steel construction guarantees the performance of the product over the long term. Welded joints with a full top, back and base ensure that the Pedestal will sit square and adequately support the Worksurface where necessary.

- Worksurface supporting Pedestals are standard with Compile.
- Shelves feature all metal construction.
- All storage components as well as the Panel Frames are epoxy powder coated.
- Glides enable you to level the cabinet to the floor and or Worksurface. The convenient adjustment feature allows the installer to adjust the height of the cabinet while it is under the Worksurface. This saves time in the installation process.
- For additional security and peace of mind, locks can be keyed alike or master keyed for additional convenience. Standard recessed handle offers uncluttered aesthetic.
- "Environmentally friendly" epoxy powder coat is 15 times more durable in independent testing than a wet paint spray. This helps maintain the look of the product over its many years of service.


WARRANTIES AND PERFORMANCE

- A Lifetime Warranty
- Non Obsolescence Warranty
- Reduced cost of assembly and reconfiguration
- ISO9001:2008 Registered
- ISO14001:2004 Registered
- GreenGuard Certified
- Level 2 Certified
- ANSI/BIFMA CGSB testing on all products
- For piece of mind over the long term, we cover you with a comprehensive warranty that is supported by our dealer network.
- Some installation companies claim that the Compile Panels System can be installed in half the time it takes to install most of our competitor's segmented panels. This cost saving can amount to thousands of dollars over the lifetime of our furniture.
- Your assurance of consistent quality to an international standard. Evolve Furniture Group is committed to design, manufacture and distribute superior quality office furniture, which meets or exceeds the requirements of our customers.
- Confirmation that Evolve Furniture Group is committed (1) to providing product that, through their entire life cycle, minimize negative environmental impacts on the environment, (2) to continuous improvement to our environmental systems and programs and (3) to comply to all relevant environmental legislation and regulations.
- Compile Panel System can help a company meet LEED requirements for office furniture.
- Compile components are tested to the highest standard in the industry. This is your assurance of quality and longevity.
- Panel textiles, adjustable keyboard mechanisms, task lights and electrical devices = five (5) Years
- Other parts = Lifetime Warranty

Compile products have been coded using alphas that correspond with the product name. This creates an easy-to-remember code. The following breaks down the coding logic and highlights the required code components needed to order within each product category.

Panels

Example: **Product:** Compile Fabric Monolithic Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

CoMpile product line

Fabric-covered Panel

Monolithic panel category

2 CMFM**6648**

Panel size offering. Listed on every product page with price listing.

Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

3 CMFM6648-**BK**


Standard paint code for frame. See the Fabric & Finish listing in this section.

To specify fabric for a Compile Panel, please note:

4 CMFM6648-BK-**B84A**

Fabric code for all modules on both sides of the Panel*. See the Fabric & Finish listing in this section.

* **NOTE:** If different fabrics are to be included on a Compile Panel, please use the following ordering format. **Start at the bottom** of one side of a Panel and work to the top module of that Panel. Then start the process over on the other side of the Panel. As an example:



Electrical

Example: **Product:** Flexible Mesh Jumper Cable

Specify: **1** **C E 8 C P 1 7**



2 CE8CP17

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Electrical category.

Cable Panel.


Pass-Through.

8 Product size offering – length. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

Worksurfaces

Example: **Product:** Curvilinear Worksurface – Left

Specify: **1** **C W V L**



2 CWVL3042

3 CWVL3042–T431

4 CWVL3042–T890–CR

Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Worksurface category.

Cur**V**ilinear shape.

Left hand configuration.


3042 Worksurface size offering. Listed on every product page with price listing. Note: Additional dimensions are provided for most products on the far right hand side of each page. These dimensions are not required in the ordering code.

T431 Laminate code for surface. See the Fabric & Finish listing in this section.

CR PVC code for trim. See the Fabric & Finish listing in this section.

Worksurfaces – Hardware

Example: **Product:** End Panel



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Hardware category.

End Panel.


End **P**anel.

2 CHEP-T431

Laminte code for End Panel. See the Fabric & Finish listing in this section.

Storage

Example: **Product:** Box, Box, File Pedestal



Base Code found on the product page to the left of the product name and a simple product illustration.

Compile product line.

Storage category.

2 CS1923BBF

19 Product Series.

3 CS1923BBF

23" Pedestal depth in inches.

4 CS1923BBF

Box drawer, **B**ox drawer, **F**ile drawer.



panels


THE INFORMATION LISTED BELOW PROVIDES YOU WITH BASIC FEATURES OF COMPILE PANELS:

- Compile Panels are:
 - Available in four (5) heights: 30", 42", 48", 54" and 66"; and seven (7) widths: 24", 30", 36", 42", 48", 54" and 60".
 - 2 3/8" thick.
 - Monolithic, Segmented, Acoustic, and Glazed.
- Acoustic panels are lightly tackable with 0.70 NRC rating and a 26 STC rating.
- Compile Non - Acoustic panels are not tackable.
- Raceway openings are 1.375" x 2.680".
- Panels 24" wide include raceway covers with 2 knockouts.
- Panels 30" – 60" wide include raceway covers with 3 knockouts.
- Opposite sides of each Module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at the highest grade.
- Standard with aluminum frame.
- Individual fabric covered acoustic modules incorporated into an aluminum frame.
- Reinforced aluminum raceway covers are included when ordering panel packages or may be ordered and shipped separately. Raceway covers can be replaced in the field to change a panel from non-powered to powered (or vice versa).
- Base raceway lifts up and locks in an upright 90-degree position, or can be removed for open access to base raceway.
- Electric knockouts in the raceway have black plastic covers that snap into place from the outside of the cover, when a duplex is not required. Electric knockout covers must be specified separately. Available in standard paint finishes.
- 3 panel connector brackets per side for 30"h, 42"h and 54"h come installed on panels and universal posts.
- 4 panel connector brackets per side for 66"h panels come installed on panels and universal posts.
- Panel connector brackets are opposite direction of each other per panel side, and can be removed with one screw per bracket.




MONOLITHIC PANEL PACKAGES - PAGES 16 & 17, 22-25


Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package




Powered Compile Monolithic Fabric Panel Package




Non-Powered Compile Monolithic Fabric Panel Package



Non-Powered Compile Monolithic Laminate Panel Package



Non-Powered Compile Monolithic Laminate Panel Package




Model Definitions:

- N0 = No punch outs on raceways.
- N1 = Raceway punch out on one side.
- N2 = Raceway punch out on both sides.
- P1 = Power harness and raceway punch out on one side.
- P2 = Power harness and raceway punch outs on two sides.


RACEWAY COVER OPTIONS (Suffix)

- (N0) No Knockouts Side 1 and Side 2
- (N1) Knockouts Side 1 – No Knockout Side 2
- (N2) Knockouts Side 1 and Side
- (P1) Knockouts Side 1 – No Knockout Side 2
- (P2) Knockouts Side 1 and Side 2




SEGMENTED - PANEL PACKAGES - PAGES 18 & 19, 26-35


Non-Powered Compile Single Segmented Fabric Panel Package




Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package



Powered Compile Single Segmented Fabric Panel Package




Non-Powered Compile Single Segmented Fabric Panel Package




ACOUSTIC PANEL PACKAGES - PAGES 20 & 21


Non-Powered Compile Monolithic Acoustic Panel Package




Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package



Powered Compile Monolithic Acoustic Panel Package




Non-Powered Compile Monolithic Acoustic Panel Package




SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGES - PAGES 34-35


Non-Powered Compile Single Segmented Open Bottom Panel Package




Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



Powered Compile Single Segmented Open Bottom Panel Package




Non-Powered Compile Single Segmented Open Bottom Panel Package



DOOR PANELS - PAGE 42

Sliding Privacy Door




CMPDSL6636/42




GLAZED PANEL PACKAGES - PAGES 36-37


Non-Powered Compile Glazed Panel Package




Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package



Powered Compile Glazed Panel Package




Non-Powered Compile Glazed Panel Package




PARTLY GLAZED PANEL PACKAGES - PAGES 38-41

Non-Powered Compile Partly Glazed Panel Package




CMPG5424N0 CMPG6624N0

Powered Compile Partly Glazed Panel Package




CMPG5424P1 CMPG6624P1

Non-Powered Compile Partly Glazed Panel Package




CMPG5424N1 CMPG6624N1

Powered Compile Partly Glazed Panel Package



CMPG5424P2 CMPG6624P2


Non-Powered Compile Partly Glazed Panel Package



CMPG5424N2 CMPG6624N2

Compile Privacy Glass


Available in widths from 24" to 60".



CMPS30

MINI PANEL KIT - PAGE 43

Mini Panel Kit



CMFMA2418KIT1




This page provides an exploded view of a sample Panel Package highlighting each **Panel** component included within the package.

Package Components


Package 1 CMFM6636N0

- A. (1) 66" h x 36" w Monolithic Fabric Panel
- B. (2) 36" w Raceway Covers Without Knockouts




Package 2 CMFF6636P2

- C. (1) 66" h x 36" w Single Segmented Fabric Panel
- D. (2) 36" w Raceway Covers With Knockouts
- E. (1) 36" w Power Distribution Housing








Package 3 CHP66-2

- F. (1) 66" h Universal Corner Post
- G. (2) Trim Inserts for 66" Universal Corner Post
- H. (1) Post Base Cover for 2-Way Application
- I. "Quick Connect" comes standard with Panels and Universal Corner Post



CMFMXXYYN - NON-POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-----|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Fabric Monolithic Panel Package - 30" | CMFM3024N_ | 365 | 398 | 30 | 24 | 2 3/8 |
| | | CMFM3030N_ | 412 | 444 | 30 | 30 | 2 3/8 |
| | | CMFM3036N_ | 447 | 511 | 30 | 36 | 2 3/8 |
| | | CMFM3042N_ | 494 | 558 | 30 | 42 | 2 3/8 |
| | | CMFM3048N_ | 525 | 589 | 30 | 48 | 2 3/8 |
| | | CMFM3054N_ | 581 | 645 | 30 | 54 | 2 3/8 |
| | | CMFM3060N_ | 613 | 676 | 30 | 60 | 2 3/8 |
|  | Non-Powered Compile Fabric Monolithic Panel Package - 42" | CMFM4224N_ | 365 | 398 | 42 | 24 | 2 3/8 |
| | | CMFM4230N_ | 412 | 444 | 42 | 30 | 2 3/8 |
| | | CMFM4236N_ | 447 | 511 | 42 | 36 | 2 3/8 |
| | | CMFM4242N_ | 494 | 558 | 42 | 42 | 2 3/8 |
| | | CMFM4248N_ | 525 | 589 | 42 | 48 | 2 3/8 |
| | | CMFM4254N_ | 581 | 645 | 42 | 54 | 2 3/8 |
| | | CMFM4260N_ | 613 | 676 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Fabric Monolithic Panel Package - 48" | CMFM4824N_ | 380 | 418 | 48 | 24 | 2 3/8 |
| | | CMFM4830N_ | 431 | 469 | 48 | 30 | 2 3/8 |
| | | CMFM4836N_ | 479 | 553 | 48 | 36 | 2 3/8 |
| | | CMFM4842N_ | 533 | 608 | 48 | 42 | 2 3/8 |
| | | CMFM4848N_ | 560 | 636 | 48 | 48 | 2 3/8 |
| | | CMFM4854N_ | 607 | 683 | 48 | 54 | 2 3/8 |
| | | CMFM4860N_ | 663 | 736 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Fabric Monolithic Panel Package - 54" | CMFM5424N_ | 381 | 420 | 54 | 24 | 2 3/8 |
| | | CMFM5430N_ | 431 | 470 | 54 | 30 | 2 3/8 |
| | | CMFM5436N_ | 480 | 556 | 54 | 36 | 2 3/8 |
| | | CMFM5442N_ | 533 | 609 | 54 | 42 | 2 3/8 |
| | | CMFM5448N_ | 561 | 638 | 54 | 48 | 2 3/8 |
| | | CMFM5454N_ | 608 | 685 | 54 | 54 | 2 3/8 |
| | | CMFM5460N_ | 663 | 739 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Fabric Monolithic Panel Package - 66" | CMFM6624N_ | 426 | 477 | 66 | 24 | 2 3/8 |
| | | CMFM6630N_ | 489 | 540 | 66 | 30 | 2 3/8 |
| | | CMFM6636N_ | 558 | 651 | 66 | 36 | 2 3/8 |
| | | CMFM6642N_ | 627 | 720 | 66 | 42 | 2 3/8 |
| | | CMFM6648N_ | 678 | 771 | 66 | 48 | 2 3/8 |
| | | CMFM6654N_ | 755 | 848 | 66 | 54 | 2 3/8 |
| | | CMFM6660N_ | 829 | 924 | 66 | 60 | 2 3/8 |






Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFMXXYP - POWERED COMPILE FABRIC MONOLITHIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.





| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Fabric Monolithic Panel Package - 30" | CMFM3024P_ | 519 | 552 | 30 | 24 | 2 3/8 |
| | | CMFM3030P_ | 619 | 651 | 30 | 30 | 2 3/8 |
| | | CMFM3036P_ | 665 | 729 | 30 | 36 | 2 3/8 |
| | | CMFM3042P_ | 715 | 779 | 30 | 42 | 2 3/8 |
| | | CMFM3048P_ | 764 | 828 | 30 | 48 | 2 3/8 |
| | | CMFM3054P_ | 820 | 884 | 30 | 54 | 2 3/8 |
| | | CMFM3060P_ | 854 | 917 | 30 | 60 | 2 3/8 |
|  | Powered Compile Fabric Monolithic Panel Package - 42" | CMFM4224P_ | 519 | 552 | 42 | 24 | 2 3/8 |
| | | CMFM4230P_ | 619 | 651 | 42 | 30 | 2 3/8 |
| | | CMFM4236P_ | 665 | 729 | 42 | 36 | 2 3/8 |
| | | CMFM4242P_ | 715 | 779 | 42 | 42 | 2 3/8 |
| | | CMFM4248P_ | 764 | 828 | 42 | 48 | 2 3/8 |
| | | CMFM4254P_ | 820 | 884 | 42 | 54 | 2 3/8 |
| | | CMFM4260P_ | 854 | 917 | 42 | 60 | 2 3/8 |
|  | Powered Compile Fabric Monolithic Panel Package - 48" | CMFM4824P_ | 533 | 572 | 48 | 24 | 2 3/8 |
| | | CMFM4830P_ | 635 | 673 | 48 | 30 | 2 3/8 |
| | | CMFM4836P_ | 693 | 768 | 48 | 36 | 2 3/8 |
| | | CMFM4842P_ | 753 | 828 | 48 | 42 | 2 3/8 |
| | | CMFM4848P_ | 801 | 876 | 48 | 48 | 2 3/8 |
| | | CMFM4854P_ | 844 | 920 | 48 | 54 | 2 3/8 |
| | | CMFM4860P_ | 902 | 977 | 48 | 60 | 2 3/8 |
|  | Powered Compile Fabric Monolithic Panel Package - 54" | CMFM5424P_ | 533 | 572 | 54 | 24 | 2 3/8 |
| | | CMFM5430P_ | 635 | 674 | 54 | 30 | 2 3/8 |
| | | CMFM5436P_ | 696 | 772 | 54 | 36 | 2 3/8 |
| | | CMFM5442P_ | 754 | 830 | 54 | 42 | 2 3/8 |
| | | CMFM5448P_ | 801 | 878 | 54 | 48 | 2 3/8 |
| | | CMFM5454P_ | 845 | 922 | 54 | 54 | 2 3/8 |
| | | CMFM5460P_ | 902 | 978 | 54 | 60 | 2 3/8 |
|  | Powered Compile Fabric Monolithic Panel Package - 66" | CMFM6624P_ | 578 | 629 | 66 | 24 | 2 3/8 |
| | | CMFM6630P_ | 696 | 747 | 66 | 30 | 2 3/8 |
| | | CMFM6636P_ | 775 | 868 | 66 | 36 | 2 3/8 |
| | | CMFM6642P_ | 847 | 940 | 66 | 42 | 2 3/8 |
| | | CMFM6648P_ | 918 | 1011 | 66 | 48 | 2 3/8 |
| | | CMFM6654P_ | 995 | 1088 | 66 | 54 | 2 3/8 |
| | | CMFM6660P_ | 1069 | 1164 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFFXXYYN - NON-POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- Non powered.
- Includes one panel, two raceway covers with no punchouts.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-----|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Power Compile Single Segmented Fabric Panel Package - 42" | CMFF4224N_ | 382 | 415 | 42 | 24 | 2 3/8 |
| | | CMFF4230N_ | 431 | 464 | 42 | 30 | 2 3/8 |
| | | CMFF4236N_ | 456 | 519 | 42 | 36 | 2 3/8 |
| | | CMFF4242N_ | 520 | 584 | 42 | 42 | 2 3/8 |
| | | CMFF4248N_ | 555 | 619 | 42 | 48 | 2 3/8 |
| | | CMFF4254N_ | 616 | 680 | 42 | 54 | 2 3/8 |
| | | CMFF4260N_ | 659 | 723 | 42 | 60 | 2 3/8 |
| | | CMFF4266N_ | 777 | 901 | 42 | 66 | 2 3/8 |
| | | CMFF4272N_ | 819 | 943 | 42 | 72 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Fabric Panel Package - 48" | CMFF4824N_ | 416 | 454 | 48 | 24 | 2 3/8 |
| | | CMFF4830N_ | 461 | 499 | 48 | 30 | 2 3/8 |
| | | CMFF4836N_ | 521 | 596 | 48 | 36 | 2 3/8 |
| | | CMFF4842N_ | 590 | 665 | 48 | 42 | 2 3/8 |
| | | CMFF4848N_ | 637 | 712 | 48 | 48 | 2 3/8 |
| | | CMFF4854N_ | 678 | 752 | 48 | 54 | 2 3/8 |
| | | CMFF4860N_ | 729 | 804 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Fabric Panel Package - 54" | CMFF5424N_ | 417 | 455 | 54 | 24 | 2 3/8 |
| | | CMFF5430N_ | 462 | 501 | 54 | 30 | 2 3/8 |
| | | CMFF5436N_ | 522 | 598 | 54 | 36 | 2 3/8 |
| | | CMFF5442N_ | 590 | 666 | 54 | 42 | 2 3/8 |
| | | CMFF5448N_ | 638 | 714 | 54 | 48 | 2 3/8 |
| | | CMFF5454N_ | 678 | 754 | 54 | 54 | 2 3/8 |
| | | CMFF5460N_ | 729 | 805 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Fabric Panel Package - 66" | CMFF6624N_ | 488 | 539 | 66 | 24 | 2 3/8 |
| | | CMFF6630N_ | 557 | 608 | 66 | 30 | 2 3/8 |
| | | CMFF6636N_ | 619 | 712 | 66 | 36 | 2 3/8 |
| | | CMFF6642N_ | 706 | 799 | 66 | 42 | 2 3/8 |
| | | CMFF6648N_ | 748 | 841 | 66 | 48 | 2 3/8 |
| | | CMFF6654N_ | 811 | 904 | 66 | 54 | 2 3/8 |
| | | CMFF6660N_ | 861 | 954 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFFXXYY_ - POWERED COMPILE SINGLE SEGMENTED FABRIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.





| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
| | Powered Compile Single Segmented Fabric Panel Package - 42" | CMFF4224P_ | 534 | 567 | 42 | 24 | 2 3/8 |
| | | CMFF4230P_ | 635 | 668 | 42 | 30 | 2 3/8 |
| | | CMFF4236P_ | 673 | 736 | 42 | 36 | 2 3/8 |
| | | CMFF4242P_ | 742 | 806 | 42 | 42 | 2 3/8 |
| | | CMFF4248P_ | 791 | 855 | 42 | 48 | 2 3/8 |
| | | CMFF4254P_ | 857 | 921 | 42 | 54 | 2 3/8 |
| | | CMFF4260P_ | 899 | 963 | 42 | 60 | 2 3/8 |
| | | CMFF4266P_ | 1038 | 1161 | 42 | 66 | 2 3/8 |
| | | CMFF4272P_ | 1094 | 1217 | 42 | 72 | 2 3/8 |
| | Powered Compile Single Segmented Fabric Panel Package - 48" | CMFF4824P_ | 570 | 607 | 48 | 24 | 2 3/8 |
| | | CMFF4830P_ | 668 | 706 | 48 | 30 | 2 3/8 |
| | | CMFF4836P_ | 739 | 812 | 48 | 36 | 2 3/8 |
| | | CMFF4842P_ | 811 | 886 | 48 | 42 | 2 3/8 |
| | | CMFF4848P_ | 877 | 952 | 48 | 48 | 2 3/8 |
| | | CMFF4854P_ | 919 | 993 | 48 | 54 | 2 3/8 |
| | | CMFF4860P_ | 971 | 1044 | 48 | 60 | 2 3/8 |
| | Powered Compile Single Segmented Fabric Panel Package - 54" | CMFF5424P_ | 571 | 609 | 54 | 24 | 2 3/8 |
| | | CMFF5430P_ | 668 | 707 | 54 | 30 | 2 3/8 |
| | | CMFF5436P_ | 741 | 817 | 54 | 36 | 2 3/8 |
| | | CMFF5442P_ | 812 | 888 | 54 | 42 | 2 3/8 |
| | | CMFF5448P_ | 878 | 954 | 54 | 48 | 2 3/8 |
| | | CMFF5454P_ | 920 | 996 | 54 | 54 | 2 3/8 |
| | | CMFF5460P_ | 972 | 1048 | 54 | 60 | 2 3/8 |
| | Powered Compile Single Segmented Fabric Panel Package - 66" | CMFF6624P_ | 640 | 691 | 66 | 24 | 2 3/8 |
| | | CMFF6630P_ | 763 | 814 | 66 | 30 | 2 3/8 |
| | | CMFF6636P_ | 834 | 927 | 66 | 36 | 2 3/8 |
| | | CMFF6642P_ | 927 | 1020 | 66 | 42 | 2 3/8 |
| | | CMFF6648P_ | 985 | 1078 | 66 | 48 | 2 3/8 |
| | | CMFF6654P_ | 1049 | 1142 | 66 | 54 | 2 3/8 |
| | | CMFF6660P_ | 1100 | 1193 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFMAXYYN_ - NON-POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Monolithic Acoustic Panel Package - 42" | CMFMA4224N_ | 434 | 466 | 42 | 24 | 2 3/8 |
| | | CMFMA4230N_ | 488 | 520 | 42 | 30 | 2 3/8 |
| | | CMFMA4236N_ | 531 | 595 | 42 | 36 | 2 3/8 |
| | | CMFMA4242N_ | 583 | 647 | 42 | 42 | 2 3/8 |
| | | CMFMA4248N_ | 620 | 684 | 42 | 48 | 2 3/8 |
| | | CMFMA4254N_ | 686 | 750 | 42 | 54 | 2 3/8 |
| | | CMFMA4260N_ | 722 | 785 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Acoustic Panel Package - 48" | CMFMA4824N_ | 453 | 491 | 48 | 24 | 2 3/8 |
| | | CMFMA4830N_ | 510 | 532 | 48 | 30 | 2 3/8 |
| | | CMFMA4836N_ | 563 | 638 | 48 | 36 | 2 3/8 |
| | | CMFMA4842N_ | 630 | 705 | 48 | 42 | 2 3/8 |
| | | CMFMA4848N_ | 665 | 740 | 48 | 48 | 2 3/8 |
| | | CMFMA4854N_ | 713 | 788 | 48 | 54 | 2 3/8 |
| | | CMFMA4860N_ | 779 | 855 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Acoustic Panel Package - 54" | CMFMA5424N_ | 453 | 492 | 54 | 24 | 2 3/8 |
| | | CMFMA5430N_ | 511 | 550 | 54 | 30 | 2 3/8 |
| | | CMFMA5436N_ | 563 | 640 | 54 | 36 | 2 3/8 |
| | | CMFMA5442N_ | 630 | 707 | 54 | 42 | 2 3/8 |
| | | CMFMA5448N_ | 665 | 741 | 54 | 48 | 2 3/8 |
| | | CMFMA5454N_ | 714 | 791 | 54 | 54 | 2 3/8 |
| | | CMFMA5460N_ | 779 | 856 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Acoustic Panel Package - 66" | CMFMA6624N_ | 505 | 556 | 66 | 24 | 2 3/8 |
| | | CMFMA6630N_ | 580 | 631 | 66 | 30 | 2 3/8 |
| | | CMFMA6636N_ | 663 | 756 | 66 | 36 | 2 3/8 |
| | | CMFMA6642N_ | 745 | 838 | 66 | 42 | 2 3/8 |
| | | CMFMA6648N_ | 805 | 898 | 66 | 48 | 2 3/8 |
| | | CMFMA6654N_ | 893 | 988 | 66 | 54 | 2 3/8 |
| | | CMFMA6660N_ | 981 | 1074 | 66 | 60 | 2 3/8 |





Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFMAXYYYP - POWERED COMPILE MONOLITHIC ACOUSTIC PANEL PACKAGE

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered acoustic modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are lightly tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.






| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Monolithic Acoustic Panel Package - 42” | CMFMA4224P_ | 587 | 619 | 42 | 24 | 2 3/8 |
| | | CMFMA4230P_ | 693 | 725 | 42 | 30 | 2 3/8 |
| | | CMFMA4236P_ | 748 | 812 | 42 | 36 | 2 3/8 |
| | | CMFMA4242P_ | 806 | 870 | 42 | 42 | 2 3/8 |
| | | CMFMA4248P_ | 858 | 922 | 42 | 48 | 2 3/8 |
| | | CMFMA4254P_ | 924 | 988 | 42 | 54 | 2 3/8 |
| | | CMFMA4260P_ | 961 | 1024 | 42 | 60 | 2 3/8 |
|  | Powered Compile Monolithic Acoustic Panel Package - 48” | CMFMA4824P_ | 604 | 642 | 48 | 24 | 2 3/8 |
| | | CMFMA4830P_ | 714 | 752 | 48 | 30 | 2 3/8 |
| | | CMFMA4836P_ | 780 | 856 | 48 | 36 | 2 3/8 |
| | | CMFMA4842P_ | 850 | 926 | 48 | 42 | 2 3/8 |
| | | CMFMA4848P_ | 902 | 977 | 48 | 48 | 2 3/8 |
| | | CMFMA4854P_ | 954 | 1030 | 48 | 54 | 2 3/8 |
| | | CMFMA4860P_ | 1019 | 1095 | 48 | 60 | 2 3/8 |
|  | Powered Compile Monolithic Acoustic Panel Package - 54” | CMFMA5424P_ | 607 | 646 | 54 | 24 | 2 3/8 |
| | | CMFMA5430P_ | 715 | 754 | 54 | 30 | 2 3/8 |
| | | CMFMA5436P_ | 780 | 857 | 54 | 36 | 2 3/8 |
| | | CMFMA5442P_ | 851 | 928 | 54 | 42 | 2 3/8 |
| | | CMFMA5448P_ | 902 | 978 | 54 | 48 | 2 3/8 |
| | | CMFMA5454P_ | 954 | 1031 | 54 | 54 | 2 3/8 |
| | | CMFMA5460P_ | 1020 | 1097 | 54 | 60 | 2 3/8 |
|  | Powered Compile Monolithic Acoustic Panel Package - 66” | CMFMA6624P_ | 659 | 710 | 66 | 24 | 2 3/8 |
| | | CMFMA6630P_ | 787 | 838 | 66 | 30 | 2 3/8 |
| | | CMFMA6636P_ | 879 | 972 | 66 | 36 | 2 3/8 |
| | | CMFMA6642P_ | 963 | 1056 | 66 | 42 | 2 3/8 |
| | | CMFMA6648P_ | 1042 | 1135 | 66 | 48 | 2 3/8 |
| | | CMFMA6654P_ | 1132 | 1227 | 66 | 54 | 2 3/8 |
| | | CMFMA6660P_ | 1219 | 1312 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMLFMXXYYN - MONOLITHIC LAMINATE SINGLE SIDED PANEL – NON-POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- Panels are not tackable.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 30” | CMLFM3024N_ | 443 | 461 | 30 | 24 | 2 3/8 |
| | | CMLFM3030N_ | 514 | 527 | 30 | 30 | 2 3/8 |
| | | CMLFM3036N_ | 586 | 602 | 30 | 36 | 2 3/8 |
| | | CMLFM3042N_ | 665 | 678 | 30 | 42 | 2 3/8 |
| | | CMLFM3048N_ | 724 | 740 | 30 | 48 | 2 3/8 |
| | | CMLFM3054N_ | 799 | 818 | 30 | 54 | 2 3/8 |
| | | CMLFM3060N_ | 877 | 898 | 30 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 42” | CMLFM4224N_ | 523 | 539 | 42 | 24 | 2 3/8 |
| | | CMLFM4230N_ | 613 | 632 | 42 | 30 | 2 3/8 |
| | | CMLFM4236N_ | 700 | 723 | 42 | 36 | 2 3/8 |
| | | CMLFM4242N_ | 794 | 817 | 42 | 42 | 2 3/8 |
| | | CMLFM4248N_ | 865 | 890 | 42 | 48 | 2 3/8 |
| | | CMLFM4254N_ | 957 | 987 | 42 | 54 | 2 3/8 |
| | | CMLFM4260N_ | 1050 | 1081 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 48” | CMLFM4824N_ | 619 | 645 | 48 | 24 | 2 3/8 |
| | | CMLFM4830N_ | 726 | 745 | 48 | 30 | 2 3/8 |
| | | CMLFM4836N_ | 833 | 857 | 48 | 36 | 2 3/8 |
| | | CMLFM4842N_ | 944 | 973 | 48 | 42 | 2 3/8 |
| | | CMLFM4848N_ | 1030 | 1061 | 48 | 48 | 2 3/8 |
| | | CMLFM4854N_ | 1146 | 1180 | 48 | 54 | 2 3/8 |
| | | CMLFM4860N_ | 1258 | 1295 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 54” | CMLFM5424N_ | 620 | 642 | 54 | 24 | 2 3/8 |
| | | CMLFM5430N_ | 726 | 751 | 54 | 30 | 2 3/8 |
| | | CMLFM5436N_ | 833 | 857 | 54 | 36 | 2 3/8 |
| | | CMLFM5442N_ | 945 | 975 | 54 | 42 | 2 3/8 |
| | | CMLFM5448N_ | 1030 | 1063 | 54 | 48 | 2 3/8 |
| | | CMLFM5454N_ | 1146 | 1180 | 54 | 54 | 2 3/8 |
| | | CMLFM5460N_ | 1258 | 1296 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 66” | CMLFM6624N_ | 765 | 790 | 66 | 24 | 2 3/8 |
| | | CMLFM6630N_ | 896 | 926 | 66 | 30 | 2 3/8 |
| | | CMLFM6636N_ | 1033 | 1065 | 66 | 36 | 2 3/8 |
| | | CMLFM6642N_ | 1175 | 1209 | 66 | 42 | 2 3/8 |
| | | CMLFM6648N_ | 1278 | 1319 | 66 | 48 | 2 3/8 |
| | | CMLFM6654N_ | 1422 | 1467 | 66 | 54 | 2 3/8 |
| | | CMLFM6660N_ | 1565 | 1614 | 66 | 60 | 2 3/8 |






Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMLFMXXYP - MONOLITHIC LAMINATE SINGLE SIDED PANEL – POWERED

- Individual modules, one in fabric and one in laminate, incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- Panels are not tackable.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.






| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 30” | CMLFM3024P_ | 596 | 613 | 30 | 24 | 2 3/8 |
| | | CMLFM3030P_ | 719 | 790 | 30 | 30 | 2 3/8 |
| | | CMLFM3036P_ | 802 | 884 | 30 | 36 | 2 3/8 |
| | | CMLFM3042P_ | 886 | 974 | 30 | 42 | 2 3/8 |
| | | CMLFM3048P_ | 961 | 1058 | 30 | 48 | 2 3/8 |
| | | CMLFM3054P_ | 1038 | 1149 | 30 | 54 | 2 3/8 |
| | | CMLFM3060P_ | 1117 | 1237 | 30 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 42” | CMLFM4224P_ | 676 | 751 | 42 | 24 | 2 3/8 |
| | | CMLFM4230P_ | 819 | 906 | 42 | 30 | 2 3/8 |
| | | CMLFM4236P_ | 918 | 1019 | 42 | 36 | 2 3/8 |
| | | CMLFM4242P_ | 1017 | 1130 | 42 | 42 | 2 3/8 |
| | | CMLFM4248P_ | 1104 | 1227 | 42 | 48 | 2 3/8 |
| | | CMLFM4254P_ | 1197 | 1337 | 42 | 54 | 2 3/8 |
| | | CMLFM4260P_ | 1293 | 1444 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 48” | CMLFM4824P_ | 773 | 788 | 48 | 24 | 2 3/8 |
| | | CMLFM4830P_ | 932 | 954 | 48 | 30 | 2 3/8 |
| | | CMLFM4836P_ | 1049 | 1075 | 48 | 36 | 2 3/8 |
| | | CMLFM4842P_ | 1164 | 1193 | 48 | 42 | 2 3/8 |
| | | CMLFM4848P_ | 1268 | 1296 | 48 | 48 | 2 3/8 |
| | | CMLFM4854P_ | 1384 | 1421 | 48 | 54 | 2 3/8 |
| | | CMLFM4860P_ | 1499 | 1681 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 54” | CMLFM5424P_ | 774 | 864 | 54 | 24 | 2 3/8 |
| | | CMLFM5430P_ | 932 | 1040 | 54 | 30 | 2 3/8 |
| | | CMLFM5436P_ | 1049 | 1169 | 54 | 36 | 2 3/8 |
| | | CMLFM5442P_ | 1164 | 1303 | 54 | 42 | 2 3/8 |
| | | CMLFM5448P_ | 1268 | 1418 | 54 | 48 | 2 3/8 |
| | | CMLFM5454P_ | 1385 | 1550 | 54 | 54 | 2 3/8 |
| | | CMLFM5460P_ | 1499 | 1682 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic Single Sided Panel Package - 66” | CMLFM6624P_ | 920 | 1033 | 66 | 24 | 2 3/8 |
| | | CMLFM6630P_ | 1100 | 1232 | 66 | 30 | 2 3/8 |
| | | CMLFM6636P_ | 1250 | 1401 | 66 | 36 | 2 3/8 |
| | | CMLFM6642P_ | 1394 | 1565 | 66 | 42 | 2 3/8 |
| | | CMLFM6648P_ | 1516 | 1703 | 66 | 48 | 2 3/8 |
| | | CMLFM6654P_ | 1663 | 1870 | 66 | 54 | 2 3/8 |
| | | CMLFM6660P_ | 1807 | 2032 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMLLMXXYYN - MONOLITHIC LAMINATE DOUBLE SIDED PANEL - NON-POWERED

- Individual laminate modules incorporated into an aluminum frame.
- Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE Gr1 | DIMENSIONS/INCHES | | |
|---|---|--------------|-------------------|-------------------|----|-------|
| | | | | H | W | D |
|  | Non-Powered Compile Monolithic | CMLLM3024N_ | 501 | 30 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 30” | CMLLM3030N_ | 594 | 30 | 30 | 2 3/8 |
| | | CMLLM3036N_ | 678 | 30 | 36 | 2 3/8 |
| | | CMLLM3042N_ | 774 | 30 | 42 | 2 3/8 |
| | | CMLLM3048N_ | 864 | 30 | 48 | 2 3/8 |
| | | CMLLM3054N_ | 956 | 30 | 54 | 2 3/8 |
| | | CMLLM3060N_ | 1033 | 30 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic | CMLLM4224N_ | 594 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42” | CMLLM4230N_ | 699 | 42 | 30 | 2 3/8 |
| | | CMLLM4236N_ | 814 | 42 | 36 | 2 3/8 |
| | | CMLLM4242N_ | 928 | 42 | 42 | 2 3/8 |
| | | CMLLM4248N_ | 1039 | 42 | 48 | 2 3/8 |
| | | CMLLM4254N_ | 1142 | 42 | 54 | 2 3/8 |
| | | CMLLM4260N_ | 1242 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic | CMLLM4824N_ | 702 | 48 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 48” | CMLLM4830N_ | 832 | 48 | 30 | 2 3/8 |
| | | CMLLM4836N_ | 965 | 48 | 36 | 2 3/8 |
| | | CMLLM4842N_ | 1103 | 48 | 42 | 2 3/8 |
| | | CMLLM4848N_ | 1240 | 48 | 48 | 2 3/8 |
| | | CMLLM4854N_ | 1366 | 48 | 54 | 2 3/8 |
| | | CMLLM4860N_ | 1444 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic | CMLLM5424N_ | 702 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54” | CMLLM5430N_ | 832 | 54 | 30 | 2 3/8 |
| | | CMLLM5436N_ | 966 | 54 | 36 | 2 3/8 |
| | | CMLLM5442N_ | 1104 | 54 | 42 | 2 3/8 |
| | | CMLLM5448N_ | 1241 | 54 | 48 | 2 3/8 |
| | | CMLLM5454N_ | 1366 | 54 | 54 | 2 3/8 |
| | | CMLLM5460N_ | 1487 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Monolithic | CMLLM6624N_ | 889 | 66 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66” | CMLLM6630N_ | 1050 | 66 | 30 | 2 3/8 |
| | | CMLLM6636N_ | 1218 | 66 | 36 | 2 3/8 |
| | | CMLLM6642N_ | 1395 | 66 | 42 | 2 3/8 |
| | | CMLLM6648N_ | 1565 | 66 | 48 | 2 3/8 |
| | | CMLLM6654N_ | 1726 | 66 | 54 | 2 3/8 |
| | | CMLLM6660N_ | 1887 | 66 | 60 | 2 3/8 |






Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMLLMXXYP_ - MONOLITHIC LAMINATE DOUBLE SIDED PANEL – POWERED

- Individual laminate modules incorporated into an aluminum frame.
- Modules have laminate on both sides.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- 3 panel connector brackets per side come standard with 30”h, 42”h, 48”h and 54”h panels.
- 4 panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.
- Note: Trim is not required at a straight connection between two panels of the same height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE Gr1 | DIMENSIONS/INCHES | | |
|---|---|--------------|-------------------|-------------------|----|-------|
| | | | | H | W | D |
|  | Powered Compile Monolithic | CMLLM3024P_ | 657 | 30 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 30” | CMLLM3030P_ | 801 | 30 | 30 | 2 3/8 |
| | | CMLLM3036P_ | 896 | 30 | 36 | 2 3/8 |
| | | CMLLM3042P_ | 994 | 30 | 42 | 2 3/8 |
| | | CMLLM3048P_ | 1100 | 30 | 48 | 2 3/8 |
| | | CMLLM3054P_ | 1196 | 30 | 54 | 2 3/8 |
| | | CMLLM3060P_ | 1274 | 30 | 60 | 2 3/8 |
|  | Powered Compile Monolithic | CMLLM4224P_ | 748 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42” | CMLLM4230P_ | 906 | 42 | 30 | 2 3/8 |
| | | CMLLM4236P_ | 1032 | 42 | 36 | 2 3/8 |
| | | CMLLM4242P_ | 1150 | 42 | 42 | 2 3/8 |
| | | CMLLM4248P_ | 1276 | 42 | 48 | 2 3/8 |
| | | CMLLM4254P_ | 1383 | 42 | 54 | 2 3/8 |
| | | CMLLM4260P_ | 1483 | 42 | 60 | 2 3/8 |
|  | Powered Compile Monolithic | CMLLM4824P_ | 855 | 48 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 48” | CMLLM4830P_ | 1038 | 48 | 30 | 2 3/8 |
| | | CMLLM4836P_ | 1183 | 48 | 36 | 2 3/8 |
| | | CMLLM4842P_ | 1325 | 48 | 42 | 2 3/8 |
| | | CMLLM4848P_ | 1479 | 48 | 48 | 2 3/8 |
| | | CMLLM4854P_ | 1606 | 48 | 54 | 2 3/8 |
| | | CMLLM4860P_ | 1678 | 48 | 60 | 2 3/8 |
|  | Powered Compile Monolithic | CMLLM5424P_ | 855 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54” | CMLLM5430P_ | 1039 | 54 | 30 | 2 3/8 |
| | | CMLLM5436P_ | 1183 | 54 | 36 | 2 3/8 |
| | | CMLLM5442P_ | 1325 | 54 | 42 | 2 3/8 |
| | | CMLLM5448P_ | 1480 | 54 | 48 | 2 3/8 |
| | | CMLLM5454P_ | 1608 | 54 | 54 | 2 3/8 |
| | | CMLLM5460P_ | 1727 | 54 | 60 | 2 3/8 |
|  | Powered Compile Monolithic | CMLLM6624P_ | 1042 | 66 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66” | CMLLM6630P_ | 1258 | 66 | 30 | 2 3/8 |
| | | CMLLM6636P_ | 1435 | 66 | 36 | 2 3/8 |
| | | CMLLM6642P_ | 1617 | 66 | 42 | 2 3/8 |
| | | CMLLM6648P_ | 1802 | 66 | 48 | 2 3/8 |
| | | CMLLM6654P_ | 1966 | 66 | 54 | 2 3/8 |
| | | CMLLM6660P_ | 2128 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFLXXYYN - SEGMENTED LAMINATE SINGLE SIDED PANEL – NON-POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|------|-------------------|----|------|
| | | | Gr1 | Gr2 | H | W | D |
| | Non-Powered Compile Single Segmented Laminate Panel Package - 42" | CMFL4224N_ | 523 | 540 | 42 | 24 | 2.38 |
| | | CMFL4230N_ | 613 | 632 | 42 | 30 | 2.38 |
| | | CMFL4236N_ | 700 | 724 | 42 | 36 | 2.38 |
| | | CMFL4242N_ | 794 | 818 | 42 | 42 | 2.38 |
| | | CMFL4248N_ | 865 | 891 | 42 | 48 | 2.38 |
| | | CMFL4254N_ | 957 | 987 | 42 | 54 | 2.38 |
| | | CMFL4260N_ | 1050 | 1081 | 42 | 60 | 2.38 |
| | Non-Powered Compile Single Segmented Laminate Panel Package - 48" | CMFL4824N_ | 619 | 638 | 48 | 24 | 2.38 |
| | | CMFL4830N_ | 726 | 745 | 48 | 30 | 2.38 |
| | | CMFL4836N_ | 833 | 858 | 48 | 36 | 2.38 |
| | | CMFL4842N_ | 944 | 974 | 48 | 42 | 2.38 |
| | | CMFL4848N_ | 1030 | 1060 | 48 | 48 | 2.38 |
| | | CMFL4854N_ | 1146 | 1371 | 48 | 54 | 2.38 |
| | | CMFL4860N_ | 1258 | 1297 | 48 | 60 | 2.38 |
| | Non-Powered Compile Single Segmented Laminate Panel Package - 54" | CMFL5424N_ | 620 | 642 | 54 | 24 | 2.38 |
| | | CMFL5430N_ | 726 | 751 | 54 | 30 | 2.38 |
| | | CMFL5436N_ | 833 | 858 | 54 | 36 | 2.38 |
| | | CMFL5442N_ | 945 | 975 | 54 | 42 | 2.38 |
| | | CMFL5448N_ | 1030 | 1063 | 54 | 48 | 2.38 |
| | | CMFL5454N_ | 1146 | 1181 | 54 | 54 | 2.38 |
| | | CMFL5460N_ | 1258 | 1297 | 54 | 60 | 2.38 |
| | Non-Powered Compile Single Segmented Lmainate Panel Package - 66" | CMFL6624N_ | 765 | 791 | 66 | 24 | 2.38 |
| | | CMFL6630N_ | 896 | 926 | 66 | 30 | 2.38 |
| | | CMFL6636N_ | 1033 | 1065 | 66 | 36 | 2.38 |
| | | CMFL6642N_ | 1175 | 1207 | 66 | 42 | 2.38 |
| | | CMFL6648N_ | 1278 | 1320 | 66 | 48 | 2.38 |
| | | CMFL6654N_ | 1422 | 1468 | 66 | 54 | 2.38 |
| | | CMFL6660N_ | 1565 | 1615 | 66 | 60 | 2.38 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFLXXYP_ - SEGMENTED LAMINATE SINGLE SIDED PANEL – POWERED

- Individual fabric or laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.





| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
| | Powered Compile Single Segmented Laminate Panel Package - 42” | CMFL4224P_ | 676 | 751 | 42 | 24 | 2 3/8 |
| | | CMFL4230P_ | 819 | 906 | 42 | 30 | 2 3/8 |
| | | CMFL4236P_ | 918 | 1020 | 42 | 36 | 2 3/8 |
| | | CMFL4242P_ | 1017 | 1131 | 42 | 42 | 2 3/8 |
| | | CMFL4248P_ | 1104 | 1228 | 42 | 48 | 2 3/8 |
| | | CMFL4254P_ | 1197 | 1337 | 42 | 54 | 2 3/8 |
| | | CMFL4260P_ | 1293 | 1444 | 42 | 60 | 2 3/8 |
| | Powered Compile Single Segmented Laminate Panel Package - 48” | CMFL4824P_ | 773 | 791 | 48 | 24 | 2 3/8 |
| | | CMFL4830P_ | 932 | 953 | 48 | 30 | 2 3/8 |
| | | CMFL4836P_ | 1049 | 1075 | 48 | 36 | 2 3/8 |
| | | CMFL4842P_ | 1164 | 1192 | 48 | 42 | 2 3/8 |
| | | CMFL4848P_ | 1268 | 1300 | 48 | 48 | 2 3/8 |
| | | CMFL4854P_ | 1384 | 1420 | 48 | 54 | 2 3/8 |
| | | CMFL4860P_ | 1499 | 1540 | 48 | 60 | 2 3/8 |
| | Powered Compile Single Segmented Laminate Panel Package - 54” | CMFL5424P_ | 774 | 865 | 54 | 24 | 2 3/8 |
| | | CMFL5430P_ | 932 | 1040 | 54 | 30 | 2 3/8 |
| | | CMFL5436P_ | 1049 | 1169 | 54 | 36 | 2 3/8 |
| | | CMFL5442P_ | 1164 | 1303 | 54 | 42 | 2 3/8 |
| | | CMFL5448P_ | 1268 | 1419 | 54 | 48 | 2 3/8 |
| | | CMFL5454P_ | 1385 | 1550 | 54 | 54 | 2 3/8 |
| | | CMFL5460P_ | 1499 | 1683 | 54 | 60 | 2 3/8 |
| | Powered Compile Single Segmented Laminate Panel Package - 66” | CMFL6624P_ | 920 | 1034 | 66 | 24 | 2 3/8 |
| | | CMFL6630P_ | 1100 | 1232 | 66 | 30 | 2 3/8 |
| | | CMFL6636P_ | 1212 | 1403 | 66 | 36 | 2 3/8 |
| | | CMFL6642P_ | 1394 | 1565 | 66 | 42 | 2 3/8 |
| | | CMFL6648P_ | 1516 | 1701 | 66 | 48 | 2 3/8 |
| | | CMFL6654P_ | 1663 | 1871 | 66 | 54 | 2 3/8 |
| | | CMFL6660P_ | 1807 | 2034 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMLLXXYYN - SEGMENTED LAMINATE DOUBLE SIDED PANEL – NON-POWERED

- Individual laminate covered modules incorporated into an aluminum frame. same height.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE Gr1 | DIMENSIONS/INCHES | | |
|---|---|--------------|-------------------|-------------------|----|-------|
| | | | | H | W | D |
|  | Non-Powered Compile Single Segmented | CMLL4224N_ | 594 | 42 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 42” | CMLL4230N_ | 699 | 42 | 30 | 2 3/8 |
| | | CMLL4236N_ | 814 | 42 | 36 | 2 3/8 |
| | | CMLL4242N_ | 928 | 42 | 42 | 2 3/8 |
| | | CMLL4248N_ | 1039 | 42 | 48 | 2 3/8 |
| | | CMLL4254N_ | 1142 | 42 | 54 | 2 3/8 |
| | | CMLL4260N_ | 1242 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented | CMLL4824N_ | 702 | 48 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 48” | CMLL4830N_ | 832 | 48 | 30 | 2 3/8 |
| | | CMLL4836N_ | 965 | 48 | 36 | 2 3/8 |
| | | CMLL4842N_ | 1103 | 48 | 42 | 2 3/8 |
| | | CMLL4848N_ | 1240 | 48 | 48 | 2 3/8 |
| | | CMLL4854N_ | 1366 | 48 | 54 | 2 3/8 |
| | | CMLL4860N_ | 1485 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented | CMLL5424N_ | 702 | 54 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 54” | CMLL5430N_ | 832 | 54 | 30 | 2 3/8 |
| | | CMLL5436N_ | 966 | 54 | 36 | 2 3/8 |
| | | CMLL5442N_ | 1104 | 54 | 42 | 2 3/8 |
| | | CMLL5448N_ | 1241 | 54 | 48 | 2 3/8 |
| | | CMLL5454N_ | 1366 | 54 | 54 | 2 3/8 |
| | | CMLL5460N_ | 1487 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented | CMLL6624N_ | 889 | 66 | 24 | 2 3/8 |
| | Double Sided Laminate Panel Package - 66” | CMLL6630N_ | 1050 | 66 | 30 | 2 3/8 |
| | | CMLL6636N_ | 1218 | 66 | 36 | 2 3/8 |
| | | CMLL6642N_ | 1395 | 66 | 42 | 2 3/8 |
| | | CMLL6648N_ | 1565 | 66 | 48 | 2 3/8 |
| | | CMLL6654N_ | 1726 | 66 | 54 | 2 3/8 |
| | | CMLL6660N_ | 1887 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMLLXXYP_ - SEGMENTED LAMINATE DOUBLE SIDED PANEL – POWERED

- Individual laminate covered modules incorporated into an aluminum frame.
- Modules have laminate on one side and fabric on the other.
- Opposite sides of each module may have a different laminate within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48h” and 54”h panels.
- 4 Panel connector brackets per side come standard with 66” panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.


| | DESCRIPTION | PRODUCT CODE | LIST PRICE Gr1 | DIMENSIONS/INCHES | | |
|--|---|--------------|-------------------|-------------------|----|------|
| | | | | H | W | D |
| | Powered Compile Single Segmented | CMLL4224P_ | 748 | 42 | 24 | 2.38 |
| | Double Sided Laminate Panel Package - 42” | CMLL4230P_ | 906 | 42 | 30 | 2.38 |
| | | CMLL4236P_ | 1032 | 42 | 36 | 2.38 |
| | | CMLL4242P_ | 1150 | 42 | 42 | 2.38 |
| | | CMLL4248P_ | 1276 | 42 | 48 | 2.38 |
| | | CMLL4254P_ | 1383 | 42 | 54 | 2.38 |
| | | CMLL4260P_ | 1483 | 42 | 60 | 2.38 |
| | Powered Compile Single Segmented | CMLL4824P_ | 855 | 48 | 24 | 2.38 |
| | Double Sided Laminate Panel Package - 48” | CMLL4830P_ | 1038 | 48 | 30 | 2.38 |
| | | CMLL4836P_ | 1183 | 48 | 36 | 2.38 |
| | | CMLL4842P_ | 1325 | 48 | 42 | 2.38 |
| | | CMLL4848P_ | 1479 | 48 | 48 | 2.38 |
| | | CMLL4854P_ | 1606 | 48 | 54 | 2.38 |
| | | CMLL4860P_ | 1727 | 48 | 60 | 2.38 |
| | Powered Compile Single Segmented | CMLL5424P_ | 855 | 54 | 24 | 2.38 |
| | Double Sided Laminate Panel Package - 54” | CMLL5430P_ | 1039 | 54 | 30 | 2.38 |
| | | CMLL5436P_ | 1183 | 54 | 36 | 2.38 |
| | | CMLL5442P_ | 1325 | 54 | 42 | 2.38 |
| | | CMLL5448P_ | 1480 | 54 | 48 | 2.38 |
| | | CMLL5454P_ | 1608 | 54 | 54 | 2.38 |
| | | CMLL5460P_ | 1727 | 54 | 60 | 2.38 |
| | Powered Compile Single Segmented | CMLL6624P_ | 1042 | 66 | 24 | 2.38 |
| | Double Sided Laminate Panel Package - 66” | CMLL6630P_ | 1258 | 66 | 30 | 2.38 |
| | | CMLL6636P_ | 1435 | 66 | 36 | 2.38 |
| | | CMLL6642P_ | 1617 | 66 | 42 | 2.38 |
| | | CMLL6648P_ | 1802 | 66 | 48 | 2.38 |
| | | CMLL6654P_ | 1966 | 66 | 54 | 2.38 |
| | | CMLL6660P_ | 2128 | 66 | 60 | 2.38 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFWXXYYN_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL – NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Write Board Single Sided Panel Package - 48” No punchouts | CMFW4824N_ | 555 | 582 | 48 | 24 | 2 3/8 |
| | | CMFW4830N_ | 670 | 702 | 48 | 30 | 2 3/8 |
| | | CMFW4836N_ | 743 | 779 | 48 | 36 | 2 3/8 |
| | | CMFW4842N_ | 838 | 702 | 48 | 42 | 2 3/8 |
| | | CMFW4848N_ | 942 | 990 | 48 | 48 | 2 3/8 |
| | | CMFW4854N_ | 1047 | 1084 | 48 | 54 | 2 3/8 |
| | | CMFW4860N_ | 1152 | 1214 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Write Board Single Sided Panel Package - 54” | CMFW5424N_ | 556 | 578 | 54 | 24 | 2 3/8 |
| | | CMFW5430N_ | 671 | 696 | 54 | 30 | 2 3/8 |
| | | CMFW5436N_ | 744 | 768 | 54 | 36 | 2 3/8 |
| | | CMFW5442N_ | 839 | 869 | 54 | 42 | 2 3/8 |
| | | CMFW5448N_ | 943 | 976 | 54 | 48 | 2 3/8 |
| | | CMFW5454N_ | 1047 | 1082 | 54 | 54 | 2 3/8 |
| | | CMFW5460N_ | 1153 | 1192 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Write Board Single Sided Panel Package - 66” | CMFW6624N_ | 700 | 726 | 66 | 24 | 2 3/8 |
| | | CMFW6630N_ | 832 | 862 | 66 | 30 | 2 3/8 |
| | | CMFW6636N_ | 927 | 959 | 66 | 36 | 2 3/8 |
| | | CMFW6642N_ | 1048 | 1083 | 66 | 42 | 2 3/8 |
| | | CMFW6648N_ | 1169 | 1211 | 66 | 48 | 2 3/8 |
| | | CMFW6654N_ | 1300 | 1344 | 66 | 54 | 2 3/8 |
| | | CMFW6660N_ | 1435 | 1483 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFWXXYYP_ - SEGMENTED WRITE BOARD SINGLE SIDED PANEL – POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on one side and fabric on the other at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Write Board Single Sided Panel Package - 48” Punchouts on one side | CMFW4824P_ | 707 | 734 | 48 | 24 | 2 3/8 |
| | | CMFW4830P_ | 877 | 909 | 48 | 30 | 2 3/8 |
| | | CMFW4836P_ | 959 | 995 | 48 | 36 | 2 3/8 |
| | | CMFW4842P_ | 1058 | 1104 | 48 | 42 | 2 3/8 |
| | | CMFW4848P_ | 1180 | 1226 | 48 | 48 | 2 3/8 |
| | | CMFW4854P_ | 1287 | 1323 | 48 | 54 | 2 3/8 |
| | | CMFW4860P_ | 1393 | 1454 | 48 | 60 | 2 3/8 |
|  | Powered Compile Write Board Single Sided Panel Package - 54” | CMFW5424P_ | 709 | 731 | 54 | 24 | 2 3/8 |
| | | CMFW5430P_ | 878 | 903 | 54 | 30 | 2 3/8 |
| | | CMFW5436P_ | 959 | 984 | 54 | 36 | 2 3/8 |
| | | CMFW5442P_ | 1059 | 1089 | 54 | 42 | 2 3/8 |
| | | CMFW5448P_ | 1180 | 1213 | 54 | 48 | 2 3/8 |
| | | CMFW5454P_ | 1289 | 1324 | 54 | 54 | 2 3/8 |
| | | CMFW5460P_ | 1393 | 1435 | 54 | 60 | 2 3/8 |
|  | Powered Compile Write Board Single Sided Panel Package - 66” | CMFW6624P_ | 854 | 879 | 66 | 24 | 2 3/8 |
| | | CMFW6630P_ | 1039 | 1069 | 66 | 30 | 2 3/8 |
| | | CMFW6636P_ | 1142 | 1174 | 66 | 36 | 2 3/8 |
| | | CMFW6642P_ | 1269 | 1304 | 66 | 42 | 2 3/8 |
| | | CMFW6648P_ | 1408 | 1447 | 66 | 48 | 2 3/8 |
| | | CMFW6654P_ | 1539 | 1585 | 66 | 54 | 2 3/8 |
| | | CMFW6660P_ | 1677 | 1727 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMWWXXYYN_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL – NON-POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|------|-------------------|----|------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Write Board Single Segmented Panel Package - 48” No Punchouts | CMWW4824N_ | 608 | 625 | 48 | 24 | 2.38 |
| | | CMWW4830N_ | 755 | 776 | 48 | 30 | 2.38 |
| | | CMWW4836N_ | 817 | 846 | 48 | 36 | 2.38 |
| | | CMWW4842N_ | 927 | 957 | 48 | 42 | 2.38 |
| | | CMWW4848N_ | 1085 | 1118 | 48 | 48 | 2.38 |
| | | CMWW4854N_ | 1204 | 1241 | 48 | 54 | 2.38 |
| | | CMWW4860N_ | 1327 | 1365 | 48 | 60 | 2.38 |
|  | Non-Powered Compile Write Board Single Segmented Panel Package - 54” | CMWW5424N_ | 609 | 642 | 54 | 24 | 2.38 |
| | | CMWW5430N_ | 755 | 788 | 54 | 30 | 2.38 |
| | | CMWW5436N_ | 817 | 881 | 54 | 36 | 2.38 |
| | | CMWW5442N_ | 928 | 992 | 54 | 42 | 2.38 |
| | | CMWW5448N_ | 1085 | 1149 | 54 | 48 | 2.38 |
| | | CMWW5454N_ | 1205 | 1269 | 54 | 54 | 2.38 |
| | | CMWW5460N_ | 1327 | 1391 | 54 | 60 | 2.38 |
|  | Non-Powered Compile Write Board Single Segmented Panel Package - 66” | CMWW6624N_ | 751 | 784 | 66 | 24 | 2.38 |
| | | CMWW6630N_ | 920 | 953 | 66 | 30 | 2.38 |
| | | CMWW6636N_ | 927 | 991 | 66 | 36 | 2.38 |
| | | CMWW6642N_ | 1138 | 1203 | 66 | 42 | 2.38 |
| | | CMWW6648N_ | 1308 | 1372 | 66 | 48 | 2.38 |
| | | CMWW6654N_ | 1460 | 1524 | 66 | 54 | 2.38 |
| | | CMWW6660N_ | 1610 | 1674 | 66 | 60 | 2.38 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMWWXYYP_ - SEGMENTED WRITE BOARD DOUBLE SIDED PANEL – POWERED

- Individual fabric or write board covered modules incorporated into an aluminum frame.
- Modules have write board on two sides at the top and fabric on two sides at the bottom.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h. and 54”h. panels.
- 4 Panel connector brackets per side come standard with 66”h. panels.
- 24” wide panels have two punchouts, one for electrical and one for data.
- 30” wide panels and wider have three punchouts, two for electrical and one for data.




| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--------------------------------------|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Write Board | CMWW4824P_ | 761 | 779 | 48 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 48" | CMWW4830P_ | 961 | 982 | 48 | 30 | 2 3/8 |
| | Punchouts on one side | CMWW4836P_ | 1034 | 1061 | 48 | 36 | 2 3/8 |
| | | CMWW4842P_ | 1149 | 1178 | 48 | 42 | 2 3/8 |
| | | CMWW4848P_ | 1322 | 1355 | 48 | 48 | 2 3/8 |
| | | CMWW4854P_ | 1444 | 1481 | 48 | 54 | 2 3/8 |
| | | CMWW4860P_ | 1568 | 1605 | 48 | 60 | 2 3/8 |
|  | Powered Compile Write Board | CMWW5424P_ | 761 | 794 | 54 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 54" | CMWW5430P_ | 961 | 994 | 54 | 30 | 2 3/8 |
| | | CMWW5436P_ | 1034 | 1098 | 54 | 36 | 2 3/8 |
| | | CMWW5442P_ | 1150 | 1214 | 54 | 42 | 2 3/8 |
| | | CMWW5448P_ | 1322 | 1386 | 54 | 48 | 2 3/8 |
| | | CMWW5454P_ | 1445 | 1509 | 54 | 54 | 2 3/8 |
| | | CMWW5460P_ | 1568 | 1632 | 54 | 60 | 2 3/8 |
|  | Powered Compile Write Board | CMWW6624P_ | 902 | 935 | 66 | 24 | 2 3/8 |
| | Single Segmented Panel Package - 66" | CMWW6630P_ | 1125 | 1158 | 66 | 30 | 2 3/8 |
| | | CMWW6636P_ | 1219 | 1283 | 66 | 36 | 2 3/8 |
| | | CMWW6642P_ | 1358 | 1422 | 66 | 42 | 2 3/8 |
| | | CMWW6648P_ | 1547 | 1611 | 66 | 48 | 2 3/8 |
| | | CMWW6654P_ | 1700 | 1764 | 66 | 54 | 2 3/8 |
| | | CMWW6660P_ | 1851 | 1915 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFOXXYYN_ - COMPILE SINGLE SEGMENTED OPEN BOTTOM PANEL PACKAGE – NON-POWERED

- Non powered.
- Includes one panel and two raceways covers with no punchouts and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-----|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Single Segmented Open Bottom Panel Package - 42" | CMFO4224N_ | 355 | 371 | 42 | 24 | 2 3/8 |
| | | CMFO4230N_ | 398 | 412 | 42 | 30 | 2 3/8 |
| | | CMFO4236N_ | 422 | 449 | 42 | 36 | 2 3/8 |
| | | CMFO4242N_ | 482 | 509 | 42 | 42 | 2 3/8 |
| | | CMFO4248N_ | 513 | 540 | 42 | 48 | 2 3/8 |
| | | CMFO4254N_ | 572 | 586 | 42 | 54 | 2 3/8 |
| | | CMFO4260N_ | 611 | 638 | 42 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Open Bottom Panel Package - 48" | CMFO4824N_ | 383 | 404 | 48 | 24 | 2 3/8 |
| | | CMFO4830N_ | 429 | 447 | 48 | 30 | 2 3/8 |
| | | CMFO4836N_ | 482 | 501 | 48 | 36 | 2 3/8 |
| | | CMFO4842N_ | 547 | 584 | 48 | 42 | 2 3/8 |
| | | CMFO4848N_ | 590 | 628 | 48 | 48 | 2 3/8 |
| | | CMFO4854N_ | 627 | 665 | 48 | 54 | 2 3/8 |
| | | CMFO4860N_ | 675 | 713 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Open Bottom Panel Package - 54" | CMFO5424N_ | 384 | 406 | 54 | 24 | 2 3/8 |
| | | CMFO5430N_ | 429 | 451 | 54 | 30 | 2 3/8 |
| | | CMFO5436N_ | 483 | 505 | 54 | 36 | 2 3/8 |
| | | CMFO5442N_ | 547 | 585 | 54 | 42 | 2 3/8 |
| | | CMFO5448N_ | 590 | 628 | 54 | 48 | 2 3/8 |
| | | CMFO5454N_ | 627 | 666 | 54 | 54 | 2 3/8 |
| | | CMFO5460N_ | 676 | 714 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Single Segmented Open Bottom Panel Package - 66" | CMFO6624N_ | 450 | 482 | 66 | 24 | 2 3/8 |
| | | CMFO6630N_ | 516 | 548 | 66 | 30 | 2 3/8 |
| | | CMFO6636N_ | 574 | 631 | 66 | 36 | 2 3/8 |
| | | CMFO6642N_ | 653 | 711 | 66 | 42 | 2 3/8 |
| | | CMFO6648N_ | 691 | 749 | 66 | 48 | 2 3/8 |
| | | CMFO6654N_ | 751 | 808 | 66 | 54 | 2 3/8 |
| | | CMFO6660N_ | 796 | 853 | 66 | 60 | 2 3/8 |


Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFOXXYP - COMPILE SINGLE SEGMENTED - OPEN BOTTOM PANEL PACKAGE – POWERED

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout, one raceway cover without punchout and a integrated aluminum top cap.
- Individual fabric-covered module in upper position incorporated into an aluminum frame. Bottom is open.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- 24” wide panels have one punchout, 30” wide panels or wider have two punchouts.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Single Segmented Open Bottom Panel Package - 42” | CMFO4224P_ | 494 | 510 | 42 | 24 | 2 3/8 |
| | | CMFO4230P_ | 588 | 604 | 42 | 30 | 2 3/8 |
| | | CMFO4236P_ | 620 | 647 | 42 | 36 | 2 3/8 |
| | | CMFO4242P_ | 685 | 712 | 42 | 42 | 2 3/8 |
| | | CMFO4248P_ | 730 | 757 | 42 | 48 | 2 3/8 |
| | | CMFO4254P_ | 791 | 805 | 42 | 54 | 2 3/8 |
|  | Powered Compile Single Segmented Open Bottom Panel Package - 48” | CMFO4824P_ | 525 | 546 | 48 | 24 | 2 3/8 |
| | | CMFO4830P_ | 616 | 635 | 48 | 30 | 2 3/8 |
| | | CMFO4836P_ | 684 | 703 | 48 | 36 | 2 3/8 |
| | | CMFO4842P_ | 750 | 788 | 48 | 42 | 2 3/8 |
| | | CMFO4848P_ | 809 | 847 | 48 | 48 | 2 3/8 |
| | | CMFO4854P_ | 847 | 885 | 48 | 54 | 2 3/8 |
|  | Powered Compile Single Segmented Open Bottom Panel Package - 54” | CMFO5424P_ | 525 | 547 | 54 | 24 | 2 3/8 |
| | | CMFO5430P_ | 619 | 640 | 54 | 30 | 2 3/8 |
| | | CMFO5436P_ | 684 | 706 | 54 | 36 | 2 3/8 |
| | | CMFO5442P_ | 751 | 790 | 54 | 42 | 2 3/8 |
| | | CMFO5448P_ | 811 | 850 | 54 | 48 | 2 3/8 |
| | | CMFO5454P_ | 850 | 888 | 54 | 54 | 2 3/8 |
|  | Powered Compile Single Segmented Open Bottom Panel Package - 66” | CMFO6624P_ | 591 | 622 | 66 | 24 | 2 3/8 |
| | | CMFO6630P_ | 704 | 736 | 66 | 30 | 2 3/8 |
| | | CMFO6636P_ | 773 | 831 | 66 | 36 | 2 3/8 |
| | | CMFO6642P_ | 855 | 912 | 66 | 42 | 2 3/8 |
| | | CMFO6648P_ | 908 | 966 | 66 | 48 | 2 3/8 |
| | | CMFO6654P_ | 971 | 1028 | 66 | 54 | 2 3/8 |
| | | CMFO6660P_ | 1019 | 1077 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMFGXXYYN - COMPILE GLAZED PANEL PACKAGE – NON-POWERED

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing starts at 29” high to the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
| | Non-Powered Compile Glazed Panel Package - 42" | CMFG4224N_ | 480 | 498 | 42 | 24 | 2 3/8 |
| | | CMFG4230N_ | 547 | 568 | 42 | 30 | 2 3/8 |
| | | CMFG4236N_ | 612 | 638 | 42 | 36 | 2 3/8 |
| | | CMFG4242N_ | 684 | 713 | 42 | 42 | 2 3/8 |
| | | CMFG4248N_ | 748 | 778 | 42 | 48 | 2 3/8 |
| | | CMFG4254N_ | 841 | 873 | 42 | 54 | 2 3/8 |
| | | CMFG4260N_ | 927 | 964 | 42 | 60 | 2 3/8 |
| | Non-Powered Compile Glazed Panel Package - 48" | CMFG4824N_ | 516 | 534 | 48 | 24 | 2 3/8 |
| | | CMFG4830N_ | 604 | 625 | 48 | 30 | 2 3/8 |
| | | CMFG4836N_ | 687 | 712 | 48 | 36 | 2 3/8 |
| | | CMFG4842N_ | 770 | 797 | 48 | 42 | 2 3/8 |
| | | CMFG4848N_ | 840 | 870 | 48 | 48 | 2 3/8 |
| | | CMFG4854N_ | 978 | 1011 | 48 | 54 | 2 3/8 |
| | | CMFG4860N_ | 1106 | 1145 | 48 | 60 | 2 3/8 |
| | Non-Powered Compile Glazed Panel Package - 54" | CMFG5424N_ | 517 | 538 | 54 | 24 | 2 3/8 |
| | | CMFG5430N_ | 607 | 629 | 54 | 30 | 2 3/8 |
| | | CMFG5436N_ | 687 | 713 | 54 | 36 | 2 3/8 |
| | | CMFG5442N_ | 773 | 800 | 54 | 42 | 2 3/8 |
| | | CMFG5448N_ | 841 | 872 | 54 | 48 | 2 3/8 |
| | | CMFG5454N_ | 979 | 1012 | 54 | 54 | 2 3/8 |
| | | CMFG5460N_ | 1107 | 1146 | 54 | 60 | 2 3/8 |
| | Non-Powered Compile Glazed Panel Package - 66" | CMFG6624N_ | 648 | 675 | 66 | 24 | 2 3/8 |
| | | CMFG6630N_ | 753 | 784 | 66 | 30 | 2 3/8 |
| | | CMFG6636N_ | 858 | 891 | 66 | 36 | 2 3/8 |
| | | CMFG6642N_ | 966 | 1009 | 66 | 42 | 2 3/8 |
| | | CMFG6648N_ | 1048 | 1095 | 66 | 48 | 2 3/8 |
| | | CMFG6654N_ | 1213 | 1264 | 66 | 54 | 2 3/8 |
| | | CMFG6660N_ | 1369 | 1423 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMFGXXYP - COMPILE GLAZED PANEL PACKAGE – POWERED

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42”h, 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing starts at 29” high to the top of the panel.




| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
| | Powered Compile Glazed Panel Package - 42" | CMFG4224P_ | 632 | 650 | 42 | 24 | 2 3/8 |
| | | CMFG4230P_ | 753 | 774 | 42 | 30 | 2 3/8 |
| | | CMFG4236P_ | 829 | 855 | 42 | 36 | 2 3/8 |
| | | CMFG4242P_ | 902 | 931 | 42 | 42 | 2 3/8 |
| | | CMFG4248P_ | 985 | 1015 | 42 | 48 | 2 3/8 |
| | | CMFG4254P_ | 1078 | 1110 | 42 | 54 | 2 3/8 |
| | | CMFG4260P_ | 1165 | 1202 | 42 | 60 | 2 3/8 |
| | Powered Compile Glazed Panel Package - 48" | CMFG4824P_ | 668 | 687 | 48 | 24 | 2 3/8 |
| | | CMFG4830P_ | 809 | 830 | 48 | 30 | 2 3/8 |
| | | CMFG4836P_ | 902 | 928 | 48 | 36 | 2 3/8 |
| | | CMFG4842P_ | 992 | 1018 | 48 | 42 | 2 3/8 |
| | | CMFG4848P_ | 1076 | 1107 | 48 | 48 | 2 3/8 |
| | | CMFG4854P_ | 1216 | 1249 | 48 | 54 | 2 3/8 |
| | | CMFG4860P_ | 1347 | 1385 | 48 | 60 | 2 3/8 |
| | Powered Compile Glazed Panel Package - 54" | CMFG5424P_ | 668 | 689 | 54 | 24 | 2 3/8 |
| | | CMFG5430P_ | 811 | 833 | 54 | 30 | 2 3/8 |
| | | CMFG5436P_ | 902 | 928 | 54 | 36 | 2 3/8 |
| | | CMFG5442P_ | 992 | 1019 | 54 | 42 | 2 3/8 |
| | | CMFG5448P_ | 1077 | 1108 | 54 | 48 | 2 3/8 |
| | | CMFG5454P_ | 1217 | 1250 | 54 | 54 | 2 3/8 |
| | | CMFG5460P_ | 1348 | 1387 | 54 | 60 | 2 3/8 |
| | Powered Compile Glazed Panel Package - 66" | CMFG6624P_ | 801 | 828 | 66 | 24 | 2 3/8 |
| | | CMFG6630P_ | 959 | 990 | 66 | 30 | 2 3/8 |
| | | CMFG6636P_ | 1075 | 1108 | 66 | 36 | 2 3/8 |
| | | CMFG6642P_ | 1187 | 1230 | 66 | 42 | 2 3/8 |
| | | CMFG6648P_ | 1289 | 1336 | 66 | 48 | 2 3/8 |
| | | CMFG6654P_ | 1450 | 1501 | 66 | 54 | 2 3/8 |
| | | CMFG6660P_ | 1612 | 1666 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMPGXXYYN_ - COMPILE PARTLY GLAZED PANEL PACKAGE – NON-POWERED

- Non powered.
- Includes one panel and two raceway covers with no punchouts.
- Individual fabric-covered module in lower position incorporated into a solid steel frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing is 14” nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile Partly Glazed Panel Package - 48" | CMPG4824N_ | 550 | 592 | 48 | 24 | 2 3/8 |
| | | CMPG4830N_ | 634 | 688 | 48 | 30 | 2 3/8 |
| | | CMPG4836N_ | 707 | 762 | 48 | 36 | 2 3/8 |
| | | CMPG4842N_ | 787 | 857 | 48 | 42 | 2 3/8 |
| | | CMPG4848N_ | 868 | 951 | 48 | 48 | 2 3/8 |
| | | CMPG4854N_ | 959 | 1044 | 48 | 54 | 2 3/8 |
| | | CMPG4860N_ | 1042 | 1136 | 48 | 60 | 2 3/8 |
|  | Non-Powered Compile Partly Glazed Panel Package - 54" | CMPG5424N_ | 550 | 593 | 54 | 24 | 2 3/8 |
| | | CMPG5430N_ | 634 | 689 | 54 | 30 | 2 3/8 |
| | | CMPG5436N_ | 709 | 766 | 54 | 36 | 2 3/8 |
| | | CMPG5442N_ | 788 | 857 | 54 | 42 | 2 3/8 |
| | | CMPG5448N_ | 868 | 951 | 54 | 48 | 2 3/8 |
| | | CMPG5454N_ | 959 | 1045 | 54 | 54 | 2 3/8 |
| | | CMPG5460N_ | 1043 | 1138 | 54 | 60 | 2 3/8 |
|  | Non-Powered Compile Partly Glazed Panel Package - 66" | CMPG6624N_ | 604 | 651 | 66 | 24 | 2 3/8 |
| | | CMPG6630N_ | 692 | 749 | 66 | 30 | 2 3/8 |
| | | CMPG6636N_ | 776 | 921 | 66 | 36 | 2 3/8 |
| | | CMPG6642N_ | 864 | 933 | 66 | 42 | 2 3/8 |
| | | CMPG6648N_ | 955 | 1037 | 66 | 48 | 2 3/8 |
| | | CMPG6654N_ | 1052 | 1136 | 66 | 54 | 2 3/8 |
| | | CMPG6660N_ | 1146 | 1237 | 66 | 60 | 2 3/8 |




Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMPGXXYP_ - COMPILER PARTLY GLAZED PANEL PACKAGE – POWERED

- With power distribution harness.
- Includes one panel, power harness, one raceway cover with punchout and one raceway cover with no punchout.
- Individual fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable or acoustical.
- Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 48”h and 54”h panels.
- 4 Panel connector brackets per side come standard with 66”h panels.
- Panels contain leveling glides. Maximum extension of glides is 2”.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- PVC glass retainer in matching paint color.
- Glazing is 14” nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|-------|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Powered Compile Partly Glazed Panel Package - 48" | CMPG4824P_ | 704 | 746 | 48 | 24 | 2 3/8 |
| | | CMPG4830P_ | 841 | 895 | 48 | 2 3/8 | |
| | | CMPG4836P_ | 923 | 978 | 48 | 36 | 2 3/8 |
| | | CMPG4842P_ | 1008 | 1076 | 48 | 42 | 2 3/8 |
| | | CMPG4848P_ | 1107 | 1189 | 48 | 48 | 2 3/8 |
| | | CMPG4854P_ | 1197 | 1283 | 48 | 54 | 2 3/8 |
| | | CMPG4860P_ | 1282 | 1377 | 48 | 60 | 2 3/8 |
|  | Powered Compile Partly Glazed Panel Package - 54" | CMPG5424P_ | 704 | 747 | 54 | 24 | 2 3/8 |
| | | CMPG5430P_ | 842 | 897 | 54 | 30 | 2 3/8 |
| | | CMPG5436P_ | 924 | 981 | 54 | 36 | 2 3/8 |
| | | CMPG5442P_ | 1008 | 1077 | 54 | 42 | 2 3/8 |
| | | CMPG5448P_ | 1108 | 1191 | 54 | 48 | 2 3/8 |
| | | CMPG5454P_ | 1198 | 1284 | 54 | 54 | 2 3/8 |
| | | CMPG5460P_ | 1282 | 1377 | 54 | 60 | 2 3/8 |
|  | Powered Compile Partly Glazed Panel Package - 66" | CMPG6624P_ | 755 | 802 | 66 | 24 | 2 3/8 |
| | | CMPG6630P_ | 898 | 955 | 66 | 30 | 2 3/8 |
| | | CMPG6636P_ | 992 | 1137 | 66 | 36 | 2 3/8 |
| | | CMPG6642P_ | 1085 | 1154 | 66 | 42 | 2 3/8 |
| | | CMPG6648P_ | 1192 | 1274 | 66 | 48 | 2 3/8 |
| | | CMPG6654P_ | 1293 | 1377 | 66 | 54 | 2 3/8 |
| | | CMPG6660P_ | 1386 | 1477 | 66 | 60 | 2 3/8 |





Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMPLGXXYYN - SINGLE 12" GLAZED AT TOP PANEL - NON-POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h

- panels.
- 4 Panel connector brackets per side come standard with 66"h. panels.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Glazing is 12" nominal from the top of the panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
|  | Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 42" | CMPLG4224N_ | 527 | 546 | 42 | 24 | 2 3/8 |
| | | CMPLG4230N_ | 616 | 635 | 42 | 30 | 2 3/8 |
| | | CMPLG4236N_ | 707 | 745 | 42 | 36 | 2 3/8 |
| | | CMPLG4242N_ | 787 | 824 | 42 | 42 | 2 3/8 |
| | | CMPLG4248N_ | 855 | 893 | 42 | 48 | 2 3/8 |
| | | CMPLG4254N_ | 955 | 993 | 42 | 54 | 2 3/8 |
|  | Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 48" | CMPLG4824N_ | 539 | 556 | 48 | 24 | 2 3/8 |
| | | CMPLG4830N_ | 621 | 639 | 48 | 30 | 2 3/8 |
| | | CMPLG4836N_ | 693 | 729 | 48 | 36 | 2 3/8 |
| | | CMPLG4842N_ | 770 | 806 | 48 | 42 | 2 3/8 |
| | | CMPLG4848N_ | 843 | 879 | 48 | 48 | 2 3/8 |
| | | CMPLG4854N_ | 942 | 975 | 48 | 54 | 2 3/8 |
|  | Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 54" | CMPLG5424N_ | 542 | 563 | 54 | 24 | 2 3/8 |
| | | CMPLG5430N_ | 621 | 640 | 54 | 30 | 2 3/8 |
| | | CMPLG5436N_ | 696 | 733 | 54 | 36 | 2 3/8 |
| | | CMPLG5442N_ | 773 | 811 | 54 | 42 | 2 3/8 |
| | | CMPLG5448N_ | 854 | 892 | 54 | 48 | 2 3/8 |
| | | CMPLG5454N_ | 943 | 981 | 54 | 54 | 2 3/8 |
|  | Non-Powered Compile 12" Top Glazed Single Segmented Panel Package - 66" | CMPLG6624N_ | 590 | 628 | 66 | 24 | 2 3/8 |
| | | CMPLG6630N_ | 678 | 716 | 66 | 30 | 2 3/8 |
| | | CMPLG6636N_ | 776 | 851 | 66 | 36 | 2 3/8 |
| | | CMPLG6642N_ | 847 | 922 | 66 | 42 | 2 3/8 |
| | | CMPLG6648N_ | 938 | 1012 | 66 | 48 | 2 3/8 |
| | | CMPLG6654N_ | 1033 | 1108 | 66 | 54 | 2 3/8 |
| | | CMPLG6660N_ | 1124 | 1199 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (0) No Knockouts Side 1 and Side 2
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2



CMPLGXXYP_ - SINGLE 12" GLAZED AT TOP PANEL – POWERED

- Individual fabric-covered module in lower position with 12" H glazed module in upper position incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- Panels are not tackable.
- Note: Trim is not required at a straight connection between two panels of the same height.
- 3 Panel connector brackets per side come standard with 42"h, 48"h and 54"h panels.
- 4 Panel connector brackets per side come standard with 66"h panels.
- Standard clear (CLR) plexi.
- Optional Frosted Plexi with 10% upcharge.
- 24" wide panels have two punchouts, one for electrical and one for data.
- 30" wide panels and wider have three punchouts, two for electrical and one for data.
- Please specify duplex receptacles separately.
- Glazing is 12" nominal from the top of the panel.




| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--|--------------|------------|------|-------------------|----|-------|
| | | | Gr1 | Gr2 | H | W | D |
| | Powered Compile 12" Top Glazed Single Segmented Panel Package - 42" | CMPLG4224P_ | 680 | 701 | 42 | 24 | 2 3/8 |
| | | CMPLG4230P_ | 822 | 843 | 42 | 30 | 2 3/8 |
| | | CMPLG4236P_ | 923 | 960 | 42 | 36 | 2 3/8 |
| | | CMPLG4242P_ | 1007 | 1045 | 42 | 42 | 2 3/8 |
| | | CMPLG4248P_ | 1094 | 1132 | 42 | 48 | 2 3/8 |
| | | CMPLG4254P_ | 1194 | 1231 | 42 | 54 | 2 3/8 |
| | | CMPLG4260P_ | 1291 | 1328 | 42 | 60 | 2 3/8 |
| | Powered Compile 12" Top Glazed Single Segmented Panel Package - 48" | CMPLG4824P_ | 692 | 713 | 48 | 24 | 2 3/8 |
| | | CMPLG4830P_ | 828 | 845 | 48 | 30 | 2 3/8 |
| | | CMPLG4836P_ | 911 | 946 | 48 | 36 | 2 3/8 |
| | | CMPLG4842P_ | 992 | 1025 | 48 | 42 | 2 3/8 |
| | | CMPLG4848P_ | 1073 | 1108 | 48 | 48 | 2 3/8 |
| | | CMPLG4854P_ | 1181 | 1216 | 48 | 54 | 2 3/8 |
| | | CMPLG4860P_ | 1265 | 1300 | 48 | 60 | 2 3/8 |
| | Powered Compile 12" Top Glazed Single Segmented Panel Package - 54" | CMPLG5424P_ | 693 | 712 | 54 | 24 | 2 3/8 |
| | | CMPLG5430P_ | 829 | 848 | 54 | 30 | 2 3/8 |
| | | CMPLG5436P_ | 911 | 949 | 54 | 36 | 2 3/8 |
| | | CMPLG5442P_ | 992 | 1030 | 54 | 42 | 2 3/8 |
| | | CMPLG5448P_ | 1092 | 1130 | 54 | 48 | 2 3/8 |
| | | CMPLG5454P_ | 1181 | 1219 | 54 | 54 | 2 3/8 |
| | | CMPLG5460P_ | 1265 | 1303 | 54 | 60 | 2 3/8 |
| | Powered Compile 12" Top Glazed Single Segmented Panel Package - 66" | CMPLG6624P_ | 745 | 782 | 66 | 24 | 2 3/8 |
| | | CMPLG6630P_ | 886 | 924 | 66 | 30 | 2 3/8 |
| | | CMPLG6636P_ | 979 | 1053 | 66 | 36 | 2 3/8 |
| | | CMPLG6642P_ | 1069 | 1143 | 66 | 42 | 2 3/8 |
| | | CMPLG6648P_ | 1176 | 1251 | 66 | 48 | 2 3/8 |
| | | CMPLG6654P_ | 1273 | 1348 | 66 | 54 | 2 3/8 |
| | | CMPLG6660P_ | 1364 | 1438 | 66 | 60 | 2 3/8 |

Raceway Cover Options (1) Shown

- **RACEWAY COVER OPTIONS (Suffix)**
 - (1) Knockouts Side 1 – No Knockout Side 2
 - (2) Knockouts Side 1 and Side 2

CMPSXX - COMPILE PRIVACY GLASS

- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Clamps available in satin chrome finish only.
- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.
- Please note Privacy Glass in 24" - 54" widths includes 2 clamps and a Privacy Glass in 60" width includes 3 clamps.
- Square profile on clamps and glass corners.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|-----------------------|--------------|------------|----------|-------------------|----|---|
| | | | CLR | FRST ADD | H | W | D |
|  <p>12" H</p> | Compile Privacy Glass | CMPS24 | 295 | 63 | 12 | 24 | 6 |
| | | CMPS30 | 313 | 46 | 12 | 30 | 6 |
| | | CMPS36 | 330 | 37 | 12 | 36 | 6 |
| | | CMPS42 | 341 | 59 | 12 | 42 | 6 |
| | | CMPS48 | 350 | 22 | 12 | 48 | 6 |
| | | CMPS54 | 360 | 93 | 12 | 54 | 6 |
| | | CMPS60 | 376 | 115 | 12 | 60 | 6 |
|  <p>9" H</p> | Compile Privacy Glass | CMPS0924 | 295 | 63 | 9 | 24 | 6 |
| | | CMPS0930 | 313 | 50 | 9 | 30 | 6 |
| | | CMPS0936 | 330 | 37 | 9 | 36 | 6 |
| | | CMPS0942 | 341 | 59 | 9 | 42 | 6 |
| | | CMPS0948 | 350 | 22 | 9 | 48 | 6 |
| | | CMPS0954 | 360 | 93 | 9 | 54 | 6 |
| | | CMPS0960 | 376 | 115 | 9 | 60 | 6 |
|  <p>6" H</p> | Compile Privacy Glass | CMPS0624 | 295 | 63 | 6 | 24 | 6 |
| | | CMPS0630 | 313 | 50 | 6 | 30 | 6 |
| | | CMPS0636 | 330 | 37 | 6 | 36 | 6 |
| | | CMPS0642 | 341 | 59 | 6 | 42 | 6 |
| | | CMPS0648 | 350 | 22 | 6 | 48 | 6 |
| | | CMPS0654 | 360 | 93 | 6 | 54 | 6 |
| | | CMPS0660 | 376 | 115 | 6 | 60 | 6 |

CMPSGXX - COMPILE PRIVACY GLASS PANEL WIDTH


- Attaches on top of Compile Panels to add privacy or divide space.
- Standard in clear (CLR) or frosted (FRST) glass.
- Width dimensions given are width of glass only.
- Attachment hardware is provided for attaching to panels.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|-----------------------|--------------|------------|----------|-------------------|----|------|
| | | | CLR | FRST ADD | H | W | D |
|  | Compile Privacy Glass | CMPSEG0624 | 264 | 58.08 | 6 | 24 | 2.41 |
| | | CMPSEG0630 | 288 | 44 | 6 | 30 | 2.41 |
| | | CMPSEG0636 | 306 | 30.6 | 6 | 36 | 2.41 |
| | | CMPSEG0642 | 319 | 52 | 6 | 42 | 2.41 |
| | | CMPSEG0648 | 339 | 67.8 | 6 | 48 | 2.41 |
| | | CMPSEG0654 | 352 | 86 | 6 | 54 | 2.41 |
| | | CMPSEG0660 | 360 | 112 | 6 | 60 | 2.41 |
|  | Compile Privacy Glass | CMPSEG0924 | 264 | 58.08 | 9 | 24 | 2.41 |
| | | CMPSEG0930 | 288 | 44 | 9 | 30 | 2.41 |
| | | CMPSEG0936 | 306 | 30.6 | 9 | 36 | 2.41 |
| | | CMPSEG0942 | 319 | 52 | 9 | 42 | 2.41 |
| | | CMPSEG0948 | 339 | 67.8 | 9 | 48 | 2.41 |
| | | CMPSEG0954 | 352 | 86 | 9 | 54 | 2.41 |
| | | CMPSEG0960 | 360 | 112 | 9 | 60 | 2.41 |
|  | Compile Privacy Glass | CMPSEG1224 | 264 | 58.08 | 12 | 24 | 2.41 |
| | | CMPSEG1230 | 288 | 44 | 12 | 30 | 2.41 |
| | | CMPSEG1236 | 306 | 30.6 | 12 | 36 | 2.41 |
| | | CMPSEG1242 | 319 | 52 | 12 | 42 | 2.41 |
| | | CMPSEG1248 | 339 | 67.8 | 12 | 48 | 2.41 |
| | | CMPSEG1254 | 352 | 86 | 12 | 54 | 2.41 |
| | | CMPSEG1260 | 360 | 112 | 12 | 60 | 2.41 |




CMPMP-GI-W - PRIVACY GLASS FOR 1" LAMINATE GALLERY PANELS

- Privacy glass integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- Includes aluminum trim with channel, end caps and glass tile.
- Top rail may also be used to hang accessories.
- Glass and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- Standard in clear (CLR) or frosted (FRST).

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|--------------------------------------|--------------|------------|----------|-------------------|----|---|
| | | | Clear | FRST ADD | H | W | D |
|  | 6" H Privacy Glass w/ Aluminum Trim | CMPMP24GI6W | 290 | 66 | 6 | 24 | 1 |
| | | CMPMP30GI6W | 315 | 46 | 6 | 30 | 1 |
| | | CMPMP36GI6W | 335 | 33 | 6 | 36 | 1 |
| | | CMPMP42GI6W | 350 | 55 | 6 | 42 | 1 |
| | | CMPMP48GI6W | 369 | 71 | 6 | 48 | 1 |
| | 9" H Privacy Glass w/ Aluminum Trim | CMPMP24GI9W | 290 | 66 | 9 | 24 | 1 |
| | | CMPMP30GI9W | 315 | 46 | 9 | 30 | 1 |
| | | CMPMP36GI9W | 335 | 33 | 9 | 36 | 1 |
| | | CMPMP42GI9W | 350 | 55 | 9 | 42 | 1 |
| | | CMPMP48GI9W | 369 | 71 | 9 | 48 | 1 |
| | 12" H Privacy Glass w/ Aluminum Trim | CMPMP24GIW | 290 | 66 | 12 | 24 | 1 |
| | | CMPMP30GIW | 315 | 46 | 12 | 30 | 1 |
| | | CMPMP36GIW | 335 | 33 | 12 | 36 | 1 |
| | | CMPMP42GIW | 350 | 55 | 12 | 42 | 1 |
| | | CMPMP48GIW | 369 | 71 | 12 | 48 | 1 |

CMPFD-W - PRIVACY FELT FOR 1" LAMINATE GALLERY PANELS

- Privacy felt integrated with aluminum top trim.
- Attaches on top of gallery panels to add privacy or divide space.
- Includes aluminum trim with channel, end caps and felt tile.
- Top rail may also be used to hang accessories.
- Felt and attachment hardware ship separately.
- Please specify standard paint finish for the channel.
- Please specify standard felt finish.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | 6" H Felt w/ Aluminum Trim | CMPFD0624W | 116 | 6 | 24 | 1 |
| | | CMPFD0630W | 135 | 6 | 30 | 1 |
| | | CMPFD0636W | 160 | 6 | 36 | 1 |
| | | CMPFD0642W | 180 | 6 | 42 | 1 |
| | | CMPFD0648W | 264 | 6 | 48 | 1 |
| | | CMPFD0654W | 289 | 6 | 54 | 1 |
| | | CMPFD0660W | 310 | 6 | 60 | 1 |
| | | CMPFD0666W | 327 | 6 | 66 | 1 |
| | 9" H Felt w/ Aluminum Trim | CMPFD0924W | 116 | 9 | 24 | 1 |
| | | CMPFD0930W | 135 | 9 | 30 | 1 |
| | | CMPFD0936W | 160 | 9 | 36 | 1 |
| | | CMPFD0942W | 180 | 9 | 42 | 1 |
| | | CMPFD0948W | 264 | 9 | 48 | 1 |
| | | CMPFD0954W | 289 | 9 | 54 | 1 |
| | | CMPFD0960W | 310 | 9 | 60 | 1 |
| | | CMPFD0966W | 327 | 9 | 66 | 1 |
| | 12" H Felt w/ Aluminum Trim | CMPFD1224W | 116 | 12 | 24 | 1 |
| | | CMPFD1230W | 135 | 12 | 30 | 1 |
| | | CMPFD1236W | 160 | 12 | 36 | 1 |
| | | CMPFD1242W | 180 | 12 | 42 | 1 |
| | | CMPFD1248W | 264 | 12 | 48 | 1 |
| | | CMPFD1254W | 289 | 12 | 54 | 1 |
| | | CMPFD1260W | 310 | 12 | 60 | 1 |
| | | CMPFD1266W | 327 | 12 | 66 | 1 |
| | CMPFD1272W | 369 | 12 | 72 | 1 | |


CMPSEF - EMBEDDED FELT DIVIDER OVER PANEL

- Privacy felt panel intergrated with aluminum top trim.
- Attaches on top of panels to add privacy or divide space.
- Includes aluminum trim with channel and felt tile.
- Felt and attachment hardware to ship separately
- 9mm Felt material is tackable and comes in 12 different colors. Please specify color.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|----|------|
| | | | | H | W | D |
|  | 6" Integrated Felt Divider, Panel Width | CMPSEF0624 | 107 | 6 | 24 | 2.41 |
| | | CMPSEF0630 | 124 | 6 | 30 | 2.41 |
| | | CMPSEF0636 | 148 | 6 | 36 | 2.41 |
| | | CMPSEF0642 | 163 | 6 | 42 | 2.41 |
| | | CMPSEF0648 | 244 | 6 | 48 | 2.41 |
| | | CMPSEF0654 | 263 | 6 | 54 | 2.41 |
| | | CMPSEF0660 | 285 | 6 | 60 | 2.41 |
|  | 9" Integrated Felt Divider, Panel Width | CMPSEF0924 | 107 | 9 | 24 | 2.41 |
| | | CMPSEF0930 | 124 | 9 | 30 | 2.41 |
| | | CMPSEF0936 | 148 | 9 | 36 | 2.41 |
| | | CMPSEF0942 | 163 | 9 | 42 | 2.41 |
| | | CMPSEF0948 | 244 | 9 | 48 | 2.41 |
| | | CMPSEF0954 | 263 | 9 | 54 | 2.41 |
| | | CMPSEF0960 | 285 | 9 | 60 | 2.41 |
|  | 12" Integrated Felt Divider, Panel Width | CMPSEF1224 | 107 | 12 | 24 | 2.41 |
| | | CMPSEF1230 | 124 | 12 | 30 | 2.41 |
| | | CMPSEF1236 | 148 | 12 | 36 | 2.41 |
| | | CMPSEF1242 | 163 | 12 | 42 | 2.41 |
| | | CMPSEF1248 | 244 | 12 | 48 | 2.41 |
| | | CMPSEF1254 | 263 | 12 | 54 | 2.41 |
| | | CMPSEF1260 | 285 | 12 | 60 | 2.41 |

CMOF - COMPILE FABRIC OVER PANEL


- Fabric-covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|---------------------------|--------------|------------|-----|-------------------|----|-----|
| | | | Gr1 | Gr2 | H | W | D |
|  | Compile Fabric Over Panel | CMOF1224 | 205 | 231 | 12 | 24 | 2.3 |
| | | CMOF1230 | 240 | 266 | 12 | 30 | 2.3 |
| | | CMOF1236 | 267 | 294 | 12 | 36 | 2.3 |
| | | CMOF1242 | 302 | 329 | 12 | 42 | 2.3 |
| | | CMOF1248 | 349 | 376 | 12 | 48 | 2.3 |
| | | CMOF1254 | 362 | 389 | 12 | 54 | 2.3 |
| | | CMOF1260 | 429 | 455 | 12 | 60 | 2.3 |
| | | CMOF1624 | 239 | 269 | 16 | 24 | 2.3 |
| | | CMOF1630 | 278 | 309 | 16 | 30 | 2.3 |
| | | CMOF1636 | 294 | 324 | 16 | 36 | 2.3 |
| | | CMOF1642 | 350 | 381 | 16 | 42 | 2.3 |
| | | CMOF1648 | 401 | 432 | 16 | 48 | 2.3 |
| | | CMOF1654 | 420 | 450 | 16 | 54 | 2.3 |
| | | CMOF1660 | 491 | 522 | 16 | 60 | 2.3 |
| | | CMOF2424 | 308 | 351 | 24 | 24 | 2.3 |
| | | CMOF2430 | 356 | 399 | 24 | 30 | 2.3 |
| | | CMOF2436 | 398 | 441 | 24 | 36 | 2.3 |
| | | CMOF2442 | 446 | 489 | 24 | 42 | 2.3 |
| | | CMOF2448 | 481 | 524 | 24 | 48 | 2.3 |
| | | CMOF2454 | 534 | 577 | 24 | 54 | 2.3 |
| CMOF2460 | 614 | 657 | 24 | 60 | 2.3 | | |




CMOLF - COMPILE LAMINATE ONE SIDE, FABRIC ONE SIDE OVER PANEL

- One side in fabric and one side in laminate, incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--------------|------------|-----|-------------------|-----|-----|
| | | Gr1 | Gr2 | H | W | D |
|  <p>Compile Laminate One Side, Fabric One Side Over Panel</p> | CMOLF1224 | 229 | 245 | 12 | 24 | 2.3 |
| | CMOLF1230 | 270 | 286 | 12 | 30 | 2.3 |
| | CMOLF1236 | 306 | 320 | 12 | 36 | 2.3 |
| | CMOLF1242 | 347 | 361 | 12 | 42 | 2.3 |
| | CMOLF1248 | 399 | 413 | 12 | 48 | 2.3 |
| | CMOLF1254 | 421 | 435 | 12 | 54 | 2.3 |
| | CMOLF1260 | 492 | 506 | 12 | 60 | 2.3 |
| | CMOLF1624 | 274 | 292 | 16 | 24 | 2.3 |
| | CMOLF1630 | 328 | 346 | 16 | 30 | 2.3 |
| | CMOLF1636 | 362 | 380 | 16 | 36 | 2.3 |
| CMOLF1642 | 411 | 429 | 16 | 42 | 2.3 | |
| CMOLF1648 | 469 | 487 | 16 | 48 | 2.3 | |
| CMOLF1654 | 495 | 513 | 16 | 54 | 2.3 | |
| CMOLF1660 | 576 | 594 | 16 | 60 | 2.3 | |
| CMOLF2424 | 359 | 383 | 24 | 24 | 2.3 | |
| CMOLF2430 | 429 | 451 | 24 | 30 | 2.3 | |
| CMOLF2436 | 476 | 498 | 24 | 36 | 2.3 | |
| CMOLF2442 | 535 | 559 | 24 | 42 | 2.3 | |
| CMOLF2448 | 582 | 606 | 24 | 48 | 2.3 | |
| CMOLF2454 | 649 | 671 | 24 | 54 | 2.3 | |
| CMOLF2460 | 742 | 764 | 24 | 60 | 2.3 | |


CMOLL - COMPILE LAMINATE TWO SIDES OVER PANEL

- Laminate modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|-----|-----|
| | | | H | W | D |
|  <p>Compile Laminate Two Sides Over Panel</p> | CMOLL1224 | 255 | 12 | 24 | 2.3 |
| | CMOLL1230 | 289 | 12 | 30 | 2.3 |
| | CMOLL1236 | 341 | 12 | 36 | 2.3 |
| | CMOLL1242 | 388 | 12 | 42 | 2.3 |
| | CMOLL1248 | 446 | 12 | 48 | 2.3 |
| | CMOLL1254 | 473 | 12 | 54 | 2.3 |
| | CMOLL1260 | 550 | 12 | 60 | 2.3 |
| | CMOLL1624 | 305 | 16 | 24 | 2.3 |
| | CMOLL1630 | 359 | 16 | 30 | 2.3 |
| | CMOLL1636 | 409 | 16 | 36 | 2.3 |
| CMOLL1642 | 465 | 16 | 42 | 2.3 | |
| CMOLL1648 | 532 | 16 | 48 | 2.3 | |
| CMOLL1654 | 566 | 16 | 54 | 2.3 | |
| CMOLL1660 | 653 | 16 | 60 | 2.3 | |
| CMOLL2424 | 406 | 24 | 24 | 2.3 | |
| CMOLL2430 | 479 | 24 | 30 | 2.3 | |
| CMOLL2436 | 546 | 24 | 36 | 2.3 | |
| CMOLL2442 | 619 | 24 | 42 | 2.3 | |
| CMOLL2448 | 676 | 24 | 48 | 2.3 | |
| CMOLL2454 | 753 | 24 | 54 | 2.3 | |
| CMOLL2460 | 857 | 24 | 60 | 2.3 | |


CMOG - COMPILE GLAZED OVER PANEL

- Glazed module incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|--|--------------|------------|----------|-------------------|----|-----|
| | | CLR | FRST ADD | H | W | D |
|  <p>Compile Glazed Over Panel</p> | CMOG1224 | 183 | 9 | 12 | 24 | 2.3 |
| | CMOG1230 | 213 | 9 | 12 | 30 | 2.3 |
| | CMOG1236 | 238 | 10 | 12 | 36 | 2.3 |
| | CMOG1242 | 266 | 10 | 12 | 42 | 2.3 |
| | CMOG1248 | 305 | 11 | 12 | 48 | 2.3 |
| | CMOG1254 | 317 | 13 | 12 | 54 | 2.3 |
| | CMOG1260 | 380 | 14 | 12 | 60 | 2.3 |
| | CMOG1624 | 213 | 9 | 16 | 24 | 2.3 |
| | CMOG1630 | 241 | 10 | 16 | 30 | 2.3 |
| | CMOG1636 | 274 | 11 | 16 | 36 | 2.3 |
| | CMOG1642 | 306 | 11 | 16 | 42 | 2.3 |
| | CMOG1648 | 352 | 13 | 16 | 48 | 2.3 |
| | CMOG1654 | 363 | 14 | 16 | 54 | 2.3 |
| | CMOG1660 | 429 | 16 | 16 | 60 | 2.3 |
| | CMOG2424 | 272 | 11 | 24 | 24 | 2.3 |
| | CMOG2430 | 294 | 11 | 24 | 30 | 2.3 |
| | CMOG2436 | 346 | 13 | 24 | 36 | 2.3 |
| | CMOG2442 | 388 | 14 | 24 | 42 | 2.3 |
| | CMOG2448 | 414 | 16 | 24 | 48 | 2.3 |
| | CMOG2454 | 458 | 17 | 24 | 54 | 2.3 |
| | CMOG2460 | 531 | 17 | 24 | 60 | 2.3 |

CMOFW - COMPILE ONE SIDE WRITE BOARD OVER PANEL


- Fabric or write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|--------------|------------|-----|-------------------|----|-----|
| | | Gr1 | Gr2 | H | W | D |
|  <p>Compile Fabric or Write Board Over Panel</p> | CMOFW1224 | 258 | 272 | 12 | 24 | 2.3 |
| | CMOFW1230 | 306 | 320 | 12 | 30 | 2.3 |
| | CMOFW1236 | 347 | 361 | 12 | 36 | 2.3 |
| | CMOFW1242 | 395 | 409 | 12 | 42 | 2.3 |
| | CMOFW1248 | 437 | 451 | 12 | 48 | 2.3 |
| | CMOFW1254 | 482 | 496 | 12 | 54 | 2.3 |
| | CMOFW1260 | 561 | 575 | 12 | 60 | 2.3 |
| | CMOFW1624 | 311 | 329 | 16 | 24 | 2.3 |
| | CMOFW1630 | 366 | 384 | 16 | 30 | 2.3 |
| | CMOFW1636 | 418 | 435 | 16 | 36 | 2.3 |
| | CMOFW1642 | 476 | 493 | 16 | 42 | 2.3 |
| | CMOFW1648 | 544 | 562 | 16 | 48 | 2.3 |
| | CMOFW1654 | 580 | 597 | 16 | 54 | 2.3 |
| | CMOFW1660 | 667 | 684 | 16 | 60 | 2.3 |
| | CMOFW2424 | 401 | 425 | 24 | 24 | 2.3 |
| | CMOFW2430 | 462 | 484 | 24 | 30 | 2.3 |
| | CMOFW2436 | 566 | 588 | 24 | 36 | 2.3 |
| | CMOFW2442 | 633 | 657 | 24 | 42 | 2.3 |
| | CMOFW2448 | 666 | 688 | 24 | 48 | 2.3 |
| | CMOFW2454 | 796 | 818 | 24 | 54 | 2.3 |
| | CMOFW2460 | 884 | 906 | 24 | 60 | 2.3 |




CMOWW - COMPILE WRITE BOARD TWO SIDES OVER PANEL

- Write board covered modules incorporated into an aluminum frame.
- Opposite sides of each module may have a different fabric within the same grade at no upcharge.
- If different grades of fabric are used on one panel, the entire panel must be priced at highest grade.
- One CSHD Slider Kit for Over Panel included
- Note: Trim is not required at a straight connection between two panels of the same height.
- Maximum stacking one high. Not load bearing.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|-----|-----|
| | | | H | W | D |
|  Compile Write Board Over Panel | CMOWW1224 | 314 | 12 | 24 | 2.3 |
| | CMOWW1230 | 363 | 12 | 30 | 2.3 |
| | CMOWW1236 | 432 | 12 | 36 | 2.3 |
| | CMOWW1242 | 482 | 12 | 42 | 2.3 |
| | CMOWW1248 | 566 | 12 | 48 | 2.3 |
| | CMOWW1254 | 596 | 12 | 54 | 2.3 |
| | CMOWW1260 | 689 | 12 | 60 | 2.3 |
| | CMOWW1624 | 384 | 16 | 24 | 2.3 |
| | CMOWW1630 | 459 | 16 | 30 | 2.3 |
| | CMOWW1636 | 530 | 16 | 36 | 2.3 |
| | CMOWW1642 | 607 | 16 | 42 | 2.3 |
| | CMOWW1648 | 691 | 16 | 48 | 2.3 |
| | CMOWW1654 | 747 | 16 | 54 | 2.3 |
| | CMOWW1660 | 853 | 16 | 60 | 2.3 |
| | CMOWW2424 | 525 | 24 | 24 | 2.3 |
| | CMOWW2430 | 627 | 24 | 30 | 2.3 |
| | CMOWW2436 | 725 | 24 | 36 | 2.3 |
| | CMOWW2442 | 829 | 24 | 42 | 2.3 |
| | CMOWW2448 | 917 | 24 | 48 | 2.3 |
| | CMOWW2454 | 1023 | 24 | 54 | 2.3 |
| CMOWW2460 | 1159 | 24 | 60 | 2.3 | |

CHSD - SLIDER KIT FOR OVER PANEL

- One kit required for installation of each Over Panel
- Included with each NEW Over Panel Kit

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|------|-----|
| | | | H | W | D |
|  One kit required for installation of each Over Panel | CHSDKIT | 6 | .09 | 2.28 | .43 |


CMLEPXXXXNC - END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- No connections at both ends, connection is at the center interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|-------|---|
| | | | H | W | D |
|  End of Run Gallery Panel | CMLEP4227NC | 435 | 42 | 26.25 | 1 |
| | CMLEP4251NC | 789 | 42 | 50.30 | 1 |
| | CMLEP4263NC | 917 | 42 | 62.30 | 1 |
| | CMLEP4827NC | 479 | 48 | 26.25 | 1 |
| | CMLEP4851NC | 867 | 48 | 50.30 | 1 |
| | CMLEP4863NC | 1007 | 48 | 62.30 | 1 |
| | CMLEP5427NC | 522 | 54 | 26.25 | 1 |
| | CMLEP5451NC | 945 | 54 | 50.30 | 1 |
| | CMLEP5463NC | 1099 | 54 | 62.30 | 1 |

CMLMPXXXXNC - MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|-------|---|
| | | | H | W | D |
|  Middle of Run Gallery Panel | CMLMP4251NC | 918 | 42 | 50.30 | 1 |
| | CMLMP4263NC | 1044 | 42 | 62.30 | 1 |
| | CMLMP4851NC | 996 | 48 | 50.30 | 1 |
| | CMLMP4863NC | 1136 | 48 | 62.30 | 1 |
| | CMLMP5451NC | 1074 | 54 | 50.30 | 1 |
| | CMLMP5463NC | 1228 | 54 | 62.30 | 1 |



CMLSEPLXXXNC - SINGLE END OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- No connections at both ends, connection is at center on both faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodate two 24" deep surface while the 33" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------------|---------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | Single End of Run Gallery Panel | CMLSEPL4215NC | 327 | 42 | 14.25 | 1 |
| | | CMLSEPR4215NC | 327 | 42 | 14.25 | 1 |
| | | CMLSEPL4227NC | 601 | 42 | 26.30 | 1 |
| | | CMLSEPR4227NC | 601 | 42 | 26.30 | 1 |
| | | CMLSEPL4815NC | 356 | 48 | 14.25 | 1 |
| | | CMLSEPR4815NC | 356 | 48 | 14.25 | 1 |
| | | CMLSEPL4827NC | 657 | 48 | 26.30 | 1 |
| | | CMLSEPR4827NC | 657 | 48 | 26.30 | 1 |
| | | CMLSEPL5415NC | 383 | 54 | 14.25 | 1 |
| | | CMLSEPR5415NC | 383 | 54 | 14.25 | 1 |
| | | CMLSEPL5427NC | 713 | 54 | 26.30 | 1 |
| | | CMLSEPR5427NC | 713 | 54 | 26.30 | 1 |
|  | Single End of Run Gallery Panel | CMLSEPL4233NC | 620 | 42 | 32.33 | 1 |
| | | CMLSEPR4233NC | 620 | 42 | 32.33 | 1 |
| | | CMLSEPL4833NC | 677 | 48 | 32.33 | 1 |
| | | CMLSEPR4833NC | 677 | 48 | 32.33 | 1 |
| | | CMLSEPL5433NC | 734 | 54 | 32.33 | 1 |
| | | CMLSEPR5433NC | 734 | 54 | 32.33 | 1 |


CMLSMPXXXNC - SINGLE MIDDLE OF RUN GALLERY PANEL WITH NO END CONNECTION

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration.
- No connections at the exposed end, connection is at both the interior and exterior face near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on bottom.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | Single Middle of Run Gallery Panel | CMLSMP4227NC | 730 | 42 | 26.30 | 1 |
| | | CMLSMP4827NC | 786 | 48 | 26.30 | 1 |
| | | CMLSMP5427NC | 842 | 54 | 26.30 | 1 |
| | | CMLSMP4233NC | 752 | 42 | 32.30 | 1 |
| | | CMLSMP4833NC | 808 | 48 | 32.30 | 1 |
| | | CMLSMP5433NC | 866 | 54 | 32.30 | 1 |


CMLEPXXXX - END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form a T configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------------------|--------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | End of Run Gallery Panel | CMLEP4251 | 821 | 42 | 50.30 | 1 |
| | | CMLEP4263 | 946 | 42 | 62.30 | 1 |
| | | CMLEP4851 | 898 | 48 | 50.30 | 1 |
| | | CMLEP4863 | 1038 | 48 | 62.30 | 1 |
| | | CMLEP5451 | 976 | 54 | 50.30 | 1 |
| | | CMLEP5463 | 1130 | 54 | 62.30 | 1 |

CMLMPXXXX - MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form an X configuration.
- Connections at both ends as well as the center on the interior face.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surface while the 63" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|-----------------------------|--------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | Middle of Run Gallery Panel | CMLMP4251 | 923 | 42 | 50.30 | 1 |
| | | CMLMP4263 | 1049 | 42 | 62.30 | 1 |
| | | CMLMP4851 | 1001 | 48 | 50.30 | 1 |
| | | CMLMP4863 | 1141 | 48 | 62.30 | 1 |
| | | CMLMP5451 | 1078 | 54 | 50.30 | 1 |
| | | CMLMP5463 | 1235 | 54 | 62.30 | 1 |

CMLSEPLXXXX - SINGLE END PANEL WITH END CONNECTIONS


- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a straight panel run with connectors to form an L configuration.
- Connections are at the exposed end on one side and near the end on the other interior face.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------------|--------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | Single End of Run Gallery Panel | CMLSEPL4227 | 615 | 42 | 26.30 | 1 |
| | | CMLSEPR4227 | 615 | 42 | 26.30 | 1 |
| | | CMLSEPL4827 | 673 | 48 | 26.30 | 1 |
| | | CMLSEPR4827 | 673 | 48 | 26.30 | 1 |
| | | CMLSEPL5427 | 728 | 54 | 26.30 | 1 |
| | | CMLSEPR5427 | 728 | 54 | 26.30 | 1 |
| | | CMLSEPL4233 | 635 | 42 | 32.33 | 1 |
| | | CMLSEPR4233 | 635 | 42 | 32.33 | 1 |
| | | CMLSEPL4833 | 691 | 48 | 32.33 | 1 |
| | | CMLSEPR4833 | 691 | 48 | 32.33 | 1 |
| | | CMLSEPL5433 | 750 | 54 | 32.33 | 1 |
| | | CMLSEPR5433 | 750 | 54 | 32.33 | 1 |




CMLSMPXXXX - SINGLE MIDDLE OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight panel run with connectors to form a T configuration
- Connections are at the exposed end and at the interior and exterior near the opposite end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|-------|---|
| | | | | H | W | D |
|  | Single Middle of Run Gallery Panel | CMLSMP4227 | 744 | 42 | 26.30 | 1 |
| | | CMLSMP4827 | 801 | 48 | 26.30 | 1 |
| | | CMLSMP5427 | 855 | 54 | 26.30 | 1 |
| | | CMLSMP4233 | 767 | 42 | 32.30 | 1 |
| | | CMLSMP4833 | 824 | 48 | 32.30 | 1 |
| | | CMLSMP5433 | 882 | 54 | 32.30 | 1 |

CML2PLXXXX - LEFT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Two Way Return | CML2PL4213 | 224 | 42 | 13 | 1 |
| | End of Run Gallery Panel | CML2PL4225 | 488 | 42 | 25 | 1 |
| | | CML2PL4231 | 501 | 42 | 31 | 1 |
| | | CML2PL4813 | 251 | 48 | 13 | 1 |
| | | CML2PL4825 | 543 | 48 | 25 | 1 |
| | | CML2PL4831 | 558 | 48 | 31 | 1 |
| | | CML2PL5413 | 279 | 54 | 13 | 1 |
| | | CML2PL5425 | 598 | 54 | 25 | 1 |
| | | CML2PL5431 | 615 | 54 | 31 | 1 |


CML2PRXXXX - RIGHT TWO WAY RETURN END OF RUN GALLERY PANEL WITH END CONNECTIONS

- Provides floor standing support while enclosing the end of a panel run.
- Attached at the end of a gallery panel with connectors to form an L configuration.
- Connections are at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accommodates a 24" deep surface while the 31" wide accommodates a 30" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Two Way Return | CML2PR4213 | 224 | 42 | 13 | 1 |
| | End of Run Gallery Panel | CML2PR4225 | 488 | 42 | 25 | 1 |
| | | CML2PR4231 | 501 | 42 | 31 | 1 |
| | | CML2PR4813 | 251 | 48 | 13 | 1 |
| | | CML2PR4825 | 543 | 48 | 25 | 1 |
| | | CML2PR4831 | 558 | 48 | 31 | 1 |
| | | CML2PR5413 | 279 | 54 | 13 | 1 |
| | | CML2PR5425 | 598 | 54 | 25 | 1 |
| | | CML2PR5431 | 615 | 54 | 31 | 1 |


CML3PLXXXX - LEFT THREE WAY RETURN END OF RUN GALLERY PANEL

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPLxxxx or CMLSEPLxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|----|---|
| | | | H | W | D |
|  <p>Three Way Return End of Run Gallery Panel</p> | CML3PL4225 | 333 | 42 | 25 | 1 |
| | CML3PL4249 | 676 | 42 | 49 | 1 |
| | CML3PL4261 | 802 | 42 | 61 | 1 |
| | CML3PL4825 | 374 | 48 | 25 | 1 |
| | CML3PL4849 | 754 | 48 | 49 | 1 |
| | CML3PL4861 | 894 | 48 | 61 | 1 |
| | CML3PL5425 | 417 | 54 | 25 | 1 |
| | CML3PL5449 | 830 | 54 | 49 | 1 |
| | CML3PL5461 | 985 | 54 | 61 | 1 |

CML3PRXXXX - RIGHT THREE WAY RETURN END OF RUN GALLERY PANEL


- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel with connectors to form a T configuration.
- There are no connections at the exposed ends. Connection is at the center of the interior face.
- Connects to CMLXPRxxxx or CMLSEPRxxxx.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accommodates two 24" deep surface while the 61" wide accommodates two 30" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel and bottom edge.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|----|---|
| | | | H | W | D |
|  <p>Three Way Return End of Run Gallery Panel</p> | CML3PR4225 | 333 | 42 | 25 | 1 |
| | CML3PR4249 | 676 | 42 | 49 | 1 |
| | CML3PR4261 | 802 | 42 | 61 | 1 |
| | CML3PR4825 | 374 | 48 | 25 | 1 |
| | CML3PR4849 | 754 | 48 | 49 | 1 |
| | CML3PR4861 | 894 | 48 | 61 | 1 |
| | CML3PR5425 | 417 | 54 | 25 | 1 |
| | CML3PR5449 | 830 | 54 | 49 | 1 |
| | CML3PR5461 | 985 | 54 | 61 | 1 |




CMLXPLXXXX - LEFT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edges on edge connecting to panel.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|------|---|
| | | | H | W | D |
|  Extension End of Run Return Gallery Panel | CMLXPL4224 | 790 | 42 | 12.3 | 1 |
| | CMLXPL4224 | 790 | 42 | 24 | 1 |
| | CMLXPL4230 | 475 | 42 | 30 | 1 |
| | CMLXPL4236 | 547 | 42 | 35 | 1 |
| | CMLXPL4242 | 687 | 42 | 42 | 1 |
| | CMLXPL4248 | 706 | 42 | 48 | 1 |
| | CMLXPL4812 | 231 | 48 | 12.3 | 1 |
| | CMLXPL4824 | 418 | 48 | 24 | 1 |
| | CMLXPL4830 | 491 | 48 | 30 | 1 |
| | CMLXPL4836 | 561 | 48 | 36 | 1 |
| | CMLXPL4842 | 706 | 48 | 42 | 1 |
| | CMLXPL4848 | 728 | 48 | 48 | 1 |
| | CMLXPL5412 | 258 | 54 | 12.3 | 1 |
| | CMLXPL5424 | 446 | 54 | 24 | 1 |
| | CMLXPL5430 | 523 | 54 | 30 | 1 |
| | CMLXPL5436 | 601 | 54 | 36 | 1 |
| | CMLXPL5442 | 678 | 54 | 42 | 1 |
| CMLXPL5448 | 833 | 54 | 48 | 1 | |

CMLXPRXXXX - RIGHT EXTENSION END OF RUN RETURN GALLERY PANEL WITH END CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a panel to allow for extending the gallery panel run.
- Connections at both exposed ends, one to connect to the panel and one to connect to another gallery panel.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edges on edge connecting to panel.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|------|---|
| | | | H | W | D |
|  Extension End of Run Return Gallery Panel | CMLXPL4212 | 207 | 42 | 12.3 | 1 |
| | CMLXPR4224 | 790 | 42 | 24 | 1 |
| | CMLXPR4230 | 475 | 42 | 30 | 1 |
| | CMLXPR4236 | 547 | 42 | 35 | 1 |
| | CMLXPR4242 | 687 | 42 | 42 | 1 |
| | CMLXPR4248 | 706 | 42 | 48 | 1 |
| | CMLXPL4812 | 231 | 48 | 12.3 | 1 |
| | CMLXPR4824 | 418 | 48 | 24 | 1 |
| | CMLXPR4830 | 491 | 48 | 30 | 1 |
| | CMLXPR4836 | 561 | 48 | 36 | 1 |
| | CMLXPR4842 | 706 | 48 | 42 | 1 |
| | CMLXPR4848 | 728 | 48 | 48 | 1 |
| | CMLXPL5412 | 258 | 54 | 12.3 | 1 |
| | CMLXPR5424 | 446 | 54 | 24 | 1 |
| | CMLXPR5430 | 523 | 54 | 30 | 1 |
| | CMLXPR5436 | 601 | 54 | 36 | 1 |
| | CMLXPR5442 | 678 | 54 | 42 | 1 |
| CMLXPR5448 | 833 | 54 | 48 | 1 | |

CMLXPLXXXNC - EXTENSION END OF RUN, LEFT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Extension End of Run Gallery Panel | CMLXPL4224NC | 403 | 42 | 24 | 1 |
| | | CMLXPL4230NC | 472 | 42 | 30 | 1 |
| | | CMLXPL4236NC | 543 | 42 | 35 | 1 |
| | | CMLXPL4242NC | 684 | 42 | 42 | 1 |
| | | CMLXPL4248NC | 703 | 42 | 48 | 1 |
| | | CMLXPL4824NC | 415 | 48 | 24 | 1 |
| | | CMLXPL4830NC | 488 | 48 | 30 | 1 |
| | | CMLXPL4836NC | 558 | 48 | 36 | 1 |
| | | CMLXPL4842NC | 703 | 48 | 42 | 1 |
| | | CMLXPL4848NC | 725 | 48 | 48 | 1 |
| | | CMLXPL5424NC | 444 | 54 | 24 | 1 |
| | | CMLXPL5430NC | 521 | 54 | 30 | 1 |
| | | CMLXPL5436NC | 598 | 54 | 36 | 1 |
| | | CMLXPL5442NC | 676 | 54 | 42 | 1 |
| | | CMLXPL5448NC | 830 | 54 | 48 | 1 |


CMLXPLXXXNC • EXTENSION END OF RUN, RIGHT, NO CONNECTION

- Provides floor standing support while enclosing the end of a gallery panel run.
- Attached at the end of a gallery panel to extend the gallery panel run.
- Connections only at one exposed end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed edges and self edged on edge connecting to panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Extension End of Run Gallery Panel | CMLXPR4224NC | 403 | 42 | 24 | 1 |
| | | CMLXPR4230NC | 472 | 42 | 30 | 1 |
| | | CMLXPR4236NC | 543 | 42 | 35 | 1 |
| | | CMLXPR4242NC | 684 | 42 | 42 | 1 |
| | | CMLXPR4248NC | 703 | 42 | 48 | 1 |
| | | CMLXPR4824NC | 415 | 48 | 24 | 1 |
| | | CMLXPR4830NC | 488 | 48 | 30 | 1 |
| | | CMLXPR4836NC | 558 | 48 | 36 | 1 |
| | | CMLXPR4842NC | 703 | 48 | 42 | 1 |
| | | CMLXPR4848NC | 725 | 48 | 48 | 1 |
| | | CMLXPR5424NC | 444 | 54 | 24 | 1 |
| | | CMLXPR5430NC | 521 | 54 | 30 | 1 |
| | | CMLXPR5436NC | 598 | 54 | 36 | 1 |
| | | CMLXPR5442NC | 676 | 54 | 42 | 1 |
| | | CMLXPR5448NC | 830 | 54 | 48 | 1 |

CMHLPBB01 - GALLERY PANEL BRACKET


- Gallery panel bottom bracket connects two gallery end panels at bottom with screws.
- Available in standard paint colors.
- Screws are included with the bracket.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Bracket | CMHLPBB01 | 46 | 1.5 | 8 | 1 |




CMHLPCB01 - GALLERY PANEL CORNER BRACKET

- Gallery panel corner bottom bracket connects two laminate panels at 90 degrees.
- Screws are included with the bracket.
- Available in standard paint colors.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|---|---|
| | | | H | W | D |
|  <p>Corner Bracket</p> | CMHLPCB01 | 44 | 1.5 | 4 | 4 |

CMPDSL/R - SLIDING PRIVACY DOOR

- Sliding Privacy Door attaches to Compile Panels using standard connectors to add privacy. Brackets that attach to Connectors are included.
- This door must mount on panels of equal width. It is also intended to be used for openings of equal width.
- Left (L) or right-handedness (R) is determined by the direction of door movement (from compressed to expanded position), while facing the door on the panel mounted side.
- Painted frame may match any Compile Standard Paint Finish. The door interior is standard with a louvered acrylic finish.
- STL paint on Compile sliding doors is a smooth finish paint comparable to the standard STL paint offering.”
- Telescoping arms eliminate the need for thresholds, wheels or casters.
- Thickness of louvered acrylic is 6 mm.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|----|---|
| | | | H | W | D |
|  <p>Sliding Privacy Door - 66" High</p> | CMPDSL6636R | 3131 | 66 | 36 | |
| | CMPDSL6636L | 3131 | 66 | 36 | |
| | CMPDSL6642R | 3214 | 66 | 42 | |
| | CMPDSL6642L | 3214 | 66 | 42 | |

CMFMA - MINI PANEL KIT

- Compile’s Mini Panel Kits are now available to our dealers and their sales staff. The Compile mini panel is an excellent sales tool featuring two panel and samples of various hardware and electrical components and consists of the following:
 - One Monolithic Mini Panel (Laminate side one / Acoustic side two).
 - One Segmented Glazed Mini panel.
 - One 2-way Universal Corner Post Kit.
 - Two 24" Raceway Cover with Punch Out.
 - Two 24" Raceway Cover with out Punch Out.
 - One Raceway Cut Out Cover.
 - One 3-way Post Base Cover.
 - One End of Run Trim.
 - One Pair of Corner Brackets.
 - One Mid span Worksurface Support Bracket.
 - One Duplex.
 - One Power Distribution Harness.
 - One Mesh jumper.
 - One Carry Bag.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------|------------|-------------------|----|-------|
| | | | H | W | D |
|  <p>Mini Panel Kit</p> | CMFMA2418KIT1 | 2434 | 30 | 24 | 2 7/8 |

CHP POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim(s)
- Post base and top cap

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|-----|-----|
| | | | | H | W | D |
|  | 2 - Way Post | CHP30-2 | 115 | 30 | 2.3 | 2.3 |
| | | CHP42-2 | 115 | 42 | 2.3 | 2.3 |
| | | CHP46-2 | 167 | 46 | 2.3 | 2.3 |
| | | CHP54-2 | 142 | 54 | 2.3 | 2.3 |
| | | CHP58-2 | 209 | 58 | 2.3 | 2.3 |
| | | CHP60-2 | 209 | 60 | 2.3 | 2.3 |
| | | CHP64-2 | 247 | 64 | 2.3 | 2.3 |
| | | CHP66-2 | 167 | 66 | 2.3 | 2.3 |
| | | CHP70-2 | 241 | 70 | 2.3 | 2.3 |
| | | CHP72-2 | 241 | 72 | 2.3 | 2.3 |
| | | CHP78-2 | 274 | 78 | 2.3 | 2.3 |
| | | CHP82-2 | 288 | 82 | 2.3 | 2.3 |
| CHP90-2 | 288 | 90 | 2.3 | 2.3 | | |
|  | 3 - Way Post | CHP30-3 | 101 | 30 | 2.3 | 2.3 |
| | | CHP42-3 | 101 | 42 | 2.3 | 2.3 |
| | | CHP46-3 | 151 | 46 | 2.3 | 2.3 |
| | | CHP54-3 | 126 | 54 | 2.3 | 2.3 |
| | | CHP58-3 | 189 | 58 | 2.3 | 2.3 |
| | | CHP60-3 | 189 | 60 | 2.3 | 2.3 |
| | | CHP64-3 | 201 | 64 | 2.3 | 2.3 |
| | | CHP66-3 | 151 | 66 | 2.3 | 2.3 |
| | | CHP70-3 | 217 | 70 | 2.3 | 2.3 |
| | | CHP72-3 | 217 | 72 | 2.3 | 2.3 |
| | | CHP78-3 | 247 | 78 | 2.3 | 2.3 |
| | | CHP82-3 | 258 | 82 | 2.3 | 2.3 |
| CHP90-3 | 286 | 90 | 2.3 | 2.3 | | |
|  | 4 - Way Post *No trim or base. Includes top cap only. | CHP30-4 | 82 | 30 | 2.3 | 2.3 |
| | | CHP42-4 | 82 | 42 | 2.3 | 2.3 |
| | | CHP46-4 | 138 | 46 | 2.3 | 2.3 |
| | | CHP54-4 | 106 | 54 | 2.3 | 2.3 |
| | | CHP58-4 | 154 | 58 | 2.3 | 2.3 |
| | | CHP60-4 | 154 | 60 | 2.3 | 2.3 |
| | | CHP64-4 | 163 | 64 | 2.3 | 2.3 |
| | | CHP66-4 | 126 | 66 | 2.3 | 2.3 |
| | | CHP70-4 | 180 | 70 | 2.3 | 2.3 |
| | | CHP72-4 | 180 | 72 | 2.3 | 2.3 |
| | | CHP78-4 | 204 | 78 | 2.3 | 2.3 |
| | | CHP82-4 | 213 | 82 | 2.3 | 2.3 |
| CHP90-4 | 238 | 90 | 2.3 | 2.3 | | |



CHPXW - 90 DEGREE CORNER POST KIT FOR OVER PANELS

- Specify the corner post height that matches the height of the over panel
- 2-way kits include 2 trims (CMETPxx), 2 way post base (CMPCxx) and post cap (CMPC).
- 3-way kits include 2 trim (CMETPxx), 3 way post base (CMPCxx) and post cap (CMPC).
- 4-way kits include post cap (CMPC) only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|---|---|--------------|------------|-------------------|-----|-----|--|
| | | | | H | W | D | |
|  | 90 Degree Corner Post Kit for Over Panels | CHOP12-2 | 75 | 12 | 2.3 | 2.3 | |
| | | CHOP12-3 | 64 | 12 | 2.3 | 2.3 | |
| | | CHOP12-4 | 44 | 12 | 2.3 | 2.3 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |


CHPXW - 60 DEGREE POST PACKAGE

- Universal Post with all "Quick-Connection" clips.
- Post trim is incorporated into 2 - Way aluminum post extrusion.
- Post top cap
- Outer part of the post is the full panel height and the inner part of the post is 6" shorter.
- 3 - Way post is 6" shorter than panel height to accommodate electric and base.
- PVC post trims can not be added to 60 degree posts.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | | |
|---|----------------------------------|--------------|------------|-------------------|-----|-----|--|
| | | | | H | W | D | |
|  | 2 - Way - 60 Degree Post Package | CHP2W30 | 82 | 30 | 2.3 | 2.3 | |
| | | CHP2W42 | 82 | 42 | 2.3 | 2.3 | |
| | | CHP2W46 | 106 | 46 | 2.3 | 2.3 | |
| | | CHP2W54 | 106 | 54 | 2.3 | 2.3 | |
| | | CHP2W58 | 145 | 58 | 2.3 | 2.3 | |
| | | CHP2W60 | 159 | 60 | 2.3 | 2.3 | |
| | | CHP2W64 | 172 | 64 | 2.3 | 2.3 | |
| | | CHP2W66 | 126 | 66 | 2.3 | 2.3 | |
| | | CHP2W70 | 183 | 70 | 2.3 | 2.3 | |
| | | CHP2W72 | 183 | 72 | 2.3 | 2.3 | |
| | | CHP2W78 | 204 | 78 | 2.3 | 2.3 | |
| | | CHP2W82 | 213 | 82 | 2.3 | 2.3 | |
| | | CHP2W90 | 234 | 90 | 2.3 | 2.3 | |
| | | | | | | | |
| | | | | | | | |
|  | 3 - Way - 60 Degree Post Package | CHP3W30 | 82 | 30 | 2.3 | 2.3 | |
| | | CHP3W42 | 82 | 42 | 2.3 | 2.3 | |
| | | CHP3W46 | 116 | 46 | 2.3 | 2.3 | |
| | | CHP3W54 | 106 | 54 | 2.3 | 2.3 | |
| | | CHP3W58 | 145 | 58 | 2.3 | 2.3 | |
| | | CHP3W60 | 159 | 60 | 2.3 | 2.3 | |
| | | CHP3W64 | 172 | 64 | 2.3 | 2.3 | |
| | | CHP3W66 | 126 | 66 | 2.3 | 2.3 | |
| | | CHP3W70 | 183 | 70 | 2.3 | 2.3 | |
| | | CHP3W72 | 183 | 72 | 2.3 | 2.3 | |
| | | CHP3W78 | 204 | 78 | 2.3 | 2.3 | |
| | | CHP3W82 | 213 | 82 | 2.3 | 2.3 | |
| | | CHP3W90 | 234 | 90 | 2.3 | 2.3 | |
| | | | | | | | |
| | | | | | | | |


CMRCXXNP - COMPILE RACEWAY COVER - WITHOUT KNOCKOUTS

- No electrical knockouts included.
- Note: Made of reinforced aluminum.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Compile Raceway Cover Without Knockouts | CMRC24NP | 18 | 24 | | |
| | | CMRC30NP | 22 | 30 | | |
| | | CMRC36NP | 25 | 36 | | |
| | | CMRC42NP | 27 | 42 | | |
| | | CMRC48NP | 30 | 48 | | |
| | | CMRC54NP | 37 | 54 | | |
| | | CMRC60NP | 39 | 60 | | |

CMRCXXPO - COMPILE RACEWAY COVER - WITH KNOCKOUTS

- Contains one knockout for 24" w and three knockouts for 30" w+.
- Raceway Knockout Cover must be added to openings where duplex receptacles are not used.
- Note: Made of reinforced aluminum.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Compile Raceway Cover With Knockouts | CMRC24PO | 18 | 24 | | |
| | | CMRC30PO | 22 | 30 | | |
| | | CMRC36PO | 25 | 36 | | |
| | | CMRC42PO | 27 | 42 | | |
| | | CMRC48PO | 30 | 48 | | |
| | | CMRC54PO | 37 | 54 | | |
| | | CMRC60PO | 39 | 60 | | |

CMRCB01 - COMPILE RACEWAY KNOCKOUT COVER

- Fills knockout when duplex is not used.
- Available in Black, White, Nevada, and Fog.
- Note: Knockout covers are made of plastic.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Compile Raceway Knockout Cover | CMRCB01 | 17 | | | |



CHP - 90-DEGREE UNIVERSAL CORNER POST

- Available in 42", 54" and 66"h.
- Standard Compile paint options.
- Specify the corner post height that matches the tallest or smallest panel connection.
- Can be used for any variation of 90-degree connections: 2-way, 3-way or 4-way.
- Requires post trim inserts to finish off post where there are no panel connections. Post trim inserts are specified separately.
- 6" shorter than panel height to accommodate electric in base.
- Requires a post basecover to finish off post at the base (for 2- or 3-way). Refer to CMPC.
- See Panel Configuration Tips for application.
- Made of aluminum.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | 90-Degree Universal Corner Post | CHP30 | 76 | 30 | | |
| | | CHP42 | 76 | 36 | | |
| | | CHP54 | 99 | 48 | | |
| | | CHP66 | 121 | 60 | | |


CMET - END OF RUN TRIM INSERT FOR PANEL

- Trim inserts are not included with panels.
- Cannot be used for a universal post application.
- Used at the end of each panel run and cannot be used to attach a panel run to a fixed wall.
- Vertical trims must be specified separately. Trim snaps in the panel at the end of run.
- Standard Compile paint options.
- See Panel Configuration Tips for application.
- Trims are PVC.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------------------------|--------------|------------|-------------------|-----|-----|
| | | | | H | W | D |
|  | End of Run Trim Insert for Panel | CMET16 | 18 | 16 | 2.3 | 0.5 |
| | | CMET30 | 21 | 30 | 2.3 | 0.5 |
| | | CMET42 | 21 | 42 | 2.3 | 0.5 |
| | | CMET46 | 22 | 46 | 2.3 | 0.5 |
| | | CMET48 | 25 | 48 | 2.3 | 0.5 |
| | | CMET54 | 25 | 54 | 2.3 | 0.5 |
| | | CMET58 | 26 | 58 | 2.3 | 0.5 |
| | | CMET60 | 26 | 60 | 2.3 | 0.5 |
| | | CMET64 | 27 | 64 | 2.3 | 0.5 |
| | | CMET66 | 27 | 66 | 2.3 | 0.5 |
| | | CMET70 | 29 | 70 | 2.3 | 0.5 |
| | | CMET72 | 29 | 72 | 2.3 | 0.5 |
| | | CMET78 | 31 | 78 | 2.3 | 0.5 |
| | | CMET82 | 32 | 82 | 2.3 | 0.5 |
| | | CMET90 | 38 | 90 | 2.3 | 0.5 |

CMETP - TRIM INSERT FOR UNIVERSAL CORNER POST

- Does not come with a post.
- Trim installs on all exposed sides of a Universal Corner Post.
- Specify to equal post height.
- Trims must be specified separately. Trim snaps in the post.
- Available in standard Compile paint options.
- 6" shorter than Universal Corner Post to accommodate Post Base Cover (must be specified separate)
- See Panel Configuration Tips for application.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|-----|-----|
| | | | H | W | D |
|  Trim Insert for Universal Corner Post | CMETP30 | 17 | 30 | 2.3 | 0.5 |
| | CMETP42 | 17 | 42 | 2.3 | 0.5 |
| | CMETP46 | 22 | 46 | 2.3 | 0.5 |
| | CMETP48 | 14 | 48 | 2.3 | 0.5 |
| | CMETP54 | 18 | 54 | 2.3 | 0.5 |
| | CMETP58 | 24 | 58 | 2.3 | 0.5 |
| | CMETP60 | 26 | 60 | 2.3 | 0.5 |
| | CMETP64 | 27 | 64 | 2.3 | 0.5 |
| | CMETP66 | 19 | 66 | 2.3 | 0.5 |
| | CMETP70 | 30 | 70 | 2.3 | 0.5 |
| | CMETP72 | 30 | 72 | 2.3 | 0.5 |
| | CMETP78 | 31 | 78 | 2.3 | 0.5 |
| | CMETP82 | 33 | 82 | 2.3 | 0.5 |
| | CMETP90 | 38 | 90 | 2.3 | 0.5 |

CMET - TRIM INSERT FOR STEP DOWN

- Does not come with a post. Trim inserts are not included with Universal Corner Posts.
- Specify to meet the taller post.
- Trim snaps in the post or end of run at a change in height.
- Available in standard Compile paint options.
- Can not be applied to 60 degree posts.
- See Panel Configuration Tips for application.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|---|---|
| | | | H | W | D |
|  Trim Insert for Step Down | CMET06 | 11 | 6 | | |
| | CMET12 | 14 | 12 | | |
| | CMET18 | 18 | 18 | | |
| | CMET24 | 24 | 24 | | |
| | CMET36 | 29 | 36 | | |

CHWAXX - WALL ADAPTER

- Same profile as vertical extrusion.
- Wall attachment hardware not provided.
- Made of aluminum.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|------|-----|
| | | | H | W | D |
|  Wall Adapter | CHWA30 | 47 | 30 | 2.36 | .79 |
| | CHWA42 | 64 | 42 | 2.36 | .79 |
| | CHWA46 | 64 | 46 | 2.36 | .79 |
| | CHWA48 | 64 | 48 | 2.36 | .79 |
| | CHWA54 | 81 | 54 | 2.36 | .79 |
| | CHWA58 | 81 | 58 | 2.36 | .79 |
| | CHWA60 | 94 | 60 | 2.36 | .79 |
| | CHWA64 | 94 | 64 | 2.36 | |
| | CHWA66 | 94 | 66 | 2.36 | .79 |
| | CHWA70 | 108 | 70 | 2.36 | .79 |
| | CHWA72 | 108 | 72 | 2.36 | .79 |
| | CHWA78 | 121 | 78 | 2.36 | .79 |
| | CHWA82 | 136 | 82 | 2.36 | .79 |
| | CHWA90 | 149 | 90 | 2.36 | .79 |




CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
- Panel frame finish.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------------------------|--------------|------------|-------------------|-----|-----|
| | | | | H | W | D |
|  | Vertical Channel Sold in pairs | CWMA60 | 39 | 60 | 0.6 | 0.7 |

CMPC - UNIVERSAL POST CAP

- Comes standard with universal post.
- Specified separately for reconfiguration purposes.
- Available in standard Compile paint options.
- Made of PVC.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Universal Post Cap | CMPC | 8 | 2.38 | | |


CMPC - POST BASE COVER

- Post Base Covers are not included with Universal Corner Posts.
- Base trim for universal post. These are connected with screws at the base and the trims at the post will slide to meet.
- Available for 2-way and 3-way configurations.
- Finish is smooth plastic.
- Available in standard Compile paint options.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Post Base Cover - 3-Way Connection | CMPC1 | 13 | 6 | | |
|  | Post Base Cover - 2-Way Connection | CMPC2 | 14 | 6 | | |


CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- Not intended to add to a run of panels in conjunction with Leveling Glides. panel and replace it with the legs.
- Kit will contains one legs and all attachment hardware. • Please specify paint finish.
- For the installation the customer will have to remove the existing levelers on the

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Single Flat Leg | CMHLPF01 | 126 | .31 | 21 | 3 |


CMHLPF - FLAT LEG FOR FREESTANDING PANELS

- Double kit for freestanding applications. • Please specify paint finish.
- Kit will contains two legs and all attachment hardware. • Note: Leg is on available for freestanding panels 42" to 60" wide.
- For the installation the customer will have to remove the existing levelers on the panel and replace it with the legs.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Double Flat Leg | CMHLPF02 | 249 | .31 | 21 | 3 |


CMHLLP01 - LOW PROFILE FOOT

- Provides added support to a panel under load. • Made of powder coated steel.
- Adjustable glides and connectors included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------|--------------|------------|-------------------|----|-----|
| | | | | H | W | D |
|  | Low Profile Foot | CMHLLP01 | 186 | 12 | 11 | 1.1 |

CMHLLP02 - LOW PROFILE FOOT

- Provides added support to a panel under load. • Made of powder coated steel.
- Adjustable glides and connectors included. • Set includes 2 complete legs.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------|--------------|------------|-------------------|----|-----|
| | | | | H | W | D |
|  | Double Low Profile Foot | CMHLLP02 | 371 | 12 | 11 | 1.1 |



CMPS - POST SEPARATOR

- Creates a diagonal division within a compile post.
- Please specify post height.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------|--------------|------------|-------------------|------|----|
| | | | | H | W | D |
|  | Post Separator | CMPS01 | 154 | 96 | 3.25 | 14 |

electrical

STEP-BY-STEP SPECIFICATION – 8-WIRE ELECTRICAL SYSTEM

Step 1 Determine the location of the source power entering the Panel Run.

1. At the base of the Panel.
 - (a) Use CE8FR1 Reversible Floor Power Entry (default to CE8FR1).
 - (b) Select the Panel to which the Floor Power Entry will be attached.
 - (c) Select the side of the Panel and the receptacle outlet to which the Floor Power Entry is to be attached.

Note: When using Pass Through Connectors in conditions other than a straight line, you must use a CE8CI-1 I-Connector along with a CE8CP17 Flexible Mesh Jumper Cable through the corner post.

Step 2 Determine which Panels are to be powered.

1. Use CE8PD Power Distribution Housing that corresponds with the width of the Panel.

Step 3 Connect power to the powered Panels.

1. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels.
2. Use CE8CP17 Flexible Mesh Jumper Cable between two adjacent powered Panels separated by a post.
3. Use CE8CP17 Flexible Mesh cable (to turn the post) and a CE8CI-1 "I" Connector to attach the CE8CP Pass Through Cable.
 - (a) The length of the Pass-Through Cable is calculated by adding together the widths of the non-powered Panels that separate the two powered Panels and applying an additional 16" to the total. (CE8PD Power Distribution Housing is positioned 8" in from the ends of the powered Panel.)
 - (b) An additional 3" must be added to the Pass-Through Cable for each post that the cable passes through.
 - (c) Subtract 17" from the total length to find the pass through cable length required.
4. From the price list, select the CE8CP Pass-Through Cable that matches the calculated length. If the length is between listed sizes, use the next size up.

Step 4 Determine the location and circuitry of the receptacles.

1. Each powered Panel has four (4) potential locations for CE8RD Duplex Receptacles – 2 per side. (Exception: 24" wide Panel has only two potential locations – 1 per side.)
2. At each receptacle location there is a choice of four circuit options. Select a circuit option for each location. Circuits one & two are utility circuits; circuits A & B are dedicated circuits.

COMPILE'S 8-WIRE ELECTRICAL SYSTEM

Electrical

This modification allows for the integration of the commonly required "2+2" configuration (2 utility circuits, 2 dedicated circuits) found in the source power of most of today's North American buildings.

This system is rated for connection to:

1. A grounded 120/240V, single phase, 20 A, 60Hz
2. A 120/208V, 3 phase, 20 A, 60Hz branch circuit

EQUIPMENT AMPERAGE

| | |
|--------------------------------------|--------------|
| Calculator | 0.25 |
| Electric Eraser | 0.50 |
| Pencil Sharpener..... | 1.00 |
| Radio | 0.05 |
| Paper Shredder..... | 4.40 - 13.00 |
| Electric Typewriter | 1.20 |
| Personal Computer | 2.00 - 4.00 |
| Video Display Terminal | 0.08 |
| Draft / Letter Quality Printer | 1.20 - 3.00 |
| Laser Printer..... | 5.00 - 8.00 |
| Processor / Disk Unit..... | 1.00 - 10.00 |

Data/Comm



Compile's duplex receptacle openings (1.345 x 2.80) will conform to the ANSI/TIA/EIA Furniture Opening Standard of 1.38 +/- .035 x 2.71 +/- .04

| | |
|------------------------|--------------|
| Desk Top Plotter | 1.50 |
| Fan | 1.00 |
| Heater | 8.50 - 12.50 |
| Coffee Pot..... | 15.00 |
| Task Light | 1.00 |
| Slide Projector | 2.00 - 6.00 |

Since some equipment, such as large copiers, printers, plotters, heaters and coffee makers would occupy most of the circuit capacity, it is recommended that such devices be supplied with the power directly from the wall or building receptacle.



Wiring Schematic



Defining "2 + 2" Wiring Configurations

2 + 2 Configuration (8 wire, 4 circuit)

Two Utility Circuits [Compile's new #1 & #2 circuits] share one neutral wire and one ground wire.
 (2 hot [circuit] wires + 1 neutral wire*** + 1 green ground wire* = 4 wires)

Two Dedicated Circuits [Compile's new "A" & "B" circuits] share one neutral wire and one ground wire.
 (2 hot [circuit] wires + 1 neutral wire*** + 1 green/yellow ground wire** = 4 wires)

Note:

It is the ground wire that makes the difference between "Utility" and "Dedicated" circuits. Refer to Wiring Schematics found above.

* A Green ground wire is a "system" ground. This means it could be grounded to any piece of metal, including the Panel.


** A Green/Yellow ground wire is isolated, within the wiring conduit, all the way back to the box at the source (building ground).

*** All Neutral Wires are 10 gauge rather than 12 gauge meaning they are larger than normal, allowing greater protection against "noise" or interference on the circuit.

This page provides an exploded view of a sample configuration highlighting each **Electrical** component required when specifying this configuration.

Components


- A. CE8PD36 Power Distribution Housing
Note: 8 wire, 4 circuits, 2+2 configuration
- B. CE8CP17 Flexible Mesh Jumper Cable (connects two panels side by side or separated by a post)
- C. CE8RD Duplex Receptacle
- D. CE8CI-1 "I" Connector
- E. CE8CP Pass-Through Cable
Note: Must run in a straight line application only
Note: Pass-Through Extension Cable (CE8CPF154) available – extends power capability beyond 208".



ELECTRICAL


CE8PD - POWER DISTRIBUTION HOUSING

- Power housing is specified per panel size (e.g. CE8PD36 is for use in a 36" panel).
- 8 wire, 4 circuits (4th circuit dedicated).
- Power distribution housing is required for each powered panel, the power distribution housing should equal the width of the panel that it is specified in.
- Provides two duplex receptacle ports per panel side on all panel widths except the 24" wide panel.
- 24" wide panel allows for only one (1) duplex receptacle on one panel side.
- Each power distribution housing supports 15-20 amps.
- Must specify Raceway Cover with Knockouts on panels, where Power Distribution Housings will be utilized.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Power Distribution Housing | CE8PD24 | 154 | 6 1/4 | | |
| | | CE8PD30 | 209 | 11 1/2 | | |
| | | CE8PD36 | 219 | 17 1/2 | | |
| | | CE8PD42 | 224 | 23 1/2 | | |
| | | CE8PD48 | 241 | 29 1/2 | | |
| | | CE8PD60 | 244 | 41 1/2 | | |

CE8CP17 - FLEXIBLE MESH JUMPER CABLE


- 17" mesh jumper.
- Jumper cable is used to pass through a post or connect two panels together.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Flexible Mesh Jumper Cable | CE8CP17 | 120 | 17 | | |

ELECTRICAL


CE8CP - PASS THROUGH CABLE

- Flexible metal conduit is used to distribute electrical power through non-powered panels.
- Metal conduit pass through cables should be in used in a straight runs. Metal conduit pass through cables cannot pass through a post.
- Flexible conduit is required to turn a post. This only comes as 17" w. If panels at the posts do not all have power distribution housings, they must be added even if duplexes are not specified.
- To calculate the length of a Pass-Through Cable, add the widths of the non-powered panels separating the powered panels (panels with distribution housing attached). To this add 16" (distance from the edge of the panel to the distribution housing x 2).
- Add additional 3" when passing through a corner post. See the Tips at the beginning of the section for more details.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|-----|---|
| | | | H | W | D |
|  Pass Through Cable | CE8CP28 | 159 | 28 | 1/2 | |
| | CE8CP40 | 167 | 40 | 1/2 | |
| | CE8CP46 | 172 | 46 | 1/2 | |
| | CE8CP52 | 178 | 52 | 1/2 | |
| | CE8CP58 | 187 | 58 | 1/2 | |
| | CE8CP64 | 197 | 64 | 1/2 | |
| | CE8CP70 | 202 | 70 | 1/2 | |
| | CE8CP76 | 205 | 76 | 1/2 | |
| | CE8CP82 | 213 | 82 | 1/2 | |
| | CE8CP88 | 219 | 88 | 1/2 | |
| | CE8CP94 | 225 | 94 | 1/2 | |
| | CE8CP100 | 231 | 100 | 1/2 | |

CE8CI-1 - "I" CONNECTOR

- Female - Female connector connects two Pass-Through Cables.
- Connects 17" Flexible Jumper Cable or ceiling feeds to pass through cables.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|---|---|
| | | | H | W | D |
|  "I" Connector | CE8CI-1 | 88 | | | |




ELECTRICAL

CE8RD - DUPLEX RECEPTACLE

- Up to 3 receptacles per circuit
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Duplex Receptacles standard in Black (BLK).

- CE8RD1 = Circuit #1 (utility circuit)
- CE8RD2 = Circuit #2 (utility circuit)
- CE8RDA = Circuit A (dedicated)
- CE8RDB = Circuit B (dedicated)
- CE8RD1 and CE8RD2 (#1 and #2 share common ground)
- CE8RDA and CE8RDB (A and B share common ground)


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Duplex Receptacle | CE8RD1 | 33 | | | |
| | | CE8RD2 | 33 | | | |
| | | CE8RDA | 33 | | | |
| | | CE8RDB | 33 | | | |

CE8RDxca - CALIFORNIA CONTROLLED DUPLEX RECEPTACLE

- California Title 24 meets federal and LEED certification guidelines
- Allows circuit to be controlled or switched off when utility is not in use.
- Duplex receptacles are rated for 15 Amps.
- CE8RD1CA = Circuit #1 (utility circuit)
- CE8RD2CA = Circuit #2 (utility circuit)
- CE8RDACA = Circuit A (dedicated)
- CE8RDBCA = Circuit B (dedicated)

NOTE:

- CE8RD1CA and CE8RD2CA (#1 and #2 share common ground)
- CE8RDACA and CE8RDBCA (A and B share common ground)
- Up to 6 receptacles per circuit (24 per infeed), not to exceed total of 15 Amps per circuit.
- Available in BLK finish only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------|--------------|------------|-------------------|-------|-------|
| | | | | H | W | D |
|  | Duplex Receptacle | CE8RD1CA | 38 | 2 | 4 5/8 | 1 1/4 |
| | | CE8RD2CA | 38 | 2 | 4 5/8 | 1 1/4 |
| | | CE8RDACA | 38 | 2 | 4 5/8 | 1 1/4 |
| | | CE8RDBCA | 38 | 2 | 4 5/8 | 1 1/4 |

ELECTRICAL


CE8FR1 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 72" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

CE8FR2 - REVERSIBLE FLOOR POWER ENTRY

- Takes the place of a duplex receptacle by snapping into the base power way.
- Includes 144" long flexible metal conduit.
- Must be hard wired to source power by a licensed electrician.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |



Reversible Floor Power Entry

CE8FR1
CE8FR2

347
447


72
72

CE8F - FLOOR POWER ENTRY

- Snaps in end of power distribution housing.
- Includes flexible vinyl conduit.

- Must be hard wired to source power by a licensed electrician.
- Diameter is 0.85"

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-------------|--------------|------------|-------------------|---|---|
| | | | H | L | D |



Reversible Floor Power Entry

CE8F1P
CE8F2P

357
461


72
144

CMEB01 - ELECTRICAL BOX - CHICAGO

- Can be retrofitted in any size of panel at the receptacle location.
- Gives access from one side only at each location.
- Customer to supply conduit, wiring, receptacle, and face plate.

- 2 per panel ,except 24" panel only one
- Note: A licensed electrician must provide hardware connection with the junction box.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |



Electrical Box - Chicago

CMEB01


101

CMEB02NY - ELECTRICAL BOX - NEW YORK

- Shipped assembled.
- Comes with pig tail electric.
- Use with 30" wide Panel of larger

- Post extension cable capacities: without electric, 30 with electric, 20
- Includes ceiling bezel and screws.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |



Electrical Box - New York

CMEB02NY

444



ELECTRICAL

CEPEXX - POST EXTENSION

- Same profile as post.
- Includes two post extension brackets, four screws and four trim inserts.
- Includes ceiling bezel and screws.




| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|----------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |
| Post Extension | CEPE64 | 192 | 64 | | |
| | CEPE82 | 241 | 82 | | |

CE8ECX - CEILING FEED

- Snaps into the end of a Power Distribution Housing.
- Flexible metal conduit extends into the ceiling through a corner post and post extension.
- Must be hard wired to source power by a licensed electrician.
- 4" junction box included.
- Post extension ordered separately

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |
| Ceiling Feed | CE8EC2 | 469 | 144 | | |



CMECC - CABLE COVER

- Attaches to panels vertically between modules to provide enclosures for power or data cords.
- Available in 21" and 36" lengths, 6 per pack.
- Available in Steel (STL), Black (BLK), Nevada (NEV) only.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|-------------|--------------|------------|-------------------|-----|---|
| | | | H | W | D |
| Cord Cover | CMECC21 | 32 | 21 | 0.5 | 1 |
| | CMECC36 | 50 | 36 | 0.5 | 1 |



ELECTRICAL

CMLEDES - STARTER LED TASK LIGHT

- Undercabinet slim profile LED linear light fixture with lens and On/Off switch.
- May be used as stand-alone or extended with add-on section below (CMLEDES_DSC).
- Plug-in power supply with 72" cord length plus 78" DC cable.
- Includes magnet mounting bracket with optional adhesive metal plate.
- Light enclosure in clear anodizing finish. Color temperature cool white 4000K.
- Lifespan rated 30,000 hours.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|------|---|
| | | | H | W | D |
|  Led Task Light | CMLEDES24 | 277 | 1 | 22.9 | 1 |
| | CMLEDES36 | 318 | 1 | 33.5 | 1 |
| | CMLEDES48 | 354 | 1 | 45.5 | 1 |


CMLEDES - ADD-ON LED TASK LIGHT

- Undercabinet slim profile LED linear add-on light fixture with lens.
- Daisy chain unit with 39" linking cable, no power supply.
- Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply.
- Includes magnet mounting bracket with optional adhesive metal plate. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|----|----|
| | | | H | W | D |
|  Led Task Light | CMLEDES24DSC | 227 | 1 | 24 | 39 |
| | CMLEDES36DSC | 267 | 1 | 36 | 39 |
| | CMLEDES48DSC | 303 | 1 | 48 | 39 |

CMLEDESOS - OCCUPANCY SENSOR

- Inline add-on controller for dimming and occupancy sensor.
- Sensor bypass switch.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|-----|---|
| | | | H | W | D |
|  Occupancy Sensor | CMLEDESOS | 114 | 6 | 2.4 | 2 |







worksurfaces

The information listed below provides you with basic features of Compile Worksurfaces.

- Compile thermally fused Worksurfaces are 1" thick and are finished with 3 mm PVC edging on all sides.
- Worksurfaces are predrilled to enable proper alignment with worksurface supports.
- Standard laminate offerings are available in thermally-fused (T). See laminate listings for details.
- Wood grain laminates on corner Worksurfaces up to 42" available in laminate run diagonally for an upcharge. Otherwise, standard horizontal application of laminate will be used.
- Most wood grain laminate Worksurfaces will have matching woodgrain trim unless specified otherwise.
- Depth of the Worksurface scoops are 1 1/8" when measured from the Panel the Worksurface is attached to.
- All Worksurfaces require support items. These are priced separately within this section.
- Grain Direction for Worksurfaces are as follows:




- Communication and electrical wires are routed through a cable scoop located at the back of the Worksurface. When specifying a Straight Worksurface (CWS) or a Curvilinear Worksurface (CWVL), note that the number of cable scoops depends upon the width of the Worksurface. All other Worksurface shapes have one scoop on Panel edges.



This page provides a three dimensional view of a sample configuration highlighting each **Worksurface** component required when specifying this configuration.

Components


- A.** CWVL2436 Curvilinear Worksurface – Left
 Note: When deepest end equals 24", opposite depth is 18"
 When deepest end equals 30", opposite depth is 24"
- B.** CWCC3618 Corner Curved Worksurface
- C.** CWVR2436 Curvilinear Worksurface – Right



WORKSURFACES

CWS - RECTANGULAR WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- All surfaces over 48" will have two scoops, all others have one.
- Worksurfaces greater than 48" wide require additional structural support.



| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
| | | | | D | W | |
|  | Rectangular Worksurfaces - 24" Deep | CWS2424P | 139 | 24 | 24 | |
| | | CWS2430P | 149 | 24 | 30 | |
| | | CWS2436P | 167 | 24 | 36 | |
| | | CWS2442P | 214 | 24 | 42 | |
| | | CWS2448P | 258 | 24 | 48 | |
| | | CWS2454P | 301 | 24 | 54 | |
| | | CWS2460P | 339 | 24 | 60 | |
| | | CWS2466P | 354 | 24 | 66 | |
| | | CWS2472P | 367 | 24 | 72 | |
| | | CWS2478P | 590 | 24 | 78 | |
| | | CWS2484P | 597 | 24 | 84 | |
| | | CWS2490P | 626 | 24 | 90 | |
| | | CWS2496P | 668 | 24 | 96 | |
| | | Rectangular Worksurfaces - 30" Deep | CWS3024P | 163 | 30 | 24 |
| | | | CWS3030P | 173 | 30 | 30 |
| | | | CWS3036P | 205 | 30 | 36 |
| CWS3042P | 288 | | 30 | 42 | | |
| CWS3048P | 301 | | 30 | 48 | | |
| CWS3054P | 330 | | 30 | 54 | | |
| CWS3060P | 354 | | 30 | 60 | | |
| CWS3066P | 366 | | 30 | 66 | | |
| CWS3072P | 388 | | 30 | 72 | | |
| CWS3078P | 734 | | 30 | 78 | | |
| CWS3084P | 748 | 30 | 84 | | | |



WORKSURFACES

CWSNSC - STRAIGHT WORKSURFACE NO SCOOP


- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|---|--------------|------------|-------------------|----|
| | | | | D | W |
|  | Straight Worksurface No Scoops - 24" Deep | CWS2424NSC | 139 | 24 | 24 |
| | | CWS2430NSC | 149 | 24 | 30 |
| | | CWS2436NSC | 167 | 24 | 36 |
| | | CWS2442NSC | 214 | 24 | 42 |
| | | CWS2448NSC | 258 | 24 | 48 |
| | | CWS2454NSC | 301 | 24 | 54 |
| | | CWS2460NSC | 339 | 24 | 60 |
| | | CWS2466NSC | 354 | 24 | 66 |
| | | CWS2472NSC | 367 | 24 | 72 |
| | | CWS2478NSC | 590 | 24 | 78 |
| | | CWS2484NSC | 597 | 24 | 84 |
| | | CWS2490NSC | 702 | 24 | 90 |
| CWS2496NSC | 668 | 24 | 96 | | |
|  | Straight Worksurface No Scoops - 30" Deep | CWS3024NSC | 163 | 30 | 24 |
| | | CWS3030NSC | 173 | 30 | 30 |
| | | CWS3036NSC | 205 | 30 | 36 |
| | | CWS3042NSC | 288 | 30 | 42 |
| | | CWS3048NSC | 301 | 30 | 48 |
| | | CWS3054NSC | 330 | 30 | 54 |
| | | CWS3060NSC | 354 | 30 | 60 |
| | | CWS3066NSC | 366 | 30 | 66 |
| | | CWS3072NSC | 388 | 30 | 72 |
| | | CWS3078NSC | 734 | 30 | 78 |
| | | CWS3084NSC | 748 | 30 | 84 |

WORKSURFACES

CWSNSCP - RECTANGULAR WORKSURFACE, NO SCOOPS FOR HEIGHT ADJUSTABLE TABLES



- There is no scoop on this work surface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Height Adjustable Tables
- Surfaces not available in HPW.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Rectangular Worksurface No Scoops for Height Adjustable Tables | CWS2346NSCP | 258 | 1 | 23 | 46 |
| | | CWS2352NSCP | 301 | 1 | 23 | 52 |
| | | CWS2358NSCP | 339 | 1 | 23 | 58 |
| | | CWS2364NSCP | 354 | 1 | 23 | 64 |
| | | CWS2370NSCP | 367 | 1 | 23 | 70 |
| | | CWS2946NSCP | 301 | 1 | 29 | 46 |
| | | CWS2952NSCP | 330 | 1 | 29 | 52 |
| | | CWS2958NSCP | 354 | 1 | 29 | 58 |
| | | CWS2964NSCP | 366 | 1 | 29 | 64 |
| | | CWS2970NSCP | 388 | 1 | 29 | 70 |

WORKSURFACES


CWSWNSC - WEDGE WORKSURFACE NO SCOOP

- There is no scoop on this worksurface.
- Worksurface depth is exact, not nominal.
- Support hardware must be ordered separately. See listing in this section of the price book.
- For use with Bridges II or Princeton style legs.
- Surfaces not available in HPW.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|---------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
|  | Straight Wedge Worksurface No Scoops - Left | CWSW241848NSC | 359 | 24 | 18 | 48 |
| | | CWSW241854NSC | 405 | 24 | 18 | 54 |
| | | CWSW241860NSC | 446 | 24 | 18 | 36 |
| | | CWSW241866NSC | 494 | 24 | 18 | 42 |
| | | CWSW241872NSC | 538 | 24 | 18 | 48 |
| | | CWSW302448NSC | 446 | 30 | 24 | 60 |
| | | CWSW302454NSC | 504 | 30 | 24 | 66 |
| | | CWSW302460NSC | 560 | 30 | 24 | 72 |
| | | CWSW302466NSC | 615 | 30 | 24 | 78 |
| | | CWSW302472NSC | 674 | 30 | 24 | 84 |
|  | Straight Wedge Worksurface No Scoops - Right | CWSW182448NSC | 359 | 24 | 18 | 24 |
| | | CWSW182454NSC | 405 | 24 | 18 | 30 |
| | | CWSW182460NSC | 446 | 24 | 18 | 36 |
| | | CWSW182466NSC | 494 | 24 | 18 | 42 |
| | | CWSW182472NSC | 538 | 24 | 18 | 48 |
| | | CWSW243048NSC | 446 | 30 | 24 | 60 |
| | | CWSW243054NSC | 504 | 30 | 24 | 66 |
| | | CWSW243060NSC | 560 | 30 | 24 | 72 |
| | | CWSW243066NSC | 615 | 30 | 24 | 78 |
| | | CWSW243072NSC | 674 | 30 | 24 | 84 |

CWSP - RECTANGULAR WORKSURFACES - SPAN A POST


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--|------------|-------------------|----|----|
| | | | | D | W | |
|  | Rectangular Worksurfaces - 24" Deep Span a Post | CWSP2426P | 167 | 24 | 26 | |
| | | CWSP2432P | 201 | 24 | 32 | |
| | | CWSP2438P | 234 | 24 | 38 | |
| | | CWSP2444P | 264 | 24 | 44 | |
| | | CWSP2450P | 299 | 24 | 50 | |
| | | CWSP2456P | 330 | 24 | 56 | |
| | | CWSP2462P | 437 | 24 | 62 | |
| | | CWSP2468P | 476 | 24 | 68 | |
| | | CWSP2474P | 517 | 24 | 74 | |
| | | CWSP2480P | 556 | 24 | 80 | |
| | | CWSP2486P | 634 | 24 | 86 | |
| | | Rectangular Worksurfaces - 30" Deep Span a Post | CWSP3026P | 209 | 30 | 26 |
| | | | CWSP3032P | 250 | 30 | 32 |
| | | | CWSP3038P | 296 | 30 | 38 |
| CWSP3044P | 330 | | 30 | 44 | | |
| CWSP3050P | 373 | | 30 | 50 | | |
| CWSP3056P | 414 | | 30 | 56 | | |
| CWSP3062P | 546 | | 30 | 62 | | |
| CWSP3068P | 594 | | 30 | 68 | | |
| CWSP3074P | 646 | | 30 | 74 | | |
| CWSP3080P | 693 | | 30 | 80 | | |
| CWSP3086P | 791 | 30 | 86 | | | |

WORKSURFACES


CWVR - CURVILINEAR WORKSURFACES - RIGHT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
| | | | | D | W | |
|  | Curvilinear Worksurfaces - 24" Deep | CWVR2424P | 179 | 24 | 24 | |
| | | CWVR2430P | 185 | 24 | 30 | |
| | | CWVR2436P | 223 | 24 | 36 | |
| | | CWVR2442P | 258 | 24 | 42 | |
| | | CWVR2448P | 295 | 24 | 48 | |
| | | CWVR2454P | 330 | 24 | 54 | |
| | | CWVR2460P | 358 | 24 | 60 | |
| | | CWVR2466P | 396 | 24 | 66 | |
| | | CWVR2472P | 426 | 24 | 72 | |
| | | CWVR2478P | 590 | 24 | 78 | |
| | | CWVR2484P | 597 | 24 | 84 | |
| | | Curvilinear Worksurfaces - 30" Deep | CWVR3024P | 185 | 30 | 24 |
| | | | CWVR3030P | 196 | 30 | 30 |
| CWVR3036P | 231 | | 30 | 36 | | |
| CWVR3042P | 317 | | 30 | 42 | | |
| CWVR3048P | 330 | | 30 | 48 | | |
| CWVR3054P | 366 | | 30 | 54 | | |
| CWVR3060P | 396 | | 30 | 60 | | |
| CWVR3066P | 426 | | 30 | 66 | | |
| CWVR3072P | 453 | | 30 | 72 | | |
| CWVR3078P | 734 | | 30 | 78 | | |
| CWVR3084P | 748 | | 30 | 84 | | |

CWVL - CURVILINEAR WORKSURFACES - LEFT

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- When deepest end equals 24", the opposite depth is 18". When deepest end equals 30", the opposite depth is 24"


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|-------------------------------------|------------|-------------------|----|----|
| | | | | D | W | |
|  | Curvilinear Worksurfaces - 24" Deep | CWVL2424P | 179 | 24 | 24 | |
| | | CWVL2430P | 185 | 24 | 30 | |
| | | CWVL2436P | 223 | 24 | 36 | |
| | | CWVL2442P | 258 | 24 | 42 | |
| | | CWVL2448P | 295 | 24 | 48 | |
| | | CWVL2454P | 330 | 24 | 54 | |
| | | CWVL2460P | 358 | 24 | 60 | |
| | | CWVL2466P | 396 | 24 | 66 | |
| | | CWVL2472P | 426 | 24 | 72 | |
| | | CWVL2478P | 590 | 24 | 78 | |
| | | CWVL2484P | 597 | 24 | 84 | |
| | | Curvilinear Worksurfaces - 30" Deep | CWVL3024P | 185 | 30 | 24 |
| | | | CWVL3030P | 196 | 30 | 30 |
| CWVL3036P | 231 | | 30 | 36 | | |
| CWVL3042P | 317 | | 30 | 42 | | |
| CWVL3048P | 330 | | 30 | 48 | | |
| CWVL3054P | 366 | | 30 | 54 | | |
| CWVL3060P | 396 | | 30 | 60 | | |
| CWVL3066P | 426 | | 30 | 66 | | |
| CWVL3072P | 453 | | 30 | 72 | | |
| CWVL3078P | 734 | | 30 | 78 | | |
| CWVL3084P | 748 | | 30 | 84 | | |



WORKSURFACES


CWCC - CORNER CURVED WORKSURFACES

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|----------------------------------|--------------|------------|-------------------|----|
| | | | | D | W |
|  | Corner Curved Worksurfaces - 36" | CWCC3618P | 466 | 18 | 36 |
| | | CWCC3624P | 511 | 24 | 36 |
| | Corner Curved Worksurfaces - 42" | CWCC4224P | 689 | 24 | 42 |
| | | CWCC4230P | 750 | 30 | 42 |
| | Corner Curved Worksurfaces - 48" | CWCC4824P | 806 | 24 | 48 |
| | | CWCC4830P | 844 | 30 | 48 |

CWCF - FIVE SIDED WORKSURFACES


- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (38") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|------------------------------|--------------|------------|-------------------|----|
| | | | | D | W |
|  | Five Sided Worksurface - 36" | CWCF3618P | 461 | 18 | 36 |
| | | CWCF3624P | 511 | 24 | 36 |
| | Five Sided Worksurface - 42" | CWCF4224P | 689 | 24 | 42 |
| | | CWCF4230P | 750 | 30 | 42 |
| | Five Sided Worksurface - 48" | CWCF4824P | 806 | 24 | 48 |
| | | CWCF4830P | 844 | 30 | 48 |

WORKSURFACES


CWC6 - CURVED CORNER WORKSURFACE FOR 60° POST

- All tops are thermally fused 1" thick with pilot holes to enable proper alignment with worksurface supports. Wood screws must be used.
- Compile worksurfaces feature a 3mm edge.
- Support hardware must be ordered separately. See the listings in this section.
- Note: Width and depth dimensions listed include a nominal measurement (3/8") to account for wire management between the worksurface and adjoining panel.
- Note: Wood grain laminates do not run diagonally on corner worksurfaces.
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE TF | DIMENSIONS/INCHES | |
|---|--|--------------|------------------|-------------------|----|
| | | | | D | W |
|  | Curved Corner Worksurface for 60° Post - 24" | CWC62424P | 435 | 24 | 24 |
| | | CWC62430P | 773 | 24 | 30 |
| | | CWC62436P | 868 | 24 | 36 |
| | | CWC62442P | 1327 | 24 | 42 |
| | | CWC62448P | 1447 | 24 | 48 |
| | Curved Corner Worksurface for 60° Post - 30" | CWC63024P | 435 | 30 | 24 |
| | | CWC63030P | 773 | 30 | 30 |
| | | CWC63036P | 868 | 30 | 36 |
| | | CWC63042P | 1327 | 30 | 42 |
| | | CWC63048P | 1447 | 30 | 48 |

CWC6L - EXTENDED CURVED CORNER - LEFT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|------------------------------------|--------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
|  | Extended Curved Corner - 36" x 24" | CWC6L362448P | 630 | 36 | 24 | 48 |
| | | CWC6L362460P | 687 | 36 | 24 | 60 |
| | | CWC6L362466P | 754 | 36 | 24 | 66 |
| | | CWC6L362472P | 834 | 36 | 24 | 72 |
| | | CWC6L362478P | 891 | 36 | 24 | 78 |
| | CWC6L362484P | 959 | 36 | 24 | 84 | |
| | Extended Curved Corner - 42" x 24" | CWC6L422460P | 723 | 42 | 24 | 60 |
| | | CWC6L422466P | 792 | 42 | 24 | 66 |
| | | CWC6L422472P | 879 | 42 | 24 | 72 |
| | | CWC6L422478P | 938 | 42 | 24 | 78 |
| | | CWC6L422484P | 1012 | 42 | 24 | 84 |
| | Extended Curved Corner - 42" x 30" | CWC6L423060P | 813 | 42 | 30 | 60 |
| | | CWC6L423066P | 891 | 42 | 30 | 66 |
| | | CWC6L423072P | 975 | 42 | 30 | 72 |
| | | CWC6L423078P | 1044 | 42 | 30 | 78 |
| | | CWC6L423084P | 1113 | 42 | 30 | 84 |
| | Extended Curved Corner - 48" x 24" | CWC6L482460P | 855 | 48 | 24 | 60 |
| | | CWC6L482466P | 924 | 48 | 24 | 66 |
| | | CWC6L482472P | 992 | 48 | 24 | 72 |
| | | CWC6L482478P | 1092 | 48 | 24 | 78 |
| | | CWC6L482484P | 1135 | 48 | 24 | 84 |
| | Extended Curved Corner - 48" x 30" | CWC6L483060P | 905 | 48 | 30 | 60 |
| | | CWC6L483066P | 985 | 48 | 30 | 66 |
| | | CWC6L483072P | 1069 | 48 | 30 | 72 |
| | | CWC6L483078P | 1150 | 48 | 30 | 78 |
| | | CWC6L483084P | 1201 | 48 | 30 | 84 |



WORKSURFACES


CWCER - EXTENDED CURVED CORNER - RIGHT

- There are three cable scoops on this worksurface
- Support hardware must be ordered separately. See listing in this section of the price list
- Note: Wood Grain Laminates do not run diagonally on Extended Curved Corners
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
|  | Extended Curved Corner - 36" x 24" | CWCER362448P | 630 | 36 | 24 | 48 |
| | | CWCER362460P | 687 | 36 | 24 | 60 |
| | | CWCER362466P | 754 | 36 | 24 | 66 |
| | | CWCER362472P | 834 | 36 | 24 | 72 |
| | | CWCER362478P | 891 | 36 | 24 | 78 |
| | | CWCER362484P | 959 | 36 | 24 | 84 |
| | Extended Curved Corner - 42" x 24" | CWCER422460P | 723 | 42 | 24 | 60 |
| | | CWCER422466P | 792 | 42 | 24 | 66 |
| | | CWCER422472P | 879 | 42 | 24 | 72 |
| | | CWCER422478P | 938 | 42 | 24 | 78 |
| | | CWCER422484P | 1012 | 42 | 24 | 84 |
| | Extended Curved Corner - 42" x 30" | CWCER423060P | 813 | 42 | 30 | 60 |
| | | CWCER423066P | 891 | 42 | 30 | 66 |
| | | CWCER423072P | 975 | 42 | 30 | 72 |
| | | CWCER423078P | 1044 | 42 | 30 | 78 |
| | | CWCER423084P | 1113 | 42 | 30 | 84 |
| | Extended Curved Corner - 48" x 24" | CWCER482460P | 855 | 48 | 24 | 60 |
| | | CWCER482466P | 924 | 48 | 24 | 66 |
| | | CWCER482472P | 992 | 48 | 24 | 72 |
| | | CWCER482478P | 1092 | 48 | 24 | 78 |
| | | CWCER482484P | 1135 | 48 | 24 | 84 |
| | Extended Curved Corner - 48" x 30" | CWCER483060P | 905 | 48 | 30 | 60 |
| | | CWCER483066P | 985 | 48 | 30 | 66 |
| | | CWCER483072P | 1069 | 48 | 30 | 72 |
| | | CWCER483078P | 1150 | 48 | 30 | 78 |
| | | CWCER483084P | 1201 | 48 | 30 | 84 |

CWD - "D" WORKSURFACE


- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|-----------------------|--------------|------------|-------------------|----|
| | | | | D | W |
|  | "D" Worksurface - 24" | CWD2442P | 516 | 24 | 42 |
| | | CWD2448P | 530 | 24 | 48 |
| | | CWD2460P | 556 | 24 | 60 |
| | | CWD2472P | 594 | 24 | 72 |
| | "D" Worksurface - 30" | CWD3042P | 559 | 30 | 42 |
| | | CWD3048P | 566 | 30 | 48 |
| | | CWD3060P | 594 | 30 | 60 |
| | | CWD3072P | 659 | 30 | 72 |

WORKSURFACES

CWH - HATCHET WORKSURFACE (LEFT SHOWN)


- Cable scoop is in the center of the 36" wide edge.
- Support hardware must be ordered separately. See listing in this section of the price list
- Monoleg is included
- Must be specified either left or right handed.
- Note: Wood Grain Laminates do not run diagonally on Hatchet Corners
- Worksurfaces greater than 48" wide require additional structural support.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------------------|--------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
|  | Hatchet Worksurface - Left | CWHL3672P | 1133 | 36 | 30 | 72 |
| | Hatchet Worksurface - Right | CWHR3672P | 1133 | 36 | 30 | 72 |

Right Shown


CWSW - STRAIGHT WEDGE WORKSURFACES

- Support hardware must be ordered separately. See the listings in this section.
- Must be specified either left or right handed.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|----|----|
| | | | | D1 | D2 | W |
|  | Straight Wedge Worksurface - Left | CWSW241848P | 359 | 24 | 18 | 48 |
| | | CWSW241854P | 405 | 24 | 18 | 54 |
| | | CWSW241860P | 446 | 24 | 18 | 60 |
| | | CWSW241866P | 494 | 24 | 18 | 66 |
| | | CWSW241872P | 538 | 24 | 18 | 72 |
| | | CWSW302448P | 446 | 30 | 24 | 48 |
| | Straight Wedge Worksurface - Right | CWSW302454P | 504 | 30 | 24 | 54 |
| | | CWSW302460P | 560 | 30 | 24 | 60 |
| | | CWSW302466P | 615 | 30 | 24 | 66 |
| | | CWSW302472P | 674 | 30 | 24 | 72 |
| | | CWSW182448P | 359 | 18 | 24 | 48 |
| | | CWSW182454P | 405 | 18 | 24 | 54 |
| | | CWSW182460P | 446 | 18 | 24 | 60 |
| | | CWSW182466P | 494 | 18 | 24 | 66 |
| CWSW182472P | 538 | 18 | 24 | 72 | | |
| Straight Wedge Worksurface - Right | CWSW243048P | 446 | 24 | 30 | 48 | |
| | CWSW243054P | 504 | 24 | 30 | 54 | |
| | CWSW243060P | 560 | 24 | 30 | 60 | |
| | CWSW243066P | 615 | 24 | 30 | 66 | |
| | CWSW243072P | 674 | 24 | 30 | 72 | |

CWQR - QUARTER ROUND PANEL WORKSURFACE

- The worksurface edge running along the panel is a slightly different length than that of the worksurface end, causing the surface to be handed.
- Left hand surface shown.
- Support hardware must be ordered separately. See the listings in this section.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|---|--------------|------------|-------------------|----|
| | | | | D | W |
|  | Quarter Round Panel Worksurface - Left | CWQRL2424 | 214 | 24 | 24 |
| | | CWQRL3030 | 283 | 30 | 30 |
| | Quarter Round Panel Worksurface - Right | CWQRR2424 | 214 | 24 | 24 |
| | | CWQRR3030 | 283 | 30 | 30 |



WORKSURFACES

CWQRC - QUARTER ROUND PANEL CORNER WORKSURFACE

- Wraps around a 90° corner post.
- Support hardware must be ordered separately. See the listing in this section.
- Worksurfaces greater than 48" wide require additional structural support.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|--|--------------|------------|-------------------|----|
| | | | D | W |
| Quarter Round Panel Corner Worksurface | CWQRC2424 | 257 | 24 | 24 |
| | CWQRC3030 | 316 | 30 | 30 |



CWT - STRAIGHT TRANSACTION WORKSURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Compile worksurfaces feature a 3mm edge.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|----------------------------------|--------------|------------|-------------------|----|
| | | | D | W |
| Straight Transaction Worksurface | CWT1512 | 64 | 15 | 12 |
| | CWT1518 | 85 | 15 | 18 |
| | CWT1524 | 101 | 15 | 24 |
| | CWT1530 | 121 | 15 | 30 |
| | CWT1536 | 138 | 15 | 36 |
| | CWT1542 | 154 | 15 | 42 |
| | CWT1548 | 175 | 15 | 48 |
| | CWT1554 | 191 | 15 | 54 |
| | CWT1560 | 212 | 15 | 60 |
| | CWT1566 | 227 | 15 | 66 |
| | CWT1572 | 247 | 15 | 72 |
| | CWT1578 | 264 | 15 | 78 |
| | CWT1584 | 282 | 15 | 84 |



CWTE - END TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- Extends 1.5" past end of run.
- Compile worksurfaces feature a 3mm edge.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|-------------------------|--------------|------------|-------------------|----|
| | | | D | W |
| End Transaction Surface | CWTE1512 | 85 | 15 | 14 |
| | CWTE1518 | 101 | 15 | 20 |
| | CWTE1524 | 121 | 15 | 26 |
| | CWTE1530 | 138 | 15 | 32 |
| | CWTE1536 | 154 | 15 | 38 |
| | CWTE1542 | 175 | 15 | 44 |
| | CWTE1548 | 191 | 15 | 50 |
| | CWTE1554 | 212 | 15 | 56 |
| | CWTE1560 | 227 | 15 | 62 |
| | CWTE1566 | 247 | 15 | 68 |
| | CWTE1572 | 264 | 15 | 74 |




WORKSURFACES

CWTCL - "L" CORNER TRANSACTION SURFACE

- Support hardware must be ordered separately. See the listings in this section.
- When specifying this item along with a straight surface, deduct 12" from each return side.
- Worksurfaces greater than 48" wide require additional structural support.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|--------------------------------|--------------|------------|-------------------|----|
| | | | D | W |
| "L" Corner Transaction Surface | CWTCL90 | 180 | 15 | 21 |



CW9T - CORNER TRANSACTION SURFACE FOR 90° POST

- Support hardware must be ordered separately. See the listing in this section.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|--------------|------------|-------------------|--------|
| | | | D | W |
| Corner Transaction Surface for 90° Post | CW9T1524 | 245 | 15 | 32.861 |
| | CW9T1530 | 292 | 15 | 38.861 |
| | CW9T1536 | 338 | 15 | 44.861 |
| | CW9T1542 | 383 | 15 | 50.861 |
| | CW9T1548 | 434 | 15 | 56.861 |



CHCB2 - CORNER BRACKET

- Attaches the corner of any worksurface to a panel connector.
- Priced and shipped in pairs.
- Available in standard paint colors.
- Cannot be used off modular.
- Can be used when a panel is the same depth as the worksurface in the front and back application.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|----------------|--------------|------------|-------------------|---|
| | | | D | W |
| Corner Bracket | CHCB2 | 22 | 2.5 | |



CHWB1 - MID SPAN SUPPORT BRACKET

- Does not need to be on module.
- Used when a panel exceeds the depth of the adjacent worksurface.
- Can only be used with a Segmented Panel.
- Comes in unfinished zinc.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|--------------------------|--------------|------------|-------------------|---|
| | | | D | W |
| Mid Span Support Bracket | CHWB1 | 14 | | |




WORKSURFACES


CHC15 & CHC22- CANTILEVER

- Attaches a worksurface to a panel.
- Use one cantilever to support two convergent worksurfaces when specified with 3 Flat Brackets or two cantilevers with one flat bracket to support two convergent worksurfaces.
- Does not include Flat Brackets.
- Priced individually
- Specify handedness of each cantilever
- Available in standard paint colors.
- Right and left Cantilever needs to be specified unless flat brackets are also specified.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|------------------|--------------|------------|-------------------|---|
| | | | | D | W |
|  | Cantilever - 15" | CHC15L | 50 | 15 | 6 |
| | | CHC15R | 50 | 15 | 6 |
| | Cantilever - 22" | CHC22L | 77 | 22 | 6 |
| | | CHC22R | 77 | 22 | 6 |


CMHC - WORKSURFACE SUPPORT CHANNEL

- Support channel attaches to underside of worksurface with screws
- Support channel should be 14" shorter than top length.
- Screws are included.
- Only available in Black.
- Tops with post legs should be specified with support channel for structural reinforcement.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|-----------------------------|-----------------------------|------------|-------------------|---|
| | | | | L | D |
|  | Worksurface Support Channel | CMHC40 - for 54" wide table | 84 | 40 | 5 |
| | | CMHC46 - for 60" wide table | 91 | 46 | 5 |
| | | CMHC52 - for 66" wide table | 101 | 52 | 5 |
| | | CMHC58 - for 72" wide table | 114 | 58 | 5 |
| | | CMHC64 - for 78" wide table | 124 | 64 | 5 |
| | | CMHC70 - for 84" wide table | 138 | 70 | 5 |


CHFB1 - FLAT BRACKET

- Use in conjunction with Cantilever to make it a shared Cantilever to support convergent worksurfaces.
- Used at the front of 2 convergent worksurfaces to keep worksurfaces flush at seams.
- Available in Black only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|--------------|--------------|------------|-------------------|---|
| | | | | D | W |
|  | Flat Bracket | CHFB1 | 21 | 3 | 4 |

CHTB2 - TRANSACTION TOP BRACKETS


- Securely attaches a transaction surface to the top of a panel.
- One pair must be on each side of transaction surface.
- Priced and shipped in pairs.
- Available in Anodized Aluminum only.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|--------------|--------------|------------|-------------------|---|
| | | | | D | W |
|  | Flat Bracket | CHTB2 | 22 | 2.5 | |

WORKSURFACES

CHEP - END PANEL

- Supports the worksurface and enhances the stability of connected panels.
- Provides solid support at the end of a run of worksurfaces.
- Finished in thermally-fused laminate.
- Includes flat brackets and hardware.
- End panel height is inclusive of panel glides extended to their fullest height.
- If wood grains is selected, grain runs vertically.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|---|---------------------|--------------|------------|-------------------|----|
| | | | | D | W |
|  | End Panel - 28"High | CHEP2924 | 264 | 28 | 24 |
| | | CHEP2930 | 311 | 28 | 30 |


CHMSL - MID SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|--------------------------|--------------|------------|-------------------|
| | | | | H |
|  | Mid Support Leg - Round | CHMSL1 | 91 | 28 |
| | Mid Support Leg - Square | CHMSL2 | 91 | 28 |



CMHCL & CHHCL - CORNER LEG WITH LEVELER

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and attachment plate.
- 1.5" diameter
- Available in standard paint colors.
- Legs can be used in the corner of a single worksurface or be rotated 45 degrees to support the corners of two worksurfaces.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|-------------------|--------------|------------|-------------------|
| | | | | H |
|   | Corner Leg Round | CMHCL1 | 127 | 28 |
| | Corner Leg Square | CMHCL2 | 127 | 28 |

CHWS - 5" SURFACE TO STORAGE SUPPORT LEG

- Provides support for a worksurface.
- Includes leveling glide, PVC Sleeve and 4.8" x 4.8" attachment plate.
- 1.5" diameter.
- Available in standard paint colors.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES |
|---|--|--------------|------------|-------------------|
| | | | | H |
|   | 5" Surface to Storage Support Leg - Round | CHWSRL01 | 59 | 4.5 |
| | 5" Surface to Storage Support Leg - Square | CHWSSL01 | 59 | 4.5 |


Round Square



WORKSURFACES


CHMEGR - METAL END GABLE - RIGHT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|----|---|
| | | | H | D | W |
|  Metal End Gable - Right | CHMEG18R | 267 | 28 | 17 | 4 |
| | CHMEG24R | 285 | 28 | 23 | 4 |
| | CHMEG30R | 300 | 28 | 29 | 4 |

CHMEGL - METAL END GABLE - LEFT

- Supports the worksurface and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------|------------|-------------------|----|---|
| | | | H | W | D |
|  Metal End Gable - Left | CHMEG18L | 267 | 28 | 17 | 4 |
| | CHMEG24L | 285 | 28 | 23 | 4 |
| | CHMEG30L | 300 | 28 | 29 | 4 |


CHMSL - METAL SUPPORT LEG

- Supports two adjoining worksurfaces and enhances the stability of connected panels.
- Includes a levelling glide and decorative PVC sleeve to cover the glide.
- Available in standard paint colors.
- Flat brackets recommended to ensure alignment of neighboring surface.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|------------|-------------------|----|---|
| | | | H | W | D |
|  Metal Support Leg | CHMSL12 | 239 | 28 | 11 | 4 |

PEDESTAL FILLER BRACKET

- Screws to back of pedestal
- Fills the gap between the pedestal and panel when wing pnael is not used.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | |
|--|--------------|------------|-------------------|-------|
| | | | D | W |
|  Pedestal Filler Bracket- | CHPBF | 60 | 26.875 | 1.375 |

WORKSURFACES

CHPEDB - FLUSH PEDESTAL BRACKET

- Attaches metal or laminate storage or desking, to Compile panels for additional panel support
- Used in flush mount applications only
- Use CHPBF Pedestal Filler Bracket with CS19xx Pedestals and standard depth worksurfaces

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|------------------------|--------------|------------|-------------------|---|---|
| | | | H | W | D |
| Flush Pedestal Bracket | CHPEDB | 29 | 8 | 1 | 1 |



storage

LATERAL FILE FEATURES

DRAWERS/SHELVES

- Drawer interlocking system
- Three-stage, anti-bounceback suspension
- Pre-installed, side-to-side file bars for letter, legal and A4
- Front-to-back file bars – optional
- Full-height dividers – optional
- Angled full pull

CONSTRUCTION

- Top stiffener bar
- Corner gussets
- Four (4) ganging drill points are marked to ensure correct positioning
- Cam lock included
- Leveling glides
- Counterweights are included in 2, 3 and 4 drawer cabinets. BIFMA does not require counterweight in 5 drawer cabinets.

PEDESTAL FEATURES

DRAWERS/SHELVES

- All drawer fronts feature a recessed, angled full pull.
- Drawers feature ball bearing suspension.

CONSTRUCTION

- Central Core removable cam locks.
- Pedestals are 15" wide.
- Counterweight is standard on all Freestanding models.
- Worksurfaces supporting models have holes drilled in top to attach underneath a worksurface.

STANDARD PAINT COLORS

| | |
|----------------|-----|
| BLACK | BLK |
| DESIGNER WHITE | DWT |
| NEVADA | NEV |
| STEEL | STL |

TEXTURED PAINT COLORS

Only available on Compile Storage.

| | |
|------------|-----|
| BLIZZARD | BZD |
| STONE DUST | SDT |

GENERAL WARRANTY INFORMATION


- Evolve warrants all components of metal storage and filing for the lifetime of the product to the original purchaser.



This page provides a three dimensional view of a sample configuration highlighting each storage component required when specifying this configuration.

Components


- A. CSOF13XX KD Overhead
- B. CSSL13XX Low-Profile Shelf
- C. CM19XXBBF Worksurface Supporting Box, Box, File Pedestal



STORAGE


CS19XXBBF - WORKSURFACE SUPPORTING BOX/BOX/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
- Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Worksurface Supporting Box/Box/File 15" Pedestal | CS1919BBF | 549 | 27 5/8 | 18 5/8 | 15 |
| | | CS1923BBF | 565 | 27 5/8 | 22 5/8 | 15 |
| | | CS1929BBF | 641 | 27 5/8 | 29 5/8 | 15 |


CS19XXFF - WORKSURFACE SUPPORTING FILE/FILE 15" PEDESTAL

- Worksurface supporting, with predrilled holes in the top.
- Also available as freestanding with finished top.
- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Worksurface Supporting File/File 15" Pedestal | CS1919FF | 549 | 27 5/8 | 18 5/8 | 15 |
| | | CS1923FF | 565 | 27 5/8 | 22 5/8 | 15 |
| | | CS1929FF | 641 | 27 5/8 | 29 5/8 | 15 |


CS19FXBBF - FREESTANDING BOX/BOX/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight, Pencil tray and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Freestanding Box/Box/File 15" Pedestal | CS19F19BBF | 565 | 27 5/8 | 18 5/8 | 15 |
| | | CS19F23BBF | 582 | 27 5/8 | 22 5/8 | 15 |
| | | CS19F29BBF | 655 | 27 5/8 | 29 5/8 | 15 |

CS19FXFF - FREESTANDING FILE/FILE 15" PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Freestanding File/File 15" Pedestal | CS19F19FF | 565 | 27 5/8 | 18 5/8 | 15 |
| | | CS19F23FF | 582 | 27 5/8 | 22 5/8 | 15 |
| | | CS19F29FF | 655 | 27 5/8 | 29 5/8 | 15 |



STORAGE


CS19MPXXBBF - MOBILE BOX/BOX/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight, Pencil tray, and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Mobile Box/Box/File Pedestal | CS19MP19BBF | 748 | 27 7/8 | 18 5/8 | 15 |
| | | CS19MP23BBF | 787 | 27 7/8 | 22 5/8 | 15 |


CS19MPXXFF - MOBILE FILE/FILE PEDESTAL

- All drawer fronts feature a recessed, angled full pull.
- Pedestal height shown includes glide.
- Finished top.
- Counterweight and Lock included.
- File Bars are not included with Compile pedestals. To order file bars, use product code CSPEDHFB at \$29.00 each list.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Mobile File/File Pedestal | CS19MP19FF | 748 | 27 7/8 | 18 5/8 | 15 |
| | | CS19MP23FF | 787 | 27 7/8 | 22 5/8 | 15 |

CSMCPXXBFNC - MOBILE BOX/FILE PEDESTAL WITH 60MM CASTERS



- Mobile pedestal that includes one pencil tray.
- Includes factory installed counterweight.
- Lock is standard.
- 60mm high castors.
- For use with pedestal seat cushion. See model below.
- Casters do not lock.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|--------|----|
| | | | | H | D | W |
|  | Mobile Box/File Pedestal with 60mm Castors | CSMCP19BFNC | 813 | 23.7/8 | 18.5/8 | 15 |
| | | CSMCP23BFNC | 829 | 23.7/8 | 22.5/8 | 15 |

STORAGE


CSCUSH15 - PEDESTAL SEAT CUSHIONS

- Cushions will have single stitching at the seams.
- Velcro included for quick attachment to pedestal file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back,
- Cushions are for use on CSMCPXXBFNC Mobile Pedestals.
- Please choose a fabric from the standard cushion textiles on pages 94-96

| | DESCRIPTION | PRODUCT CODE | LIST PRICE/GRADES | | | | | | | | | | | | | | DIM./INCH | | | YRDS | | | |
|---|---------------------|-------------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|-----------|------|------|------|--------|----|---|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | | H | D | W |
|  | Pedestal Seat | CSCUSH15X18-5/8X1 | 205 | 238 | 263 | 297 | 348 | 370 | 415 | 489 | 544 | 606 | 733 | 870 | 968 | 1102 | 1367 | 1633 | 1901 | 1 | 18.625 | 15 | 1 |
| | Cushions - 1" Thick | CSCUSH15X22-5/8X1 | 229 | 262 | 287 | 321 | 372 | 394 | 439 | 513 | 568 | 630 | 757 | 894 | 989 | 1122 | 1389 | 1655 | 1924 | 1 | 22.625 | 15 | 1 |
|  | Pedestal Seat | CSCUSH15X18-5/8X2 | 227 | 259 | 283 | 318 | 370 | 392 | 437 | 509 | 565 | 627 | 752 | 892 | 1246 | 1423 | 1777 | 2131 | 2490 | 2 | 18.625 | 15 | 2 |
| | Cushions - 2" Thick | CSCUSH15X22-5/8X2 | 255 | 288 | 317 | 363 | 426 | 456 | 515 | 608 | 678 | 758 | 923 | 1097 | 1271 | 1449 | 1802 | 2158 | 2514 | 2 | 22.625 | 15 | 2 |


CSSL13 - LOW PROFILE SHELF

- 13" deep panel-mounted storage shelf with backlip.
- Mounting brackets are included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|-------------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Low Profile Shelf - 13" | CSSL1324 | 136 | 5 | 13 | 24 |
| | | CSSL1330 | 150 | 5 | 13 | 30 |
| | | CSSL1336 | 163 | 5 | 13 | 36 |
| | | CSSL1342 | 175 | 5 | 13 | 42 |
| | | CSSL1348 | 184 | 5 | 13 | 48 |
| | | CSSL1354 | 192 | 5 | 13 | 54 |
| | | CSSL1360 | 198 | 5 | 13 | 60 |

CSOF13 - KD OVERHEAD

- Mounting brackets are included.
- Door retracts up and over the cabinet.
- Ready for quick assembly on site.
- Quality steel construction.
- 60" unit is reinforced for proper weight distribution.
- Inside dimensions: 12" h x 12.75" d

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | KD Overhead - 13" | CSOF1324 | 357 | 14.5 | 13 | 24 |
| | | CSOF1330 | 392 | 14.5 | 13 | 30 |
| | | CSOF1336 | 432 | 14.5 | 13 | 36 |
| | | CSOF1342 | 457 | 14.5 | 13 | 42 |
| | | CSOF1348 | 483 | 14.5 | 13 | 48 |
| | | CSOF1354 | 547 | 14.5 | 13 | 54 |
| | | CSOF1360 | 591 | 14.5 | 13 | 60 |

CMSLK13 - LOCK FOR KD OVERHEAD


- Must be specified separately.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------------|--------------|------------|-------------------|---|---|
| | | | | H | D | W |
|  | Lock for KD Overhead | CMSLK13 | 44 | | | |




STORAGE

CSLOCKKEY - CORE AND KEY

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------|--------------|------------|-------------------|---|---|
| | | | | H | D | W |
|  | LOCKKEY - Core and Key | CSLOCKKEY | 42 | | | |


CMEK93 - EXTRA KEY

- Must be specified at time of order.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|---|---|
| | | | | H | D | W |
|  | Extra Key | CMEK93 | 19 | | | |


CMDAOHXX - CENTER MOUNT OVERHEAD

- Inside dimensions 13" high x 13" deep.
- Laminate Overhead. No doors.
- Available in standard Compile laminate finishes.
- Top mount on panels.
- Overhead Support Brackets are included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Center Mount Overhead - 13" | CMDAOH36 | 1121 | 15 | 13 | 36 |
| | | CMDAOH42 | 1216 | 15 | 13 | 42 |
| | | CMDAOH48 | 1273 | 15 | 13 | 48 |
| | | CMDAOH54 | 1369 | 15 | 13 | 54 |
| | | CMDAOH60 | 1423 | 15 | 13 | 60 |

CMADAXPM - ADA COMPLIANT OVERHEAD STORAGE UNIT


- Panel Mounted Overhead Storage with metal sides and opaque door that retracts on top of the unit
- Meets CSA B651 Barrier Free Design & ADA (American Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 12" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Shipped partially assembled.
- Available in standard Compile paint colors only. Door made of opaque plastic. **add 10% upcharge for Fog.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|--------------|------------|-------------------|------|----|
| | | | | H | D | W |
|  | ADA Compliant Overhead Storage Unit | CMADA30PM | 1139 | 16 | 14.2 | 30 |
| | | CMADA36PM | 1230 | 16 | 14.2 | 36 |
| | | CMADA42PM | 1314 | 16 | 14.2 | 42 |
| | | CMADA48PM | 1403 | 16 | 14.2 | 48 |
| | | CMADA54PM | 1490 | 16 | 14.2 | 54 |
| | | CMADA60PM | 1423 | 16 | 14.2 | 60 |

STORAGE


CWMA - VERTICAL CHANNEL

- Used to attach system components to fixed wall.
- Panel frame finish.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- Compile vertical channels cannot be shared.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-----------------------------------|--------------|------------|-------------------|-----|-----|
| | | | | H | W | D |
|  | Vertical Channel Sold in pairs | CWMA60 | 39 | 60 | 0.6 | 0.7 |


CS19XX-1X1FH - ONE 1/2 HEIGHT FIXED FRONT & ONE 12" FIXED FRONT LATERAL FILE

- 1/2 Height Box Drawer.
- 1 Fixed Drawer Front.
- Includes Lock.
- Lateral File Top is required when not installed under a worksurface.
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|----------------------------------|---------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | One 1/2 Height Fixed Front & | CS1930P-1X1FH | 1241 | 21.1875 | 19.25 | 30 |
| | One 12" Fixed Front Lateral File | CS1936P-1X1FH | 1325 | 21.1875 | 19.25 | 36 |
| | | CS1942P-1X1FH | 1407 | 21.1875 | 19.25 | 42 |

CS19XX-1XSND - ONE 1/2 HEIGHT OPEN SHELF & ONE 12" OPEN SHELF LATERAL CABINET

- 1/2 Height Open Shelf.
- Bottom Open Shelf.



| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------------------------|--------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | One 1/2 Height Open Shelf & | CS1930-1XSND | 622 | 21.1875 | 19.25 | 30 |
| | One 12" Open Shelf Lateral Cabinet | CS1936-1XSND | 707 | 21.1875 | 19.25 | 36 |
| | | CS1942-1XSND | 787 | 21.1875 | 19.25 | 42 |



STORAGE


CSCUSH19 - LATERAL SEAT CUSHIONS

- Cushions will have single stitching at the seams,
- Velcro included for quick attachment to lateral file.
- 1" Cushion will have a rectilinear design on all sides.
- 2" Cushion will have waterfall edges Front and Back.
- Please choose a fabric from the standard cushion textiles on pages 244-246.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE/GRADES | | | | | | | | | | | | | | DIM./INCH | | | YRDS | | | |
|---|---------------------|------------------|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|-----------|------|------|------|----|----|---|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | | H | D | W |
|  | Lateral Seat | CSCUSH19-25X30X1 | 374 | 416 | 448 | 494 | 564 | 595 | 658 | 755 | 830 | 914 | 1086 | 1268 | 1417 | 1597 | 1951 | 2306 | 2661 | 1 | 19 | 30 | 1 |
| | Cushions - 1" Thick | CSCUSH19-25X36X1 | 388 | 430 | 462 | 510 | 578 | 609 | 672 | 769 | 844 | 928 | 1100 | 1281 | 1428 | 1606 | 1962 | 2317 | 2675 | 1 | 19 | 36 | 1 |
| | | CSCUSH19-25X42X1 | 402 | 443 | 476 | 522 | 591 | 622 | 684 | 780 | 856 | 941 | 1112 | 1295 | 1369 | 1547 | 1902 | 2257 | 2613 | 1 | 19 | 42 | 1 |
|  | Lateral Seat | CSCUSH19-25X30X2 | 415 | 457 | 489 | 535 | 605 | 636 | 697 | 793 | 869 | 954 | 1125 | 1308 | 1380 | 1558 | 1914 | 2268 | 2626 | 2 | 19 | 30 | 2 |
| | Cushions - 2" Thick | CSCUSH19-25X36X2 | 426 | 468 | 500 | 546 | 615 | 647 | 708 | 804 | 880 | 965 | 1136 | 1319 | 1391 | 1568 | 1924 | 2277 | 2634 | 2 | 19 | 36 | 2 |
| | | CSCUSH19-25X42X2 | 442 | 484 | 516 | 564 | 632 | 663 | 724 | 823 | 896 | 981 | 1152 | 1335 | 1401 | 1580 | 1933 | 2290 | 2645 | 2 | 18 | 42 | 2 |

CWFT - LATERAL FILE TOPS

- Available in standard Compile finishes.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|-------------------------|--------------|------------|-------------------|-------|----|
| | | | LP | H | D | W |
|  | Lateral File Tops | CWFT1930 | 163 | 1 | 19.25 | 30 |
| | | CWFT1936 | 167 | 1 | 19.25 | 36 |
| | | CWFT1942 | 214 | 1 | 19.25 | 42 |
| | 2 Lateral Files SBS Top | CWFT1960 | 339 | 1 | 19.25 | 60 |
| | | CWFT1972 | 367 | 1 | 19.25 | 72 |
| | | CWFT1984 | 597 | 1 | 19.25 | 84 |
| 4 Lateral File BTB Top | CWFT3860 | 673 | 1 | 38.75 | 60 | |
| | CWFT3872 | 765 | 1 | 38.75 | 72 | |
| | CWFT3884 | 907 | 1 | 38.75 | 84 | |

CS19XXP - 2F12 - LATERAL FILES - 2 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Two fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--|--------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | Lateral Files - 2 Drawers with Counterweight | CS1930P-2F12 | 985 | 27.14 | 19.25 | 30 |
| | | CS1936P-2F12 | 1061 | 27.14 | 19.25 | 36 |
| | | CS1942P-2F12 | 1103 | 27.14 | 19.25 | 42 |

STORAGE


CS19XXP - 3F12 - LATERAL FILES - 3 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Three fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Lock included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---|--------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | Lateral Files - 3 Drawers with Counterweight | CS1930P-3F12 | 1226 | 39.52 | 19.25 | 30 |
| | | CS1936P-3F12 | 1292 | 39.52 | 19.25 | 36 |
| | | CS1942P-3F12 | 1349 | 39.52 | 19.25 | 42 |


CS19XXP - 4F12 - LATERAL FILES - 4 DRAWERS WITH COUNTERWEIGHT

- Counterweight is standard. Four fixed front drawers.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|---|--------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | Lateral Files - 4 Drawers with Counterweight | CS1930P-4F12 | 1565 | 51.89 | 19.25 | 30 |
| | | CS1936P-4F12 | 1639 | 51.89 | 19.25 | 36 |
| | | CS1942P-4F12 | 1764 | 51.89 | 19.25 | 42 |

CS19XXP - 5F12 - LATERAL FILES - 5 DRAWERS

- Four fixed front drawers plus top drawer with receding door and roll-out shelf.
- Side-to-side hanging file bars included.
- Drawers are 12.25" high.
- File cannot be used to store standard three ring binders.
- Posting shelf option NOT available.
- Lock included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|---------------------------|--------------|------------|-------------------|-------|----|
| | | | | H | D | W |
|  | Lateral Files - 5 Drawers | CS1930P-5F12 | 1863 | 66.39 | 19.25 | 30 |
| | | CS1936P-5F12 | 1945 | 66.39 | 19.25 | 36 |
| | | CS1942P-5F12 | 2052 | 66.39 | 19.25 | 42 |



STORAGE


CSPT - STORAGE TOWERS

- Model CSPT3-2BFL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT3-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24" D wardrobe section (ventilated on bottom of cabinet), locker • Locking.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Storage Tower - 2 Box/1 File Drawer | CSPT3-2BFL | 2774 | 39.52 | 24 | 24 |
| | | CSPT3-2BFR | 2774 | 39.52 | 24 | 24 |


CSPT - STORAGE TOWERS

- Model CSPT3-2FL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT3-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24" D wardrobe section (ventilated on bottom of cabinet), locker • Locking.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--|--------------------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Storage Tower - 2 File Drawers | CSPT3-2FL | 2774 | 39.52 | 24 | 24 |
| | | CSPT3-2FR | 2774 | 39.52 | 24 | 24 |

CSPT - STORAGE TOWERS

- Model CSPT4-2BFL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT4-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24" D wardrobe section (ventilated on bottom of cabinet), locker • Locking.


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------------------------------|--------------|------------|-------------------|----|----|
| | | | | H | D | W |
|  | Storage Tower - 2 Box/1 File Drawer | CSPT4-2BFL | 2789 | 51.89 | 24 | 24 |
| | | CSPT4-2BFR | 2789 | 51.89 | 24 | 24 |

STORAGE

CSPT - STORAGE TOWERS

- Model CSPT4-2FL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT4-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker • Locking.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--------------------------------|--------------|------------|-------------------|----|----|
| | | | H | D | W |
| Storage Tower - 2 File Drawers | CSPT4-2FL | 2789 | 51.89 | 24 | 24 |
| | CSPT4-2FR | 2789 | 51.89 | 24 | 24 |



CSPT - STORAGE TOWERS

- Model CSPT5-2BFL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT5-2BFR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker • Locking.


| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|------------------------------------|--------------|------------|-------------------|----|----|
| | | | H | D | W |
| Storage Tower - 2 Box/1 File Drawe | CSPT5-2BFL | 2862 | 66.39 | 24 | 24 |
| | CSPT5-2BFR | 2862 | 66.39 | 24 | 24 |



CSPT - STORAGE TOWERS

- Model CSPT5-2FL has wardrobe section on the left and drawers on the right. compartment, 2 box drawers and 1 file drawer. Locker compartment has one fixed shelf.
- Model CSPT5-2FR has wardrobe section on the right and drawers on the left.
- Includes ventilated 24"D wardrobe section (ventilated on bottom of cabinet), locker • Locking.

| DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|--------------------------------|--------------|------------|-------------------|----|----|
| | | | H | D | W |
| Storage Tower - 2 File Drawers | CSPT5-2FL | 2862 | 66.39 | 24 | 24 |
| | CSPT5-2FR | 2862 | 66.39 | 24 | 24 |



SO# _____ PO# _____ TAG# _____ Date _____

| KEY# | SETS REQ'D |
|------|------------|------|------------|------|------------|------|------------|------|------------|
| 401 | | 431 | | 461 | | 491 | | 521 | |
| 402 | | 432 | | 462 | | 492 | | 522 | |
| 403 | | 433 | | 463 | | 493 | | 523 | |
| 404 | | 434 | | 464 | | 494 | | 524 | |
| 405 | | 435 | | 465 | | 495 | | 525 | |
| 406 | | 436 | | 466 | | 496 | | 526 | |
| 407 | | 437 | | 467 | | 497 | | 527 | |
| 408 | | 438 | | 468 | | 498 | | 528 | |
| 409 | | 439 | | 469 | | 499 | | 529 | |
| 410 | | 440 | | 470 | | 500 | | 530 | |
| 411 | | 441 | | 471 | | 501 | | 531 | |
| 412 | | 442 | | 472 | | 502 | | 532 | |
| 413 | | 443 | | 473 | | 503 | | 533 | |
| 414 | | 444 | | 474 | | 504 | | 534 | |
| 415 | | 445 | | 475 | | 505 | | 535 | |
| 416 | | 446 | | 476 | | 506 | | 536 | |
| 417 | | 447 | | 477 | | 507 | | 537 | |
| 418 | | 448 | | 478 | | 508 | | 538 | |
| 419 | | 449 | | 479 | | 509 | | 539 | |
| 420 | | 450 | | 480 | | 510 | | 540 | |
| 421 | | 451 | | 481 | | 511 | | 541 | |
| 422 | | 452 | | 482 | | 512 | | 542 | |
| 423 | | 453 | | 483 | | 513 | | 543 | |
| 424 | | 454 | | 484 | | 514 | | 544 | |
| 425 | | 455 | | 485 | | 515 | | 545 | |
| 426 | | 456 | | 486 | | 516 | | 546 | |
| 427 | | 457 | | 487 | | 517 | | 547 | |
| 428 | | 458 | | 488 | | 518 | | 548 | |
| 429 | | 459 | | 489 | | 519 | | 549 | |
| 430 | | 460 | | 490 | | 520 | | 550 | |

| | | | | |
|-----------|-----------|-----------|-----------|-----------|
| 401-430 = | 431-460 = | 461-490 = | 491-520 = | 521-550 = |
|-----------|-----------|-----------|-----------|-----------|

Total:


NOTE : If Key Alike Instructions are not submitted to EVOLVE with the Customer's Purchase Order, all components will be keyed randomly.

accessories

ACCESSORIES

CATB - TACK BOARD

- Provide a tackable surface for notes and memos in a work area.
- Includes two pairs of panel-mounting brackets.
- Only fabric must be specified.
- 10" to be installed on 42" h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|-----------------------|--------------|------------|-----|-------------------|----|---|
| | | | Gr1 | Gr2 | H | W | D |
|  | Tack Board - 10" High | CATB1024 | 184 | 195 | 10 | 24 | |
| | | CATB1030 | 196 | 210 | 10 | 30 | |
| | | CATB1036 | 216 | 230 | 10 | 36 | |
| | | CATB1042 | 238 | 256 | 10 | 42 | |
| | | CATB1048 | 261 | 279 | 10 | 48 | |
| | | CATB1054 | 288 | 310 | 10 | 54 | |
| | CATB1060 | 307 | 331 | 10 | 60 | | |
| | Tack Board - 21" High | CATB2124 | 266 | 277 | 21 | 24 | |
| | | CATB2130 | 289 | 303 | 21 | 30 | |
| | | CATB2136 | 328 | 339 | 21 | 36 | |
| CATB2142 | | 376 | 394 | 21 | 42 | | |
| CATB2148 | | 420 | 436 | 21 | 48 | | |
| CATB2154 | | 459 | 481 | 21 | 54 | | |
| Tack Board - 24" High | CATB2424 | 266 | 277 | 21 | 24 | | |
| | CATB2430 | 289 | 303 | 24 | 30 | | |
| | CATB2436 | 328 | 339 | 24 | 36 | | |
| | CATB2442 | 376 | 394 | 24 | 42 | | |
| | CATB2448 | 420 | 436 | 24 | 48 | | |
| | CATB2454 | 459 | 481 | 24 | 54 | | |
| CATB2460 | 504 | 528 | 24 | 60 | | | |

CAWB - WHITE MARKER BOARD

- Provides a writing surface within a work area.
- Includes two pairs of panel-mounting brackets.
- 10" to be installed on 42" h panels.
- 21" specified for use under overhead shelf or storage bin.
- 24" for use without any overheads.


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | | DIMENSIONS/INCHES | | |
|---|-------------------------------|--------------|------------|-----|-------------------|----|---|
| | | | | | H | W | D |
|  | White Marker Board - 10" High | CAWB1030 | | 178 | 10 | 30 | |
| | | CAWB1036 | | 200 | 10 | 36 | |
| | | CAWB1042 | | 222 | 10 | 42 | |
| | | CAWB1048 | | 255 | 10 | 48 | |
| White Marker Board - 21" High | White Marker Board - 21" High | CAWB2130 | | 308 | 21 | 30 | |
| | | CAWB2136 | | 347 | 21 | 36 | |
| | | CAWB2142 | | 391 | 21 | 42 | |
| | | CAWB2148 | | 455 | 21 | 48 | |
| White Marker Board - 24" High | White Marker Board - 24" High | CAWB2430 | | 308 | 24 | 30 | |
| | | CAWB2436 | | 347 | 24 | 36 | |
| | | CAWB2442 | | 391 | 24 | 42 | |
| | | CAWB2448 | | 455 | 24 | 48 | |



ACCESSORIES


CALB - LOAD BAR

- Frame available in Steel (STL), Black (BLK), and Nevada (NEV) only.
- Mounting brackets and clear end caps are included.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|----|---|
| | | | | H | W | D |
|  | Load Bar | CALB24 | 150 | 2.25 | 24 | 1 |
| | | CALB30 | 165 | 2.25 | 30 | 1 |
| | | CALB36 | 180 | 2.25 | 36 | 1 |
| | | CALB42 | 209 | 2.25 | 42 | 1 |
| | | CALB48 | 241 | 2.25 | 48 | 1 |
| | | CALB54 | 257 | 2.25 | 54 | 1 |
| | | CALB60 | 275 | 2.25 | 60 | 1 |


CSABB01 - BINDER BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|---|-------|
| | | | | H | W | D |
|  | Binder Bin | CSABB01 | 81 | 9 | 4 | 10.25 |


CSALT01 - LETTER TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|------|------|
| | | | | H | W | D |
|  | Letter Tray | CSALT01 | 69 | 2 | 13.5 | 9.25 |

CSASS01 - SLANT SORTER


- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|--------------|------------|-------------------|---|-------|
| | | | | H | W | D |
|  | Slant Sorter | CSASS01L | 51 | 9.5 | 5 | 10.25 |
| | | CSASS01R | 51 | 9.5 | 5 | 10.25 |

ACCESSORIES


EVAMB01 - MEDIA BIN

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|------|------|
| | | | | H | W | D |
|  | Media Bin | CSAMB01 | 63 | 3 | 5.75 | 5.25 |


CSAUT01 - UTILITY TRAY

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------|--------------|------------|-------------------|-----|------|
| | | | | H | W | D |
|  | Utility Tray | CSAUT01 | 43 | 1 | 8.5 | 3.75 |


CSAFS01 - FLIP SORTER

- Must be ordered in conjunction with a load bar option. in Introduction for complete list of offerings and conditions.
- Comes with nickel plated wire.
- Available in standard and premium paint selections. See "Textile & Finish Listings"

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|------|------|
| | | | | H | W | D |
|  | Flip Sorter | CSAFS01 | 59 | 9.25 | 2.75 | 9.25 |

CSAPP01 - MAIL BOX

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.


| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|----|------|
| | | | | H | W | D |
|  | Mail Box | CSAPP01 | 101 | 9 | 12 | 2.75 |



ACCESSORIES


CSATH01 - TELEPHONE HOLDER

- Must be ordered in conjunction with a load bar option.
- Available in standard and premium paint selections. See "Textile & Finish Listings" in Introduction for complete list of offerings and conditions.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|------------------|--------------|------------|-------------------|---|----|
| | | | | H | W | D |
|  | Telephone Holder | CSATH01 | 96 | 2 | 9 | 10 |


CPNP01 - NAME PLATE

- Name Plate attached to 1" increment slots.
- Available in single sided (parallel to panel) or double sided (perpendicular to panel) for isle application displaying name on both sides.
- Injection molded frame and die cast base with black rubberized finish.
- Includes two slide-in name cards, steel brackets and fasteners.
- Available in black only.
- Free template for additional slide-in name cards are available at http://www.evolvefurnituregroup.com/Product_Sheets.html

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|-----|------|
| | | | | H | W | D |
|  | Name Plate | CPNP01 | 147 | 3.30 | 5.3 | 1.25 |

CMCH01 - COAT HOOK

- Coat hook for Compile panels.
- Available in standard Compile paint finishes: DWT, BLK, STL, NEV.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|-------------|--------------|------------|-------------------|------|---|
| | | | | H | W | D |
|  | Coat Hook | CMCH01 | 63 | 5.5 | 0.65 | 1 |

CATP91 - TOUCH-UP PAINT KIT

- Available in standard paint colors to facilitate easy touch-ups.
- 1/2 fl. ounce bottle (spray not available).
- Specify color.

| | DESCRIPTION | PRODUCT CODE | LIST PRICE | DIMENSIONS/INCHES | | |
|---|--------------------|--------------|------------|-------------------|---|---|
| | | | | H | W | D |
|  | Touch-Up Paint Kit | CATP91 | 50 | | | |

textiles and finishes

Care and Cleaning

The following guide encompasses the Compile System line.

The guide was compiled using information from our "raw" material suppliers and is relevant only to our standard offering finishes and textiles.

FABRICS

To extend the life of your upholstered panels, regularly dust the panel to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

PANEL FRAMES

The panel frames are manufactured out of sturdy aluminum with a powder coated enamel paint finish. To clean the frames of the panels, and all hardware associated with the Evolve line, simply utilize a clean, damp cloth. For stubborn stains on the panel frames, you may consider adding a mild detergent.

GLAZED PANELS

Cleaning of the glazing in panels should only be done with a damp lint-free cloth. A mild detergent can be used if necessary. Do not use paper towels in combination with a window cleaner-this may cause scratches to the glazing.

WORKSURFACES

The worksurfaces are manufactured using primarily Nevamar Brand laminates as the exposed surface. To properly clean these areas, it is best to use a clean, damp cloth and circular motion to prevent streaks. For stubborn stains, you are able to add a mild detergent to the water. Be certain not to use an ammonia-based solution. It will react with the PVC, or wood edge trim, causing permanent damage to the contacted areas.

ACCESSORIES

The accessories sold with the Evolve product line can be simply cleaned with a clean, damp cloth. If they are really dirty, a mild, non-abrasive solution may be added. Wipe with a damp cloth after the solution, and finally, a dry cloth.

LAMINATES – THERMALLY FUSED & HIGH PRESSURE

| | |
|---------------------------|------------|
| Absolute Acajou* | ACJ |
| Asian Night* | ASN |
| Avant Cherry* | AWC |
| Avant Honey* | AWH |
| Black | BLK |
| Blizzard Matrix | BMX |
| Brushed Cobalt* | BRC |
| Clear Maple* | CMB |
| Custom Grey | CGY |
| Dark Espresso* | DES |
| Designer White | DWT |
| Fashionista | FAS |
| First Class | FCL |
| Noce Biondo | NBL |
| Noce Grigio | NGL |
| Noce Leggero | NEL |
| Noce Medio | NML |
| Quartered Mahogany* | QTM |
| Sheer Beauty | SBY |
| Stone Dust | SDT |
| Storm Grey | SOG |
| Walnut Heights* | WHE |
| Winter Cherry | WCR |
| White Chocolate* | WHC |

Additional paint and laminates may be available. Contact Evolve Customer Care for details.

* Matching Wood Grain PVC edge available.

PVC EDGE TRIM

| | |
|--------------------------|------------|
| Absolute Acajou | AAE |
| Asian Night | ASE |
| Avant Cherry | ACE |
| Avant Honey | AHE |
| Black | BLK |
| Blizzard | BZD |
| Brushed Cobalt | BRC |
| Charcoal | CHR |
| Clear Maple | CMB |
| Dark Espresso* | DES |
| Designer White | DWE |
| Fashionista | FAS |
| First Class | FCL |
| Nevada | NEV |
| Quartered Mahogany | QTM |
| Sheer Beauty | SBY |
| Silver | SIL |
| Taupe | TPE |
| Tungsten | TUN |
| Walnut Heights | WHE |
| White Chocolate* | CBE |
| Winter Cherry | WCR |

*1-7/16" HPW PVC Trim for Worksurfaces is not available in Dark Espresso (DES).

WOOD VENEER WORKSURFACES*

| | |
|--------------------------|------------|
| Almond Cherry | AMW |
| Amber Cherry | ACW |
| Biscotti | BTW |
| Cocoa Walnut | CAW |
| Coral | CRW |
| Dark Cherry | DCW |
| Dark Walnut | DWW |
| Espresso Walnut | EWW |
| Evening Oak | EWV |
| Grey on Oak | GRW |
| Hazelnut | HAW |
| Java | JAW |
| Latte Walnut | LTW |
| Mahogany on Walnut | MHW |
| Milestone | MTW |
| Natural Maple | MPW |
| Natural Walnut | NLW |
| Red Cherry | RCW |
| Umber Walnut | ULW |
| Vintage Cherry | VNW |
| Walnut | WLW |
| Warm Cherry | WCW |
| White Maple | WMW |

All wood veneer worksurfaces are 1.38" thick.

*Note: Wood veneer options for worksurfaces are available at an upcharge and with an extended lead time. Contact Evolve Customer Care for details.

PAINT & FRAME COLORS

| | |
|---|------------|
| (for application to trim, steel components, PVC, vertical and horizontal members) | |
| Black | BLK |
| Designer White | DWT |
| Fog | FOG |
| Nevada | NEV |



PANEL FABRICS – GRADE 1

Anchorage - 35% Post - consumer Recycled Polyester and 65% Pre -consumer Recycled Polyester

| | |
|---------------------|-------------|
| Birch | AN40 |
| Green Apple | AN41 |
| Lapis | AN42 |
| Straw | AN43 |
| Wolf | AN44 |
| Goose | AN45 |
| Angora | AN46 |
| Cumin | AN47 |
| Asteroid | AN48 |
| Geranium | AN49 |
| Thistle | AN50 |
| Graphite | AN51 |
| Slate | AN52 |
| Quarry Blue | AN53 |
| Onyx | AN54 |
| Pumpkin | AN55 |
| Red Delicious | AN56 |
| Sunshine | AN57 |
| Waterfall | AN59 |
| Vanilla | AN61 |
| Vanilla | AN61 |
| Cobalt | AN62 |
| Cloud | AN64 |

Aurora - 100% Polyester, 80% minimum Post-Consumer Recycled Polyester

| | |
|---------------|-------------|
| Cloud | AU20 |
| Seal | AU21 |
| Fog | AU22 |
| Pewter | AU23 |
| Granite | AU24 |
| Oat | AU25 |
| Coconut | AU26 |
| Latte | AU27 |
| Lake | AU28 |
| Frost | AU29 |

Chance - 63% Virgin Polyester, 37% Post-Consumer Recycled Polyester

| | |
|----------------|-------------|
| Mist | CN51 |
| Dill | CN52 |
| Island | CN53 |
| Plaza | CN54 |
| Tranquil | CN55 |
| Malt | CN56 |
| Navajo | CN57 |
| Prairie | CN58 |
| Cinder | CN59 |
| Oasis | CN66 |

Linea - 100% Post Consumer Recycled Polyester

| | |
|------------------|-------------|
| Queue | LN41 |
| Cord | LN42 |
| Twine | LN43 |
| Thread | LN44 |
| Contour | LN45 |
| Silhouette | LN46 |
| Cable | LN47 |
| Route | LN48 |

Lisbon - 100% Polyester, 67% Post-Consumer Recycled Polyester

| | |
|-----------------|-------------|
| Gesso | LS11 |
| Dusk | LS12 |
| Grey | LS13 |
| Ivory | LS14 |
| Henna | LS15 |
| Nocturnal | LS16 |
| Moss | LS17 |
| Navy | LS18 |
| Buff | LS19 |
| Spa | LS20 |

Loopy - 100% Recycled Polyester

| | |
|-----------------|-------------|
| Oyster | LP60 |
| Putty | LP61 |
| Marble | LP62 |
| Hazelnut | LP63 |
| Latte | LP64 |
| Bay | LP65 |
| Wild Rice | LP66 |
| Harbor | LP67 |

Melody - 100% Recycled Polyester

| | |
|----------------|-------------|
| Spray | ME40 |
| Pond | ME41 |
| Sand Bar | ME42 |
| Silt | ME43 |
| Pebble | ME44 |
| Lake | ME45 |
| Gravel | ME46 |
| Boulder | ME47 |

Merge - 100% Polyester, 75% minimum Post-Consumer Recycled Polyester

| | |
|---------------------|-------------|
| Fawn | MG20 |
| Marshmallow | MG21 |
| Driftwood | MG22 |
| Dove | MG23 |
| Graphite | MG24 |
| Slate | MG25 |
| Eucalyptus | MG26 |
| Fire Engine | MG27 |
| Mediterranean | MG28 |
| Midnight | MG29 |

Pinpoint - 100% Post-Consumer Recycled Polyester

| | |
|----------------|-------------|
| Bliss | PN11 |
| Delight | PN12 |
| Dune | PN13 |
| Infusion | PN14 |
| Ebony | PN15 |
| Fresh | PN16 |
| Carrot | PN17 |
| Splash | PN18 |
| Vibe | PN19 |
| Gala | PN20 |

Streak - 100% Recycled Polyester

| | |
|---------------|-------------|
| Beach | SR81 |
| Shade | SR86 |
| Stretch | SR88 |
| Sprint | SR89 |
| Roll | SR91 |
| Dart | SR92 |
| Zoom | SR93 |
| Splash | SR94 |
| Whiz | SR95 |
| Flash | SR96 |

Tek - 100% Recycled Polyester

| | |
|---------------|-------------|
| Finesse | TX60 |
| Grain | TX61 |
| Essence | TX62 |
| Warp | TX64 |
| Mesh | TX67 |
| Form | TX69 |
| Spice | TX71 |
| Glacier | TX72 |
| Spring | TX73 |
| Harmony | TX74 |
| Smoke | TX75 |
| Pebble | TX76 |

Terrace - 100% Post-Consumer Recycled Polyeste

| | |
|----------------------|-------------|
| Lotus | TC60 |
| Tigerlily | TC61 |
| Shadow | TC62 |
| Cobble | TC63 |
| Cherry Blossom | TC64 |
| Bluebell | TC65 |
| Apple | TC66 |
| Haze | TC67 |
| Cerise | TC68 |
| Twilight | TC69 |
| Wintergreen | TC70 |
| Ironwork | TC71 |
| Flirt | TC73 |
| Echo | TC74 |
| Glacier | TC75 |

PANEL FABRICS— GRADE 2

Cyclone - 56% post-consumer recycled polyester and 44% polyester.

| | |
|-----------------------|-------------|
| Stove Pipe | IM37 |
| Stainless..... | IM40 |
| Polished Pewter | IM41 |
| Welded Steel | IM43 |
| Etched Bronze..... | IM44 |
| Fired Titanium..... | IM46 |
| Chrome..... | IM49 |
| Dark Annealed..... | IM50 |
| Karat..... | IM54 |
| Red Metal..... | IM55 |
| Oxidized Bronze..... | IM56 |
| Bright Ray..... | IM57 |
| Bismuth Crystal | IM58 |
| Gallium Blue..... | IM59 |

Dashing -100% Post-Consumer Recycled Polyester

| | |
|----------------------|-------------|
| Classic Silver..... | DS21 |
| Refined Marble..... | DS22 |
| Antique Sage..... | DS23 |
| Polished Slate | DS24 |
| Genteel Beige | DS25 |
| Bespoke Tan | DS26 |
| Dapper Grey..... | DS27 |

Quadrille - 52.5% Polyester / 47.5% Recycled Polyester

*Maximum panel width is 48'

| | |
|------------------|-------------|
| Escapade..... | QU30 |
| Shenanigan | QU31 |
| Revelry | QU32 |
| Spring | QU33 |
| Regalia | QU34 |
| Soiree..... | QU35 |
| Zest..... | QU36 |
| Gambol..... | QU37 |
| Fair | QU39 |
| Fiesta..... | QU40 |
| Carnival | QU41 |
| Opus | QU43 |
| Jubilee..... | QU44 |
| Masquerade..... | QU45 |
| Cabarets..... | QU46 |

PET PANEL FABRICS

| | |
|------------------|------------|
| Amethyst..... | GPH |
| Apricot..... | APR |
| Black..... | BLK |
| Blue Smoke | BSK |
| Brick..... | BRI |
| Carnation..... | CNN |
| Denim | DEN |
| Emerald | EMD |
| Graphite..... | GPH |
| Harvest..... | HVT |
| Lapis | LAP |
| Mist | MTS |
| Navy | NVY |
| Pewter | PWT |
| Ruby..... | RBV |
| Shamrock..... | SHR |
| Sunflower | SFR |
| White..... | WHT |



GRADE 1

Dobby - 96% Recycled Polyester / 4% Virgin Polyester

| | |
|-------------------|-------------|
| Snowcap..... | DB30 |
| Bonsai..... | DB31 |
| Cloud..... | DB32 |
| Sand..... | DB33 |
| Pewter..... | DB34 |
| Sante Fe..... | DB35 |
| Corfu..... | DB36 |
| Medium Taupe..... | DB37 |
| Charcoal..... | DB38 |
| Berry..... | DB39 |
| Royal..... | DB40 |
| Titanium..... | DB41 |
| Black..... | DB42 |

Fusion - 90% Virgin Polyester/ 10% Post-Consumer Recycled Polyester

| | |
|----------------|-------------|
| Tangerine..... | FU71 |
| Fresh..... | FU72 |
| Moss..... | FU73 |
| TomatoF..... | FU74 |
| Aqua..... | FU75 |
| Sandstone..... | FU76 |
| Granite..... | FU77 |
| Poppy..... | FU78 |
| Cadet..... | FU79 |
| Oasis..... | FU80 |
| Graphite..... | FU81 |
| Viola..... | FU82 |
| Cobalt..... | FU83 |
| Flax..... | FU84 |
| Carbon..... | FU85 |

Illusion - 100% Virgin Polyester

| | |
|-----------------|-------------|
| Cappuccino..... | II01 |
| Paprika..... | II02 |
| Tropic..... | II03 |
| Wicker..... | II04 |
| Hemp..... | II05 |
| Cayenne..... | II06 |
| Maui..... | II07 |
| Dusk..... | II08 |
| Smoke..... | II09 |
| Currant..... | II10 |
| Fiji..... | II11 |
| Ozone..... | II12 |
| Ebony..... | II13 |

Jenny - 100% Polyester

| | |
|--------------------|-------------|
| Midnite..... | JN01 |
| Ebony..... | JN02 |
| Slate..... | JN03 |
| Vermilion..... | JN07 |
| Admiral..... | JN08 |
| Charcoal..... | JN11 |
| Silver Lining..... | JN25 |
| Oatmeal..... | JN26 |
| Sunflower..... | JN27 |
| Cascade..... | JN28 |
| Harvest..... | JN29 |
| Mellon..... | JN30 |
| Berry..... | JN31 |
| Green Grass..... | JN32 |
| Roast..... | JN33 |

Quilt - 100% Polyester

| | |
|--------------------|-------------|
| Black..... | QL10 |
| Charcoal Grey..... | QL11 |
| Navy..... | QL14 |
| Wine..... | QL16 |
| Silver..... | QL19 |
| Feather..... | QL20 |
| Dune..... | QL21 |
| Meadow..... | QL22 |
| Cadet..... | QL23 |
| Geranium..... | QL24 |
| Daisy..... | QL25 |
| Quest..... | QL26 |
| Punch..... | QL27 |
| Tangerine..... | QL28 |
| Cocoa..... | QL29 |

Terrace - 100% Post-Consumer Recycled Polyester

| | |
|---------------------|-------------|
| Lotus..... | TC60 |
| Tigerlily..... | TC61 |
| Shadow..... | TC62 |
| Cobble..... | TC63 |
| Cherry Blossom..... | TC64 |
| Bluebell..... | TC65 |
| Apple..... | TC66 |
| Haze..... | TC67 |
| Cerise..... | TC68 |
| Twilight..... | TC69 |
| Wintergreen..... | TC70 |
| Ironwork..... | TC71 |
| Pine Cone..... | TC72 |
| Flirt..... | TC73 |
| Echo..... | TC74 |

Trak - 100% Recycled Polyester

| | |
|-------------------|-------------|
| Taupe..... | TK40 |
| Mustard..... | TK41 |
| Latte..... | TK42 |
| Cement..... | TK43 |
| Silver..... | TK44 |
| Copper..... | TK45 |
| Teal..... | TK46 |
| Apple..... | TK47 |
| Steel..... | TK48 |
| Merlot..... | TK49 |
| Midnight Sky..... | TK50 |
| Mocha..... | TK51 |
| Carbon..... | TK52 |

Urban - 62% Recycled Polyester / 32% Polyester

| | |
|-------------------|-------------|
| Red Rose..... | UR10 |
| Ocean Blue..... | UR11 |
| Blue Bayou..... | UR12 |
| Green Grass..... | UR13 |
| Sandcastle..... | UR14 |
| Beach Day..... | UR15 |
| Boardwalk..... | UR16 |
| Earth..... | UR17 |
| Brown Ridge..... | UR18 |
| White Sand..... | UR19 |
| Granite Rock..... | UR20 |
| Gravel Road..... | UR21 |
| Black Coal..... | UR22 |

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

| | |
|------------------|-------------|
| Trance..... | WA40 |
| Tryst..... | WA41 |
| Splash..... | WA42 |
| Victoria..... | WA43 |
| Imagine..... | WA44 |
| Sky..... | WA45 |
| Rainforest..... | WA46 |
| Rumble..... | WA47 |
| Prism..... | WA48 |
| Tranquility..... | WA49 |
| Grand..... | WA50 |
| Rushing..... | WA51 |
| Majestic..... | WA52 |
| Pacific..... | WA53 |
| Dance..... | WA54 |

Waterfall - 60% Virgin Polyester /40% Post - Consumer Recycled Polyester

| | |
|---------------|-------------|
| Lime..... | WV01 |
| Mint..... | WV02 |
| Stone..... | WV03 |
| Flame..... | WV04 |
| Mykonos..... | WV05 |
| Savannah..... | WV06 |
| Mesa..... | WV07 |
| Plasma..... | WV08 |
| Cancun..... | WV09 |
| Quartz..... | WV10 |
| Moonrock..... | WV11 |
| Rubine..... | WV12 |
| Corfu..... | WV13 |
| Bluejay..... | WV14 |

GRADE 2 (FABRIC)

Imprint - 100% Post-Consumer Polyester

| | |
|------------------|-------------|
| Almond..... | IM70 |
| Cork..... | IM71 |
| Sand..... | IM72 |
| Currie..... | IM73 |
| Candy Apple..... | IM74 |
| Ocean..... | IM75 |
| Navy..... | IM76 |
| Green Tea..... | IM77 |
| Celery..... | IM78 |
| Oregano..... | IM79 |
| Walnut..... | IM80 |
| Paprika..... | IM81 |
| Graphite..... | IM82 |
| Slate..... | IM83 |
| Licorice..... | IM84 |

GRADE 2 (VINYL)

For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante FRee - 100% Vinyl Face / 100% Polyester Backing

| | |
|------------------------|-------------|
| Illusion | A01F |
| Bright White | A02F |
| White Crush | A03F |
| Ivory | A04F |
| Ice | A05F |
| Bleached Sand | A06F |
| Taupe Fawn | A07F |
| Warm Smoke | A08F |
| Autumn Rain | A09F |
| Cookie | A10F |
| Sierra Brick | A11F |
| Gibraltar | A12F |
| Chateau Grey | A13F |
| Golden Green | A14F |
| Oasis Green | A15F |
| Ink Black | A16F |
| Purple impulse | A17F |
| Italian Rose | A18F |
| Mountain Sky | A19F |
| Old Navy | A20F |
| Galaxy | A21F |
| Red Truffle | A22F |
| Chocolate Sundae | A23F |
| Province Blue | A24F |
| Eclipse | A25F |

GRADE 3 (RECYCLED)

Couture - 100% Post-Consumer

| | |
|-----------------|-------------|
| Polyester | |
| Mocha | CE71 |
| Sapphire | CE74 |
| Neptune | CE75 |
| Lake | CE76 |
| Willow | CE77 |
| Sassy | CE78 |
| Persimmon | CE80 |
| Carbon | CE81 |
| Sterling | CE82 |



PANEL COM REQUEST FOR APPLICATION TEST

SEND COMPLETED FORM AND FABRIC TO:

Compile Customer Service
565 Petrolia Road, Doors 6-13
Toronto, Ontario M3J2X8
Phone: 416.739.5000
Attn: Eric Sam

Requested By: _____

Phone #: _____

Fax #: _____

Project Name _____

Dealer/Specifier _____

Dealer Contact: _____

Evolve CSR: _____

Phone #: _____

Fax #: _____

FABRIC INFORMATION

Fabric Manufacturer: _____

Color Name: _____

Color #: _____

Pattern Name: _____

Pattern #: _____

Content: _____

Weight: _____

Width: _____

Repeat Horizontal: _____

Repeat Vertical: _____

Other Comments: _____

REQUEST FOR APPLICATION TEST (THIS REQUIRES 2 YARDS OF FABRIC)

_____ Compile Panel

_____ Compile Tackboard

Total Number of yards for testing: _____

Please Note:

Compile is not responsible for the duty and brokerage fees for C.O.M. Fabric to clear customs. These charges will be billed to the dealer on a separate invoice.

PANEL FABRIC SPECIFICATION SHEET

SEND COMPLETED FORM TO:

Compile Customer Service
 565 Petrolia Road, Doors 6-13
 Toronto, Ontario M3J2X8
 Phone: 416.739.5000
 Attn: Eric Sam

| | | |
|--|---|---------------------------------------|
| SUPPLIER PATTERN WIDTH CONTENT | REMARKS: _____ _____ _____ _____ | |
| LIGHT FASTNESS FLAMMABILITY TUNNER TEST | REMARKS: _____ _____ _____ _____ | |
| CUT PRICE 1 - 3 ROLLS 4 ROLLS | REMARKS: _____ _____ _____ _____ | |
| DIRECTIONAL PANELS CORNERS RACEWAY COVER RACEWAY CORNERS STRETCH | REMARKS: _____ _____ _____ _____ | EASY HARD X-HARD |
| APPROVED <input type="checkbox"/> NOT APPROVED <input type="checkbox"/> CONDITIONAL APPROVAL <input type="checkbox"/> | | |
| REMARKS: _____ _____ _____ | | |
| * This fabric is approved for upholster-ability only. The approval does not account for the durability of the fabric at the time of, and after installation of the product | | |
| APPROVAL SIGNATURE: _____ | | DATE: _____ |



C.O.M AUTHORIZATION FORM FOR COMPILE PEDESTAL CUSHIONS

CUSTOMER INFORMATION


To be completed by the dealer/design firm. Use one form per textile. Incomplete information may delay or prevent approval.

| | | |
|--------------------------|-------------------------------------|----------------------------|
| A+D/Dealer/Company Name: | Contact: | Date: |
| Billing Address: | Phone: | |
| City: State: Zip: | Fax: | |
| End-User/Project Name: | End-User/Project Registered? YES NO | If YES, The Evolve Quote#: |

TEXTILE APPLICATION INFORMATION

| MODEL NUMBER | QUANTITY | SPECIAL INSTRUCTIONS |
|--------------|----------|----------------------|
| | | |
| | | |
| | | |

| | | |
|---|-------------------------------------|---------------------|
| Textile Name (Series/Style #): | | |
| Textile Color Name and Description: | | |
| Country of Origin: | | |
| Mill or Manufacturer's Name: | | |
| Textile Content (% Cotton, % Poly, % Wool, etc.): | | |
| Textile Width: | Pattern Repeat: VERTICAL HORIZONTAL | Rail Roaded? YES NO |

| TEXTILE DIRECTION | NEW TEXTILE | PREVIOUSLY APPROVED TEXTILE |
|--|--|-------------------------------------|
|  <p>STAPLE FABRIC TO THIS FORM IN THE DIRECTION IN WHICH THE FABRIC IS TO BE UPHOLSTERED WITH THE LEFT SIDE OF THIS PAGE BEING THE SAME LEFT AS THE CUSHION.</p> | Attached textile sample (Minimum 5" x 5" Max 12" x 12") In correct DIRECTION and SIDE. | Fax completed form to: 856.596.5684 |
| | MAIL FORM AND TEXTILE SAMPLE ONLY TO: GLOBAL - COM Department 17 West Stow Road Marlton, NJ 08053 856.596.3390 | |
| | <p>Please contact your local EVOLVE CustomerCare representative for status of all COM requests. When textile is approved and an authorization number issued, a set of shipping instructions will be faxed or e-mailed to you.</p> <p>Approved textiles are to be shipped to the address that will be included with instructions. Do not ship textiles to the address on this form. Dealer is responsible for the shipping expenses. Brokerage fees will be paid for by Global. However, duties imposed by North American Governments related to textile materials, content and Country of Origin, additional fees may apply and will be billed separately.</p> <p>Please Note: C.O.M Textiles may not be shipped without shipping documents. GLOBAL is not responsible for any material shipped without the authorization number.</p> <p>Please be advised that Global has phased out the use of textiles that contain certain Phthalates, including but not limited to: DEHP (di (2-ethylhexyl) phthalate), DBP (di-n-butyl phthalate), BBP (butyl benzyl phthalate) and DINP (di-isononyl phthalate) (collectively the "Listed Chemicals"). The Listed Chemicals are used in certain types of vinyls. Global cannot accept orders for textiles that contain the Listed Chemicals, if such orders are to be shipped to the U.S.A. or are intended for customer in the U.S.A. If you are not sure if the C.O.M you have selected contains the Listed Chemicals, please contact the manufacturer or supplier of the fabric to verify.</p> | |

EVOLVE AUTHORIZATION FORM (TO BE COMPLETED BY CUSTOMERCARE REP.)

| | | |
|------------------|---|-------------|
| CAN#: | TEXTILE YARDAGE (REQUIRED FOR THE ORDER): | GU CODE: |
| SIGNATURE: _____ | PRINT NAME: _____ | DATE: _____ |

TOP

**STAPLE
MINIMUM 6" X 6"
FABRIC SAMPLE HERE
IN THE DIRECTION IT IS TO BE
APPLIED TO THE PRODUCT**

BOTTOM



APPENDIX

The Evolve Furniture Group has partnered with the software vendors listed below to provide you with an online source for viewing the 2019 Compile Electronic Catalog. Please visit their websites for additional information and download details.

2020 Technologies

www.2020technologies.com
5503 Mile Road NW
Grand Rapids, MI 49544
Phone: 800-638-6002

Ice Edge Business Solutions

www.ice-edge.com
4001 S 700 East, Suite 450
Salt Lake City, UT 84107
Phone: 801-747-0373

KISP

www.kisp.com
Customer Support: 416-499-2457
Cad Services Team: 416-499-2457 x3
Customer Service e-mail: tellmemore@kisp.com
CAD Services requests CadServices@kispstech.com

Project Matrix

www.projectmatrix.com
11655 Lebanon Rd.
Cincinnati, OH 45241
Tech Support Instant Messenger: projectmatrixtech@yahoo.com
Phone: 513.554.1665
Fax: 513.554.1255

Quintero-Smith Incorporated/Midnight Oil

www.midnight-oil.com
10469 Kinnard Avenue
Los Angeles, CA 90024
voice: 800-350-7434 (US Only)
international: 310-478-5140
fax: 310-478-4572
e-mail: jimrsr@q-si.com



TERMS & CONDITIONS

APPLICATION OF STANDARD TERMS

Sales of Evolve products are made only on Evolve standard terms and conditions of sale which are contained in the Price Book and in Evolve's order acknowledgments. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Evolve's authorized personnel at its head office in Marlton, New Jersey. An offer by Purchaser of said terms and conditions shall not be binding until accepted by Evolve in writing.

All illustrations, specifications and prices in this Price List are based on the latest product information available at the time of publication. Evolve reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

PRICES AND PAYMENT

The prices shown in this Price List, as well as those quoted by Evolve, shall be in US dollars for orders shipped to destinations within the continental United States.

Prices listed herein are for standard product. Quotations for special product are available through Evolve Customer Support Department in Marlton, New Jersey.

If shipping date requested is more than 90 days from date of order Evolve shall use published list prices effective at the time of shipment.

Not included in the list price are special or export packing, unpacking and installation. Orders are invoiced at the time of shipment. The Customer agrees to pay a charge of 2% per month of invoices outstanding more than 30 days.

FOR PAYMENTS ONLY, MAIL TO:

Evolve Furniture Group, a division of:
Global Industries, Inc.
17 West Stow Road
P.O. Box 562
Marlton, New Jersey 08053

Any products sold shall remain the property of Evolve until fully paid for in cash. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Evolve until such time as the goods have been paid for in full.

Free freight applies to orders dock delivered to one commercial business location in the contiguous United States during normal business hours. Residential deliveries will incur additional delivery charges.

Please note exception below:

All showroom and mock-up orders will be subject to actual freight charges.

Evolve shall, in its sole discretion, determine the most appropriate method of shipment routing and carrier. Shipments of less than a full trailer load (LTL) shall ship via common carrier. **These LTL shipments are not subject to specific delivery days or times.** Full trailer loads will provide for dedicated delivery time and schedule. Purchaser may request special packaging or method of shipment at Purchaser's sole expense.

TAXES

All sales, use, excise and other applicable taxes and the collection and reporting thereof (excluding only taxes on the net income of Evolve) are the Purchaser's responsibility and will be invoiced to the Purchaser. If Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish an appropriate exemption certificate to Evolve.

ORDER INFORMATION

Evolve requires that **all orders be submitted in writing** to avoid errors and/or duplication. Orders will be acknowledged with Evolve's acknowledgement forms governing the transaction. The details appearing on the acknowledgement will describe the items to be shipped to Purchaser who must ascertain that they are correct. If not correct, Purchaser should notify Evolve immediately by telephone or fax followed by written confirmation. Acknowledgment shows approximate shipping date of items ordered. **Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.** Orders with Customer's Own Material (C.O.M.), or missing or incorrect information (finish selections, fabric selections, etc.) will be scheduled for manufacturing upon receipt of COM or correct complete information. Purchaser must indicate if multiple shipping schedules are required including noting if the shipping date requested is longer than standard posted lead time. Each shipment will be invoiced at time of shipping and will be subject to payment terms described herein.

C.O.M. CUSTOMER'S OWN MATERIAL

Should Purchaser request a fabric, not standard to the Evolve upholstery line, Purchaser shall submit a sample of not less than two yards for approval. Evolve will determine whether fabric is suitable to manufacturing process and applicable UL or code requirements. Should Evolve be required to test such fabric, it shall so advise Purchaser, and Purchaser shall be responsible for all costs associated therewith. This includes all duty and brokerage fees.

Fabric yardage requirement will be determined by Evolve. An additional charge may be made to cover the cost of cutting, matching or sewing unusual or directional patterns. Evolve shall have no responsibility for condition, quality, performance, physical properties or any other aspect of C.O.M. For panels, price as if grade 1 fabric is used.

Evolve reserves the right to reject any C.O.M. deemed unsuitable.

Evolve reserves the right to cancel an order at any time if C.O.M. is, in the sole judgement of Evolve, inadequate for any reason.

CHANGES AND CANCELLATION

The order may not be changed or cancelled by Purchaser without the written consent of Evolve. This charge can be as much as 100% based upon proximity to scheduled shipment date. Special order items and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric has been cut.

DEPOSIT ON SPECIAL ORDERS

Orders for nonstandard products may, at Evolve's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

SUSPENSION

In the event that the Purchaser defaults in the payment of any sum due Evolve, or in the event the Purchaser's financial condition becomes unsatisfactory to Evolve, Evolve shall have the right at its option, upon written notice to the Purchaser, to cancel shipment of any goods, unless within ten (10) days of Purchaser's receipt of such notice Purchaser provides assurance of payment to Evolve in such form, content and/or amounts as Evolve, in its sole discretion, deems adequate.

COMBINED SHIPMENTS

Evolve will make every effort to combine shipments and orders on written request. However, acceptance of such request shall be with Evolve's sole discretion.

CODE RESTRICTIONS

Evolve portable furniture may be subject to local fire, electrical and/or building codes applicable to portable furniture. It shall be Purchaser's sole responsibility for the proper application of Evolve items within the limitations of such local codes, which may be different from area to area.

SERVICE

Service problems shall be handled by the authorized Evolve dealer. Where this cannot be accomplished on a local level, service problems should be referred to:

Evolve Furniture Group
Customer Support
17 West Stow Road
Marlton, New Jersey USA 08053
856-552-4000 888-827-2500
Attention: Evolve Operations Manager



TERMS & CONDITIONS

STORAGE

In the event Purchaser requests postponement of delivery beyond the acknowledged shipping date, Evolve may transfer the goods to storage on Purchaser's account and at Purchaser's risk and expense subject to a daily storage rate. Such transfer to storage shall be deemed shipment to Purchaser for all purposes, including invoicing and payment.

DELAYS

Evolve's order acknowledgement will state a shipping date which is Evolve's best estimate at the time the order is acknowledged. However, Evolve shall not incur any obligation or liability to Purchaser for failure to ship by a specified date. In addition, Evolve shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Evolve, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Evolve may, without causing any breach or incurring liability, allocate goods which are in short supply, regardless of the reasons therefore, among purchasers, in any manner which Evolve, in its sole discretion, deems advisable.

BACK CHARGES

Evolve will not accept charges for expense incurred by the Purchaser in expediting shipments or otherwise. Evolve will not accept charges for the repair of damage by others.

CLAIMS

All goods are sold F.O.B. Toronto, Canada, unless otherwise agreed to in writing by Evolve. Evolve is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Any claims made against Evolve for apparent defects, errors or shortages must be made by the Purchaser in writing, within fifteen (15) working days after any delivery. Failure by the Purchaser to make any claim against Evolve within the above-described fifteen days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

RETURNS

No returns of goods will be accepted without written consent and shipping instructions, including Evolve's Return Goods Authorization (R.G.A.) numbers, to Evolve. A minimum restocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Evolve in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items and fabric-covered items are in no event subject to return. All returns must be approved and authorized in writing by Evolve Customer Support, Marlton, New Jersey.

LIFETIME WARRANTY

Evolve warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser. This warranty is made by Evolve only to original customers acquiring the product directly from Evolve's authorized dealers. The customer's sole remedy pursuant to this warranty is limited to repair or replacement of parts or product at Evolve's option. Consent from Evolve must be obtained before any warranty work is performed. This warranty shall not apply to any products which must be replaced because of normal wear and tear, negligence, abuse or "accident", shipping damage, or product use and installation other than in accordance with written instructions or warnings. It shall also not apply when product has been modified or altered, repaired or refurbished by someone other than Evolve or an authorized dealer or because of natural variations over which Evolve has no control. In the event of repair and/or replacement of any defective product, Evolve does not warrant matching color, grain, texture or dye lots. Evolve's warranty does not cover the cost of transportation or labor. Repair or replacement will be at Evolve's option. Evolve makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, expressed or implied, other than those set forth in this Price List. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Evolve be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

This Lifetime Warranty is NOT applicable to customers who use Evolve products for rental purposes and is effective only for products, parts or components manufactured after January 1, 2011.

Exceptions to this warranty include:

- Global fabrics and wood veneers, which are warranted for five years from date of delivery.
- Electrical components, which are warranted for ten years from the date of delivery.
- Moving parts such as glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for five years from date of delivery.

- Fading on fabric and wood veneers can be caused by exposure to U.V. rays/sunlight. Natural wood veneer, being a natural material, will have shade differences between veneer sheers, the difference will be more apparent between dye lots.

Evolve does not warrant color fastness on Customer's Own Material.

Because of natural variations over which Evolve has no control, this warranty does not extend to color, grain or texture of wood, and Evolve does not warrant matching of color, grain or texture.

Evolve makes no warranties, including implied warranties of merchantability and fitness for a particular purpose, other than the express warranties contained herein.

LIMITATION OF REMEDY

Purchaser's sole and exclusive remedy (excluding the repair or replacement of goods for breach of the express warranty above) for any matter or claim arising under or relating to these terms and conditions, the goods covered hereby and any transaction involving or relating to such goods, whether in contract, tort (including negligence) or otherwise, shall be payment of the lesser of the cost to repair or replace said product or the purchase price for the goods to which the claim relates. In no event shall Evolve be liable for any special, indirect, consequential, or incidental damages, including without limitation, damages for loss of business profits, business interruptions, or loss of information.

EVOLVE'S WARRANTY DOES NOT APPLY (FOR ANY PRODUCT CATEGORY) TO THE FOLLOWING:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Evolve's written instructions and warnings
- Modifications, attachments or repair methods not approved by Evolve
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Evolve's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

showrooms and distribution centers throughout the united states

SHOWROOMS

Atlanta

10 10th Street
Suite 150
Atlanta, GA 30309
T 404.879.0998

Chicago

The Merchandise Mart
10th Floor, Suite 1035
Chicago, IL 60654
T 312.755.0843

Miami

112 NE 41st Street
6th floor
Miami, FL 33137

New York City

386 Park Avenue South,
7th floor
New York, NY 10016
T 212.545.9900

Phoenix

4675 East Cotton
Center Boulevard,
Suite 165
Phoenix, AZ 85040
T 602.426.0666

Boston

One Harbor Street,
Suite 104
Boston, MA 02210
T 617.406.5435

Irvine

18400 Von Karman Ave.
Suite 100
Irvine, CA 92618

New Jersey (Southern)

119 Greentree Road
Marlton, NJ 08053
T 856.596.3390

Philadelphia

1735 Market Street
38th Floor
Philadelphia PA, 19103
215.861.0963

Washington, DC

1130 Connecticut
Avenue
Washington, DC 20036
T 202.659.0230

SHOWROOMS + DISTRIBUTION CENTERS

Atlanta Area

6715 Maple Ave.
Suite 100
Buford, GA 30518
T 678.602.4130

Cincinnati Area

8712 LeSaint Drive
Fairfield, OH 45014
T 513.777.0009

Ft. Lauderdale Area

560 Sawgrass
Corporate Parkway
Sunrise, FL 33325
T 954.846.8888

Los Angeles Area

12320 Bloomfield
Avenue, Unit A
Santa Fe Springs, CA
90670
T 562.484.9686

Baltimore Area

Troy Hill Corporate
Center
7030 Troy Hill Drive
Elkridge, MD 21075
T 410.379.8021

Dallas Area

2025 W. Beltline Rd.,
#100
Carrollton, TX 75006
T 972.236.1366

Houston

7865 Northcourt Road,
Building D, Suite 200
Houston, TX 77040
T 713.695.5777

Seattle Area

Oakesdale Commerce
Center
820 Southwest 34th St.
Building W7, Suite A
Renton, WA 98057
T 425.291.9282

Chicago Area

27W501 North Avenue
West Chicago, IL 60185
T 630.681.2818

Denver Area

16401 E. 33rd Dr., Ste. 50
Aurora, CO 80011
T 303.340.1617

Kansas Area

11617 West 81st Street
Lenexa, KS 66214
T 913.310.9963

Tampa Area

10351 Windhorst Road
Tampa, FL 33619
T 813.621.6272

Global - USA Headquarters

17 West Stow Road P.O. Box 562
Marlton, New Jersey U.S.A. 08053
Tel (856) 596-3390 (800) 220-1900
Fax (856) 596-5684
www.globalfurnituregroup.com

Global - Canada Headquarters

1350 Flint Road
Downsview, ON Canada M3J 2J7
Sales & Marketing: Tel (1-877) 446-2251
Customer Service: Fax (800) 361-3182
Government Customer Service: Fax (416) 739-6319



Association of Canadian Ergonomists
Association Canadienne d'Ergonomie