## EVPBFBGXXNY - VERTICAL COVER WITH GLIDE FOR NY BOX POWER ENTRY

- Connects to Power Beam Kit with electrical cut out.
- Includes vertical covers and slotted connector with glide base.
- End of run trim below power beam included.
- Power Beam with electrical cut out to be ordered seperately.

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES			
		LP	Н	W	D	
	EVPBFCG24NY EVPBFCG30NY EVPBFCG36NY	185 211 237	24 30 36	6 6 6	2 7/8 2 7/8 2 7/8	

# **EVPBL - POWER BEAM CONNECTOR SUPPORT LEG WITH FOOT**

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor

- 30"h -- 24" open to floor
- 36"h -- 30" open to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIM H	ENSIONS/INC W	HES D
	EVPBL24 EVPBL30 EVPBL36	109 115 120	24 30 36	18 18 18	

## **EVPBLFF - POWER BEAM LEG WITH FLAT FOOT**

- Connects two Power Beams on equal height.
- Includes connector with flat foot, connecting hardware.

 Note: Leg has to be used next to Post legs with glides. When specifing please keep sequance post leg with glide, leg with flat foot, post leg with glide. Only post legs with glide provides adjustment for leveling power beams run.

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES H W E		CHES D
	EVPBLFF24 EVPBLFF30 EVPBLFF36	129 136 145	24 30 36	21 21 21	

# **EVPBSL - POWER BEAM SINGLE LEG**

- Connects two Power Beams in a straight run.
- Includes non slotted connector with leg, glides and connecting hardware
- For one sided Power beam application

- Laminate end panels must be attached to single leg at end of power beam run for stability
- Laminate end panels to be ordered separately

DESCRIPTION	PRODUCT CODE				HES
		LP	Н	W	D
5	EVPBSL24	109	24	15	
	EVPBSL30	115	30	15	
	EVPBSL36	120	36	15	

## **EVPBCB - POWER BEAM CONNECTOR SUPPORT LEG WITH GLIDE**

- Connects two Power Beams in a straight run.
- 24'h -- 18" open to floor

- 30"h -- 24" open to floor
- 36"h -- 30" open to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIM H	ENSIONS/INC W	CHES D
	EVPBGICB24 EVPBGICB30 EVPBGICB36	73 80 85	24 30 36	2 2 2	

# EVPB24CPA - ONE WAY POST WITH T LEG FOR 24" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	DIMENSIONS/INCHES			
		LP	Н	W	D
	EVPB24CPA124	341	24	3	2 7/8
	EVPB24CPA130	361	30	3	2 7/8
	EVPB24CPA136	374	36	3	2 7/8
	EVPB24CPA142	424	42	3	2 7/8

# EVPB30CPA - ONE WAY POST WITH T LEG FOR 30" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- · Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENSIONS/INCHES		
		LP	Н	W	D
	EVPB30CPA130 EVPB30CPA136 EVPB30CPA142	361 374 424	30 36 42	3 3 3	2 7/8 2 7/8 2 7/8

#### EVPB36CPA - ONE WAY POST WITH T LEG FOR 36" H POWER BEAM

- One way post attaches to end of power beam run
- Post and connecting hardware add 3.25" to power beam run
- Includes post, power beam T leg, post with trim all around, levelling glide, hardware and trim kit
- · Includes two floor mount plates to secure post to floor

DESCRIPTION	PRODUCT CODE	LIST PRICE LP	DIMENSIONS/INCHES H W		CHES D
	EVPB36CPA136	374	36	3	2 7/8
	EVPB36CPA142	424	42	3	2 7/8

#### **EVPBCEPLA - POWER BEAM 2 WAY CORNER POST**

- Connects two power beams of equal height in 90 degree configuration
- Post and connecting hardware add 3.25" to power beam run
- Includes one post, two nonslotted power beam connectors, post with trim all around, levelling glide, hardware and trim kit

DESCRIPTION	PRODUCT CODE	LIST PRICE	DIMENS H	IONS/INCHES W	; D
	EVPBCEPLA224 EVPBCEPLA230 EVPBCEPLA236	175 181 190	24 30 36	3 3 3	3 3 3 3